

ENERGY STAR Qualified Hot Food Holding Cabinets as of November 1, 2009

Company Name	Brand Name	Model Name	Model Number	Models Represented:	Door/Wall Type	Number of Doors	Internal Volume (ft ³)	Energy Usage (watts)	Idle Energy Rate (watts/ft ³)	Date Available
Alto-Shaam, Inc.	Alto-Shaam	Hot Holding Cabinets	500-S/120V/STD 202902	750-S, 1000-S (solid-door version only), 1200-S, 1200-SR, 1000-UP (solid-door version only), 1200-UP, 1200-UP/SR	Solid/Solid	1	3.59	110	30.64	May-01
Alto-Shaam, Inc.	Alto-Shaam	500-PH/GD	500-PH/GD		Solid/Solid	1	4.89	148	30.26	Jan-09
Alto-Shaam, Inc.	Alto-Shaam	Hot Holding Cabinets	12.20MW	12.20W	Solid/Solid	1	19.41	212	10.92	May-08
Alto-Shaam, Inc.	Alto-Shaam	Hot Holding Cabinets	20.20MW	20.20W	Solid/Solid	1	29.27	291	9.94	May-08
Alto-Shaam, Inc.	Alto-Shaam	1200-S	1200-S		Solid/Solid	1	9.85	195.33	20	Jul-09
Alto-Shaam, Inc.	Alto-Shaam	1000-UP	1000-UP		Solid/Solid	2	15.56	284	18.25	Jun-09
Alto-Shaam, Inc.	Alto-Shaam	1200-UP	1200-UP		Solid/Solid	2	19.7	381.34	20	Jul-09
Alto-Shaam, Inc.	Alto-Shaam	1000-BQ2/96	1000-BQ2/96		Solid/Solid	2	21.99	331	15.05	Jun-09
Alto-Shaam, Inc.	Alto-Shaam	1000-BQ2/128	1000-BQ2/128		Solid/Solid	2	28.15	379	13.46	Jun-09
Alto-Shaam, Inc.	Alto-Shaam	1000-BQ2/192	1000-BQ2/192		Solid/Solid	4	43.98	523	11.89	Jun-09
Bevles/Bakers Pride/APW Wyott	Bevles	CS82-CH8	CS82-CH8		Solid/Solid	2	19.6	364	18.6	Sep-04
Bevles/Bakers Pride/APW Wyott	Bevles	Temper Select HTS	HTSDD44P16	Temper Select HTS (series)	Glass/Solid	1	8.945	242	27.05	Jun-06
Bevles/Bakers Pride/APW Wyott	Bevles	Climate Select HCS	HCSS74W12	Climate Select HCS (series)	Glass/Solid	1	21.66	434	20.04	Jun-06
Cambro Manufacturing	Cambro	Tall Camtherm	CMBH1826TSF	CMBH1826TSF, CMBH1826TBF, CMBH1826TSC, CMBH1826TBC, CMBH1826TTR	Solid/Solid	2	18	213	11.8	Sep-03

Company Name	Brand Name	Model Name	Model Number	Models Represented:	Door/Wall Type	Number of Doors	Internal Volume (ft ³)	Energy Usage (watts)	Idle Energy Rate (watts/ft ³)	Date Available
Cambro Manufacturing	Cambro	Low Camtherm	CMBH1826L	CMBH1826LF, CMBH1826LC, CMBH1826LTR	Solid/Solid	1	8	80	10	Sep-03
Cambro Manufacturing	Cambro	Ultra Pan Carrier [®] H-Series	UPCH400	UPCHW400	Solid/Solid	1	3.88	46	15.1	Oct-07
Cambro Manufacturing	Cambro	Ultra Camcart [®] H-Series	UPCH800	UPCHT800, UPCH1600	Solid/Solid	2	7.76	92	15.1	Oct-07
Carter Hoffmann LLC	Carter-Hoffmann	Enduraheat Banquet Carter	BR96	BR120, BR150, BR1000, BR1200	Solid/Solid	2	27.8	507	18.2	Apr-04
Carter Hoffmann LLC	Carter-Hoffmann	EnduraHeat Satellite Transport Carts	SR188	SR1820	Solid/Solid	1	11.36	338.7	29.82	Jan-88
Carter Hoffmann LLC	Carter-Hoffmann	EquaHeat Series Banquet Carts	BB700	BB700, BB1100, BB1300, BB1600, BB1300XX, PH1470, PH1490	Solid/Solid	1	21.37	510.1	23.8	Jan-88
Carter Hoffmann LLC	Carter-Hoffmann	Heated Holding Cabinet	TB916		Solid/Solid	2	19.8	468	23.6	Jan-04
Carter Hoffmann LLC	Carter-Hoffmann	Banquet Carter	BB1824	BB40, BB48, BB60, BB64, BB72, BB90, BB96, BB96E, BB96X, BB96XX, BB100, BB120, BB120E, BB120X, BB120XX, BB150, BB150E, BB150X, BB150XX, BB200D, BB1000, BB1200, BB1848, BB1864, PS96	Solid/Solid	1	10.5	114	10.9	Aug-92
Carter Hoffmann LLC	Carter-Hoffmann	Heated Transport Cart	PH181 (120V)	ST181, PH1200, PH1210, PH1215, PH1220, PH1225, PH1230, PH1240, PH1250, PH1400, PH1410, PH1420, PH1425, PH1430, PH1440, PH1450, PH1460, PH1800, PH1810, ST1811, PH1825, PH1830, PH1850, PH1860	Solid/Solid	1	10.5	113.8	10.84	Aug-92

Company Name	Brand Name	Model Name	Model Number	Models Represented:	Door/Wall Type	Number of Doors	Internal Volume (ft ³)	Energy Usage (watts)	Idle Energy Rate (watts/ft ³)	Date Available
Carter Hoffmann LLC	Carter-Hoffmann	Heated Transport Cart	PH181 (208V)	ST181, PH1200, PH1210, PH1215, PH1220, PH1225, PH1230, PH1240, PH1250, PH1400, PH1410, PH1420, PH1425, PH1430, PH1440, PH1450, PH1460, PH1800, PH1810, ST1811, PH1825, PH1830, PH1850, PH1860	Solid/Solid	1	10.5	101.4	9.66	Aug-92
Carter Hoffmann LLC	Carter-Hoffmann	Heated Transport Cart	PH181 (240V)	ST181, PH1200, PH1210, PH1215, PH1220, PH1225, PH1230, PH1240, PH1250, PH1400, PH1410, PH1420, PH1425, PH1430, PH1440, PH1450, PH1460, PH1800, PH1810, ST1811, PH1825, PH1830, PH1850, PH1860	Solid/Solid	1	10.5	101.5	9.67	Aug-92
Carter Hoffmann LLC	Carter-Hoffmann	Heated Transport Cart	PH185		Solid/Solid	1	9.62	344.23	35.78	Currently Available
Carter Hoffmann LLC	Carter-Hoffmann	Heated Transport Cart	PH128	PH129, ST1820, PH1815, PH1820, PH1835, PH1840	Solid/Solid	1	5.25	149.3	28.44	Jan-92
Carter Hoffmann LLC	Carter-Hoffmann	Heated Transport Cart	ST188	PH188	Solid/Solid	1	9.45	329.4	34.86	Jan-92
Carter Hoffmann LLC	Carter-Hoffmann	AccuFresh Heated Holding Cabinet	HBU8	HBU8, HBC16	Glass/Solid	2	13.33	530	39.76	Mar-08
Carter Hoffmann LLC	Carter-Hoffmann	AccuFresh Heated Holding Cabinet	HBU14 (Glass and Steel Doors)	HBU18, HBC28, HBC36 (Glass and Steel Doors)	Glass/Solid	2	21.61	619.2	28.65	Mar-08
Carter Hoffmann LLC	Carter-Hoffmann	AccuFresh Heated Holding Cabinet	HBU18 (Dutch Doors)	HBC36 (Dutch Doors)	Glass/Solid	4	26.88	719.6	26.77	Mar-08
Carter Hoffmann LLC	Carter-Hoffmann	AccuFresh Heated Holding Cabinet	HWU8 (Glass and Steel Doors)	HWU14, HWU18, HWC16, HWC28, HWC36 (Glass and Steel Doors)	Glass/Solid	2	13.33	522	39.16	Mar-08
Carter Hoffmann LLC	Carter-Hoffmann	AccuFresh Heated Holding Cabinet	HWU18 (Dutch Doors)	HWC36 (Dutch Doors)	Glass/Solid	4	26.88	703.7	26.18	Mar-08

Company Name	Brand Name	Model Name	Model Number	Models Represented:	Door/Wall Type	Number of Doors	Internal Volume (ft ³)	Energy Usage (watts)	Idle Energy Rate (watts/ft ³)	Date Available
Carter Hoffmann LLC	Carter-Hoffmann	AccuFresh Heated Holding Cabinet	HB125	HB128, HB188, HBU6	Solid/Solid	1	3.6	135.4	37.6	Oct-96
Carter Hoffmann LLC	Carter-Hoffmann	Active Humidified Heat Holding Cabinet	HWP36		Glass/Solid	2	28.11	670.6	23.86	Jan-92
CE Thermal Systems LLC	TakeltEasy Oven	TakeltEasyOven	CFW-3WAC		Solid/Solid	1	4.135	151.66	36.67	Oct-09
Cleveland Range LLC	Cleveland Range LLC	CONVOHOLD™	HCWH-20.20	HCDH-20.20	Solid/Solid	1	31.1	542.1	13.58	Currently Available
Cres Cor	Cres Cor	Insulated Heated Stainless Steel Banquet Cart	EB-150	EB-150S, EB-150208, EB-150208S, EB-150240, EB-150240S, EB-150CAN, EB-150CANS	Solid/Solid	1	40.6	615	15.15	Jul-01
Cres Cor	Cres Cor	Insulated Stainless Steel Aquatemp Holding Cabinet	H137WSUA12C	H137SUA12C, H138WS1834C, H138S1834C (All model numbers may be followed by additional suffixes)	Solid/Solid	2	22.53	280	12.43	Mar-01
Cres Cor	Cres Cor	Insulated Aquatemp Holding Cabinet	H137UA12C**2K	H137WUA12C**2K, H1381834C**2K **may have other alpha numeric characters within this location (All model numbers may be followed by additional suffixes)	Solid/Solid	2	23.07	406.1	17.6	Mar-01
Cres Cor	Cres Cor	Insulated Half-Size Stainless Steel Holding Cabinets	H339SS12188C	H339SS188C, H339SST188C, H339SS12188C, H339SST12188C, H339SS1813C, H339SST1813C, H339XSS188C, H339XSS1813C, H339XSS12188C, H339XSSUA8C	Solid/Solid	1	7.14	122	17.07	Jun-97

Company Name	Brand Name	Model Name	Model Number	Models Represented:	Door/Wall Type	Number of Doors	Internal Volume (ft ³)	Energy Usage (watts)	Idle Energy Rate (watts/ft ³)	Date Available
Cres Cor	Cres Cor	Insulated Half-Size Stainless Steel Holding Cabinets	H339SSUA8C	H339SSUA8C, H339SSTUA8C (All model numbers may be followed by additional suffixes)	Solid/Solid	1	8.65	115	13.3	Jan-00
Cres Cor	Cres Cor	H161FUA11CM	H161FUA11CM	H161FUA11CMCAN	Solid/Solid	1	22.85	446.55	19.54	Jul-01
Cres Cor	Cres Cor	Insulated Holding Cabinet	H137UA9C	H137UA9C, H137UA12C (All model numbers may be followed by additional suffixes)	Solid/Solid	1	16.4	246.33	15.02	Mar-01
Cres Cor	Cres Cor	Insulated Stainless Steel Holding Cabinet	H137WSUA5C	H137WSUA6C, H137SUA6C, H138WS1816C, H138S1816C (All model numbers may be followed by additional suffixes)	Solid/Solid	1	8.24	240	29.13	Nov-03
Cres Cor	Cres Cor	Insulated Stainless Steel Holding Cabinet	H137WSUA6CMD	H137WSUA6CM, H137SUA6CM, H138WS1816CM, H138S1816CM (All model numbers may be followed by additional suffixes)	Glass/Solid	1	10.87	193	17.76	Mar-01
Cres Cor	Cres Cor	Insulated Holding Cabinet	H339135BKC3	H339T135C, H339X135C, H339X12135C, H339128C, H339T128C, H33912135C, H339T12135C, H339X1813C (All model numbers may be followed by additional suffixes)	Solid/Solid	1	3.04	95.7	31.45	Dec-00
Cres Cor	Cres Cor	Insulated Holding Cabinet	H339SBS1210	H339TSBS1210 (All model numbers may be followed by additional suffixes)	Solid/Solid	1	7.23	162	22.41	Dec-00
Cres Cor	Cres Cor	Insulated Holding Cabinet	H339UA8C	H339TUA8C, H339XUA8C (All model numbers may be followed by additional suffixes)	Solid/Solid	1	8.65	200	23.13	Dec-00

Company Name	Brand Name	Model Name	Model Number	Models Represented:	Door/Wall Type	Number of Doors	Internal Volume (ft ³)	Energy Usage (watts)	Idle Energy Rate (watts/ft ³)	Date Available
Cres Cor	Cres Cor	Insulated Holding Cabinet	H33912188C	H339T12188C, H339X12188C, H339188C, H339T188C, H339X188C, H3391813C, H339X1813C, H339T1813C, H339214, H3391814 (All model numbers may be followed by additional suffixes)	Solid/Solid	1	7.12	162	22.76	Jan-00
Cres Cor	Cres Cor	Insulated Holding Cabinet	H339128C	H339B128C, H339T128C, H339X128C (All model numbers may be followed by additional suffixes)	Solid/Solid	1	4.23	92.27	21.79	Jan-00
Cres Cor	Cres Cor	Insulated Pass-Thru Stainless Steel Aquatemp Holding Cabinet	H137PWSUA12C	H137PSUA12C, H138PWS1834C, H138PS1834C (All model numbers may be followed by additional suffixes)	Solid/Solid	4	22.2	633	28.51	May-01
Cres Cor	Cres Cor	Insulated Half-Size Stainless Steel Holding Cabinet	H339SS128C	H339SS1283C, H339SSB128C, H339SST128C, H339XSS128C (All model numbers may be followed by additional suffixes)	Solid/Solid	1	4.2	90	21.34	Jan-00
Cres Cor	Cres Cor	Insulated Half-Size Stainless Steel AquaTemp System Cabinet	H339WSSUA8D		Solid/Solid	1	8.29	140	16.89	Jan-00
Cres Cor	Cres Cor	Insulated Heated Stainless Steel Banquet Cart	CCB-150	CCB150 with additional suffixes	Solid/Solid	2	41.32	632	15.29	Dec-98

Company Name	Brand Name	Model Name	Model Number	Models Represented:	Door/Wall Type	Number of Doors	Internal Volume (ft ³)	Energy Usage (watts)	Idle Energy Rate (watts/ft ³)	Date Available
Cres Cor	Cres Cor	Insulated Heated Stainless Steel Banquet Cabinet	H137S96BC	H137WS96BC (All model numbers may be followed by additional suffixes)	Solid/Solid	2	33.36	332	9.95	Mar-03
Cres Cor	Cres Cor	Insulated Heated Stainless Steel Banquet Cart	CCB-120A	CCB120A with additional suffixes	Solid/Solid	2	38.1	432	11.37	Feb-03
Cres Cor	Cres Cor	Stainless Steel Narrow Body Pass-Through Holding Cabinet	H138NPS1832CLA	H138NPS1832CLA (All model numbers may be followed by additional suffixes)	Solid/Solid	3	19.1	401	21	Jul-03
Cres Cor	Cres Cor	Heated Holding Cabinet	H135UA11	H135WUA11 (All model numbers may be followed by additional suffixes)	Solid/Solid	2	20.83	537.33	25.8	Dec-06
Cres Cor	Cres Cor	Stainless Steel Narrow Body Full Height Holding Cabinet	H138NPSCDOM3		Glass/Solid	3	19.4	517.6	26.68	Jun-07
Cres Cor	Cres Cor	Stainless Steel Narrow Body Pass-Through Holding Cabinet	H138NPS36CLCM		Glass/Solid	3	19.21	487.93	25.4	Mar-06
Cres Cor	Cres Cor	Stainless Steel Narrow Body Pass-Through Holding Cabinet	H138NPS36CLCM Q	H138NPS**CLCMQ may have additional suffixes, **represents any number 30-44	Glass/Solid	3	19.24	555.45	28.87	May-08
Cres Cor	Cres Cor	Stainless Steel Narrow Body Pass-Through Holding Cabinet	H138NPS30CMQ	H138NPS**MQ may have additional suffixes, **represents any characters indicating a full size cabinet	Glass/Solid	3	19.24	555.45	28.87	Aug-09
Cres Cor	Cres Cor	Stainless Steel Narrow Body Pass-Through Holding Cabinet	H138NPSCDOM2 MQ	H138NPS24, H138NPSCDOM2 (All model numbers may be followed by additional suffixes)	Glass/Solid	2	14.16	532	37.57	Nov-09

Company Name	Brand Name	Model Name	Model Number	Models Represented:	Door/Wall Type	Number of Doors	Internal Volume (ft ³)	Energy Usage (watts)	Idle Energy Rate (watts/ft ³)	Date Available
Eagle Group	Eagle Group	Panco Transport Heated Cabinets	HCFNSSI-RA2.25-120	HCFNSSI-RA1.50-120, HCFNSSI-RA3.00-120, HCFNSSI-RA3.75-120, HCFNSSI-RA4.50-120, HCFNSSI-RC1.50-120, HCFNSSI-RC2.25-120, HCFNSSI-RC3.00-120, HCFNSSI-RC3.75-120, HCFNSSI-RC4.50-120	Solid/Solid	1	18	546	30.33	Jan-09
Eagle Group	Eagle Group	Panco Transport Heated Cabinets	HPFNSSI-RA2.25-120	HPFNSSI-RA1.50-120, HPFNSSI-RA3.00-120, HPFNSSI-RA3.75-120, HPFNSSI-RA4.50-120, HPFNSSI-RC1.50-120, HPFNSSI-RC2.25-120, HPFNSSI-RC3.00-120, HPFNSSI-RC3.75-120, HPFNSSI-RC4.50-120	Solid/Solid	1	18	610	33.89	Jan-09
Eagle Group	Eagle Group	Panco Transport Proofing Cabinets	PCFNSSI-RA2.25-120	PCFNSSI-RA1.50-120, PCFNSSI-RA3.00-120, PCFNSSI-RA3.75-120, PCFNSSI-RA4.50-120, PCFNSSI-RC1.50-120, PCFNSSI-RC2.25-120, PCFNSSI-RC3.00-120, PCFNSSI-RC3.75-120, PCFNSSI-RC4.50-120	Solid/Solid	1	18	628	34.9	Jan-09
Food Warming Equipment Company, Inc.	FWE	BANQUET CABINETS	E-600	E-600-XL	Solid/Solid	1	16.54	551	33.3	Apr-89
Food Warming Equipment Company, Inc.	FWE	BANQUET CABINETS	E-720	E-900	Solid/Solid	2	23.15	828	35.8	Jan-04
Food Warming Equipment Company, Inc.	FWE	BANQUET CABINETS	E-720-XL		Solid/Solid	2	29	373	13	Apr-04

Company Name	Brand Name	Model Name	Model Number	Models Represented:	Door/Wall Type	Number of Doors	Internal Volume (ft ³)	Energy Usage (watts)	Idle Energy Rate (watts/ft ³)	Date Available
Food Warming Equipment Company, Inc.	FWE	BANQUET CABINETS	E-960	E-1200, E-1500, E-900-XL, E-960-XL, E-1200-XL, E-1500-XL, E-960-XXL, E-1200-XXL, E-1500-XXL	Solid/Solid	2	31.14	977	31	Mar-08
Food Warming Equipment Company, Inc.	FWE	BANQUET CABINETS	P-60	P-72, P-80, P-90, P-60-XL, P-72-XL, P-80-XL, P-90-XL, P-108	Solid/Solid	1	14.3	368	26	Aug-77
Food Warming Equipment Company, Inc.	FWE	HANDY LINE RADIANT HEAT (single or multiple cavities)	HLC-5 (120 v 500W each cavity)	HLC-7, HLC-8, HLC-10, HLC-14, HLC-18, HLC-5S, HLC-7S, HLC-8S, HLC-10S, HLC-14S, HLC-18S, HLC-5H-15, HLC-7H-21, HLC-8H-24, HLC-8-CHP, HLC-16-CHP, HLC-12276, HLC-1717-5, HLC-1717-13,	Solid/Solid	1	3	48	16	Aug-84
Food Warming Equipment Company, Inc.	FWE	HANDY LINE RADIANT HEAT LOAD DESIGN	HLC-SL-1826-5 (120v 1000W)		Solid/Stainless	1	7	126.5	18	Aug-84
Food Warming Equipment Company, Inc.	FWE	HANDY LINE SIDE LOAD LOAD DESIGN	HLCSL-1826-8 (120v 1000W)	HLC-1826-8-CHP	Solid/Stainless	1	8.9	130	14.6	Nov-08
Food Warming Equipment Company, Inc.	FWE	HUMI-TEMP HOLDING SYSTEM (single or multiple cavities)	UHS-4 (each cavity)	UHS-4UC, UHS-7, UHS-10, UHS-5/5, UHS-12, PS-1220-6/6, PS-1220-8, PS-1220-10, PS-1220-15, TS-1418-15, TS-1633-14, TS-1633-14UC, TS-1633-36, TS-1826-7, TS-1826-15, TS-1826-18, TS-1826-7/7, TS-1826-7UC	Clear/Solid	1	9	268.8	29.8	Mar-98
Food Warming Equipment Company, Inc.	FWE	MOISTURE-TEMP HOLDING SYSTEM (single or multiple cavities)	MTU-4 (each cavity)	MTU-7, MTU-7UC, MTU-10, MT-1220-8, MT-1220-10, MT-1220-15, MT-1220-6/6, MT-1633-14, MT-1633-36, MT-1826-7, MT-1826-15, MT-1826-18, MT-1826-7/7, MT-1826-7UC	Clear/Solid	1	9.1	326	36	Jan-98
Food Warming Equipment Company, Inc.	FWE	MOISTURE-TEMP HOLDING	MTU-12		Solid/Solid	1	23	370	16	Mar-98

Company Name	Brand Name	Model Name	Model Number	Models Represented:	Door/Wall Type	Number of Doors	Internal Volume (ft ³)	Energy Usage (watts)	Idle Energy Rate (watts/ft ³)	Date Available
Food Warming Equipment Company, Inc.	FWE	PROOFER/HEATER HOLDING SYSTEM (single or multiple cavities)	PHU-4 (each cavity)	PHU-10, PHU-12, PHU-5/5, PH-1826-15, PH-1826-18, PH-1826-7/7, PH-1826-7, PHU-4UC, PH-1826-7UC	Clear/Solid	1	9.1	326	36	Mar-00
Food Warming Equipment Company, Inc.	FWE	TOP MOUNT HEAT	PST-10	UHST-5, UHST-7, UHST-10, UHST-13, TST-7, TST-10, TST-16, TST-19, PST-16	Solid/Solid	1	6.63	158	24	Jun-00
Food Warming Equipment Company, Inc.	FWE	TOP MOUNT HEAT	UHST-13	UHST-13-OTB	Solid/Stainless	2	24.5	498.7	20.35	Jun-98
Giles Enterprises, Inc.	Giles Enterprises, Inc.	GHU-24x30	GHU-24x30	GHU-24x30-PT, GHU-24x30-D-PT, GHU-26.5x30-PT, GHU-26.5x30-D-PT	Solid/Solid	2	6.8	203	29.8	Aug-08
Giles Enterprises, Inc.	Giles Enterprises, Inc.	GHU-24x30	GHU-24x30	GHU-24x30-S, GHU-24x30-D, GHU-26.5x30-S, GHU-26.5x30-D	Solid/Solid	1	6.8	203	29.8	Aug-08
Hatco Corporation	Hatco	FSHC-6W1	FSHC-6W1		Glass/Solid	1	7.37	280	37.99	Currently Available
Hatco Corporation	Hatco	FSHC-7	FSHC-7		Glass/Solid	1	7.44	297	39.87	Dec-04
Hatco Corporation	Hatco	FLAV-R-SAVOR	FSHC-7-1		Solid/Solid	1	7.49	236.7	31.6	Jul-09
Hatco Corporation	Hatco	FLAV-R-SAVOR	FSHC-7-2		Glass/Solid	1	7.98	306.7	38.4	Jul-09
Hatco Corporation	Hatco	FSHC-17W-1	FSHC-17W-1		Glass/Solid	1	20.79	440	21.16	Sep-05
Hatco Corporation	Hatco	Flavr Savor Holding Cabinet	FSHC-12W2	FSHC-12W1, FSHC-17W1D (Dutch), FSHC-17W2, FSHC-17W2D (Dutch)	Clear/Solid	2	18.1	570	31.5	Oct-07
Henny Penny Corporation	Henny Penny	HHC-980	HHC-980		Glass/Solid	4	17.06	518.4	30.4	Currently Available
Henny Penny Corporation	Henny Penny	HHC-900	HHC-900	HHC-906	Solid/Solid	4	17.88	483	27	Currently Available
InterMetro Industries	Metro	C5 1 Series, Full Height, 2000W, Reach-In, Glass Door Cabinets	C519-CFC-4	C519-CFC-***-**, C519-HFC-***-**, C519-PFC-***-**	Glass/Solid	2 or 1	22.9	870	38.1	Currently Available

Company Name	Brand Name	Model Name	Model Number	Models Represented:	Door/Wall Type	Number of Doors	Internal Volume (ft ³)	Energy Usage (watts)	Idle Energy Rate (watts/ft ³)	Date Available
InterMetro Industries	Metro	C5 9 / 8 Series, Full Height, Stainless Steel, Reach-In, Solid Door Cabinets	C599-SDS-U	C599-SDS-**, C599-SFS-**, C599L-SDS-**, C599L-SFS-**, C589-SDS-**, C589-SFS-**, C589L-SDS-**, C589L-SFS-**	Solid/Solid	2 or 1	24	436	18.2	Currently Available
InterMetro Industries	Metro	C5 9 / 8 Series, Full Height, Stainless Steel, Reach-In, Glass Door Cabinets	C599-SDC-U	C599-SDC-**, C599-SFC-**, C599L-SDC-**, C599L-SFC-**, C589-SDC-**, C589-SFC-**, C589L-SDC-**, C589L-SFC-**	Glass/Solid	2 or 1	24	455	19	Currently Available
InterMetro Industries	Metro	C5 9 / 8 Series, Full Height, Aluminum, Reach-In, Solid Door Cabinets	C599-NDS-U	C599-NDS-**, C599-NFS-**, C599L-NDS-**, C599L-NFS-**, C589-NDS-**, C589-NFS-**, C589L-NDS-**, C589L-NFS-**	Solid/Solid	2 or 1	24	527	22	Currently Available
InterMetro Industries	Metro	C5 9 / 8 Series, Full Height, Aluminum, Reach-In, Glass Door Cabinets	C599-NDC-U	C599-NDC-**, C599-NFC-**, C599L-NDC-**, C599L-NFC-**, C589-NDC-**, C589-NFC-**, C589L-NDC-**, C589L-NFC-**	Glass/Solid	2 or 1	24	573	23.9	Currently Available
InterMetro Industries	Metro	C5 9 / 8 Series, Full Height, 2000W, Stainless Steel, Pass-Thru Cabinets	C599-SDC-UPDC	C599-S**-****, C589-S**-****	Glass/Solid or Solid/Solid	4 or 2	25.4	578	22.8	Currently Available
InterMetro Industries	Metro	C5 9 / 8 Series, Full Height, 1440W, Stainless Steel, Pass-Thru Cabinets	C599L-SDC-UPDC	C599L-S**-****, C589L-S**-****	Glass/Solid or Solid/Solid	4 or 2	25.4	551	21.7	Currently Available
InterMetro Industries	Metro	C5 9 / 8 Series, Full Height, Aluminum, Pass-Thru Cabinets	C599-NDC-UPDC	C599-N**-****, C599L-N**-****, C589-N**-****, C589L-N**-****	Glass/Solid or Solid/Solid	4 or 2	25.4	631	24.9	Currently Available

