



## Table of Contents

<b>Section</b>	<b>Page</b>
<a href="#">Set Goals</a>	2
Determine Scope	3
Estimate Potential for Improvement	4
Establish Goals	5

## STEP 3: Set Goals

Performance goals drive energy management activities and promote continuous improvement. Setting clear and measurable goals is critical for understanding intended results, developing effective strategies, and reaping financial gains.

Well-stated goals guide daily decision-making and are the basis for tracking and measuring progress. Communicating and posting goals can motivate staff to support energy management efforts throughout the organization.

The Energy Director in conjunction with the Energy Team typically develops goals.

### To develop effective performance goals:

3.1

[Determine scope](#) — Identify organizational and time parameters for goals.

3.2

[Estimate potential for improvement](#) — Review baselines, benchmark to determine the potential and order of upgrades, and conduct technical assessments and audits.

3.3

[Establish goals](#) - Create and express clear, measurable goals, with target dates, for the entire organization, facilities, and other units.

### Setting goals helps the Energy Director:

- Set the tone for improvement throughout the organization
- Measure the success of the energy management program
- Help the Energy Team to identify progress and setbacks at a facility level
- Foster ownership of energy management, create a sense of purpose, and motivate staff
- Demonstrate commitment to reducing environmental impacts
- Create schedules for upgrade activities and identify milestones

### Suggestions

When setting goals, be sure to use the Energy Team's wide range of knowledge to help set aggressive, yet realistic goals. Have management review your goals to enlist their feedback and support.

## STEP 3.1: Determine Scope

The scope of performance goals can include multiple levels of the organization as well as various time periods for completion of specific goals.

### Organizational Level

The level at which performance goals will be set depends on the nature of the organization and how it uses energy. Common organizational levels for setting goals include:

#### Organization-wide

Setting goals at this level provides a big picture of how the entire organization wants to improve. Organization-wide goals provide a framework for communicating the success of energy management both internal and external audiences.

#### Facility

At this level, goals may vary to take into account the performance of specific facilities based on benchmarking results or an energy audit. Facility level goals are designed to help the broader organization to meet its goals.

#### Process or equipment

Some organizations may find it useful to establish goals for specific process lines and equipment when energy use is concentrated in specific areas.

### Time Periods

Establishing appropriate and realistic target dates for goals ensures that they are meaningful and promote change. A combination of short and long term goals can be effective.

#### Short-term goals

Annual goals provide the necessary markers for tracking and reporting progress on a regular and on-going basis.

#### Long-term goals

Long-term goals are usually organization-specific and may be shaped by:

- Internal rates of return
- Internal planning horizons and guidelines
- Organizational strategic plans
- Commitments to voluntary environmental initiatives

### In Practice

#### Johnson & Johnson's Planning Horizons

Johnson & Johnson (J&J) uses a variety of goals and planning horizons to execute change. J&J established organization-wide "Next Generation Goals" for reducing greenhouse gas emissions by 4 percent by 2005 and by 7 percent by 2010 from a baseline of 1990. At the facility level, J&J set a goal of 100 percent completion of its list of best practices by 2005 for all facilities worldwide. J&J's estimates that at the midway point of completing implementation of the best practices, nearly \$20 million had been saved worldwide.

## STEP 3.2: Estimate Potential for Improvement

To set goals, it is important to have an informed idea of what level of performance is achievable and the amount of resources needed.

There are a variety of ways to determine potential. The method you choose will depend on a number of factors, such as: available resources, time, the nature of energy use at your facilities, and how the energy program is organized.

Methods used by leading energy programs include:

### Reviewing performance data

Assessing performance and setting baselines should help to identify differences in energy use between similar facilities, giving a limited, point-in-time view of your potential improvement. Performance data spanning a longer period of time will be more useful for understanding improvement potential.

### Benchmarking

Benchmarking provides a yardstick for evaluating opportunity when enough data is available to show trends in energy use. Consider using [Portfolio Manager](#) or the ENERGY STAR [Energy Performance Indicators \(EPIs\)](#) to rate the current energy performance of your facility against similar facilities.

### Evaluating past projects and best practices

Evaluate past projects and best practices at higher-performing facilities to determine the feasibility of transferring these practices to other parts of the organization.

### Reviewing technical assessments and audits

Identify opportunities to reduce energy use identified during [technical assessments and audits](#) of poorer performing facilities to serve as a strong basis for quantifying the potential for improvement.

### Comparing goals of similar organizations

Reviewing performance goals of other organizations can help to guide and inform you of the potential for your own organization.

### Linking to organization-wide strategic goals

Strategic as well as operational goals, such as cost reductions, can also help inform the goal setting process.

## STEP 3.3: Establish Goals

Once the potential for improvement has been estimated, goals can be established at the appropriate organizational levels. Energy performance goals should be formally established and recognized by senior management as a mission for the whole organization.

Estimating potential for improvement should provide you with a starting point for what is possible. However, some organizations set their final energy performance goals based on organizational factors other than what is technically feasible. Such factors will affect how energy performance goals are expressed.

Common ways for expressing goals include:

### **Defined reduction**

Goals are presented in terms of a specific quantity or percentage decrease in energy use, such as a 10 percent reduction or a decrease of 300 million Btus.

### **Best-in-class**

This goal aims for a certain level of performance compared to an established benchmark.

### **Efficiency improvement**

Goals are expressed as a function of reducing the energy intensity of a specific performance indicator, such as 2 Btus per unit of product.

### **Environmental Improvement**

This goal translates energy savings into pollution prevention or reduction goals.

Additionally, some organizations may find it useful to establish:

### **Threshold goals**

The minimum acceptable level of performance.

### **Stretch goals**

Levels beyond the minimum or targets that are used to create an incentive for greater achievement.

## In Practice

### **Organizational Energy Goals**

These energy performance goals have been set by leading ENERGY STAR Partners:

#### **Dutchess Community College**

35 percent energy use reduction from 1990 level by 2013.

#### **Quad Graphics**

Reduce energy consumption relative to output by 10 percent.

#### **Food Lion**

Reduce energy use by 300 million Btus in 2003. All new buildings must qualify for ENERGY STAR label.

#### **Department of Veterans Affairs**

Reduce energy consumption per square foot by 35 percent from 1985 levels by 2010. Reduce greenhouse gas emissions by 30 percent by 2010 from 1990 emission levels.

#### **General Motors Corporation**

25 percent reduction in total energy use from 1995 levels by 2005.

#### **Arden Real Estate**

Have all buildings operate at less than 20 kWh per square foot per year, and have all new or retrofitted buildings operate at 15 kWh per square foot per year. Have 100 buildings qualify for the ENERGY STAR Label.

**3M**

20 percent improvement in energy performance within 5 years.

**Johnson & Johnson**

Reduce greenhouse gas emissions from energy use by 4 percent from 1990 levels by 2005.