Best viewed and printed on legal size paper

ENERGY STAR Qualified Whole-Home Gas Tankless Water Heaters

Last Modified: 09/07/2012

Definitions of Terms Used in Column Headers

Brand	Model	Fuel Type	Location	Height (inches)	Width (inches)	Depth (inches)	Max Input (Thousand BTU per hour)	Energy Factor	Therms/year (Gas)	Gallons/year (Propane)	Min Gallons Per Minute(77°F rise)	Max Gallons Per Minute(77°F rise)	Recovery Efficiency (%)	Min Warranty-Heat Exchanger	Min Warranty-Parts (years)	Active	Active Date	Qualified Date
A.O. Smith	AT0 320H 1 00	Gas	Outdoor	25.6	18.5	12.4	180	0.91	0	0	0	4.3	90%	12	5	Yes	8/1/2011	7/5/2011
A.O. Smith	AT0 320H 1 01	Propane	Outdoor	25.6	18.5	12.4	180	0.91	0	0	0	4.3	90%	12	5	Yes	8/1/2011	7/5/2011
A.O. Smith	ATI 110 10 0	Gas	Indoor	20.5	13.8	6.7	140	0.82	184	0	0	2.87	83%	12	5	Yes	10/19/2010	10/19/2010
A.O. Smith	ATI 110 10 1	Propane	Indoor	20.5	13.8	6.7	140	0.83	0	197	0	3.06	84%	12	5	Yes	10/19/2010	10/19/2010
A.O. Smith	ATI 110U 1 00	Gas	Indoor	20.5	13.8	8.5	140	0.82	0	0	0	3	83%	12	0	Yes	7/1/2012	7/10/2012
A.O. Smith	ATI 310 10 0	Gas	Indoor	20.5	13.8	8.5	190	0.82	184	0	0	4.07	82%	12	5	Yes	10/19/2010	10/19/2010
A.O. Smith	ATI 310 10 1	Propane	Indoor	20.5	13.8	8.5	190	0.82	0	200	0	4.16	83%	12	5	Yes	10/19/2010	10/19/2010
A.O. Smith	ATI 310U 1 00	Gas	Indoor	20.5	13.8	8.5	190	0.82	0	0	0	4.1	84%	12	0	Yes	7/1/2012	7/10/2012
A.O. Smith	ATI 320H 1 00	Gas	Indoor	25.6	18.5	12.4	180	0.91	0	0	0	4.3	90%	12	5	Yes	8/1/2011	7/5/2011
A.O. Smith	ATI 320H 1 01	Propane	Indoor	25.6	18.5	12.4	180	0.91	0	0	0	4.4	90%	12	5	Yes	8/1/2011	7/5/2011
A.O. Smith	ATI 510 10 0	Gas	Indoor	20.5	13.8	8.5	199	0.83	181	0	0	4.24	83%	10	5	Yes	10/19/2010	10/19/2010
A.O. Smith	ATI 510 10 1	Propane	Indoor	20.5	13.8	8.5	199	0.82	0	200	0	4.27	83%	12	5	Yes	10/19/2010	10/19/2010
A.O. Smith	ATI 510U 1 00	Gas	Indoor	20.5	13.8	8.5	199	0.82	0	0	0	4.2	83%	12	0	Yes	7/1/2012	7/10/2012
A.O. Smith	ATI 520H 1 00	Gas	Indoor	25.6	18.5	12.4	199	0.91	163	0	0	4.69	93%	12	5	Yes	9/16/2010	9/16/2010
A.O. Smith	ATI 520H 1 01	Propane	Indoor	25.6	18.5	12.4	199	0.91	0	175	0	4.87	94%	12	5	Yes	9/16/2010	9/16/2010
A.O. Smith	ATI-305-N (200 Series)	Gas		25.5	14	9.6	180	0.82	183	0	0	3.9	84%	12	5	Yes	4/28/2009	4/28/2009
A.O. Smith	ATI-305-P (201 Series)	Propane		25.5	14	9.6	180	0.82	0	200	0	3.9	84%	12	5	Yes	4/28/2009	4/28/2009
A.O. Smith	ATI-505-N	Gas		25.5	14	9.6	199	0.82	183	0	0	4.3	83%	12	5	Yes	1/15/2009	1/15/2009
A.O. Smith	ATI-505-P	Propane		25.5	14	9.6	190	0.82	0	200	0	4.3	83%	12	5	Yes	1/15/2009	1/15/2009
A.O. Smith	ATO 110 10 0	Gas	Outdoor	20.5	13.8	6.7	140	0.82	183	0	0	3	83%	12	5	Yes	10/19/2010	10/19/2010
A.O. Smith	ATO 110 10 1	Propane	Outdoor	20.5	13.8	6.7	140	0.82	0	200	0	2.99	83%	12	5	Yes	10/19/2010	10/19/2010
A.O. Smith	ATO 110U 1 00	Gas	Outdoor	20.5	13.8	8.5	140	0.82	0	0	0	3	83%	12	0	Yes	7/1/2012	7/10/2012
A.O. Smith	ATO 310 10 0	Gas	Outdoor	20.5	13.8	8.5	190	0.82	184	0	0	4.03	83%	12	5	Yes	10/19/2010	10/19/2010
A.O. Smith	ATO 310 10 1	Propane	Outdoor	20.5	13.8	8.5	190	0.83	0	197	0	4.15	84%	12	5	Yes	10/19/2010	10/19/2010
A.O. Smith	ATO 310U 1 00	Gas	Outdoor	20.5	13.8	8.5	190	0.82	0	0	0	4.1	84%	12	0	Yes	7/1/2012	7/10/2012
A.O. Smith	ATO 510 10 0	Gas	Outdoor	20.5	13.8	8.5	199	0.82	184	0	0	4.25	82%	12	5	Yes	10/19/2010	10/19/2010
A.O. Smith	ATO 510 10 1	Propane	Outdoor	20.5	13.8	8.5	199	0.82	0	200	0	4.25	82%	12	5	Yes	10/19/2010	10/19/2010
A.O. Smith	ATO 510U 1 00	Gas	Outdoor	20.5	13.8	8.5	199	0.82	0	0	0	4.2	83%	12	0	Yes	7/1/2012	7/10/2012
A.O. Smith	ATO 520H 1 00	Gas	Outdoor	25.6	18.5	12.4	199	0.91	166	0	0	4.65	91%	12	5	Yes	9/16/2010	9/16/2010
A.O. Smith	ATO 520H 1 01	Propane	Outdoor	25.6	18.5	12.4	199	0.91	0	162	0	4.85	93%	12	5	Yes	9/16/2010	9/16/2010
A.O. Smith	ATO-305-N (200 Series)	Gas		25.5	14	9.6	180	0.82	183	0	0	3.9	83%	12	5	Yes	4/28/2009	4/28/2009
A.O. Smith	ATO-305-P (201 Series)	Propane		25.5	14	9.6	180	0.82	0	200	0	3.9	83%	12	5	Yes	4/28/2009	4/28/2009
A.O. Smith	ATO-505-N	Gas		25.5	14	9.6	199	0.82	183	0	0	4.3	82%	12	5	Yes	1/15/2009	1/15/2009
A.O. Smith	ATO-505-P	Propane		25.5	14	9.6	190	0.82	0	200	0	4.3	82%	12	5	Yes	1/15/2009	1/15/2009
A.O. Smith	T-H2-DV	Propane	Indoor	25.6	18.5	12.4	199	0.95	0	175	0	4.87	84%	10	5	Yes	9/28/2010	9/28/2010
A.O. Smith	T-H2-DV	Gas	Indoor	25.6	18.5	12.4	199	0.93	163	0	0	4.69	93%	10	5	Yes	9/28/2010	9/28/2010
A.O. Smith	T-H2-OS	Gas	Outdoor	25.6	18.5	12.4	199	0.91	166	0	0	4.65	93%	10	5	Yes	9/28/2010	9/28/2010
A.O. Smith	T-H2-OS	Propane	Outdoor	25.6	18.5	12.4	199	0.94	0	162	0	4.85	83%	10	5	Yes	9/28/2010	9/28/2010
American	GT 110UE 1 00	Gas	Outdoor	20.5	13.8	8.5	140	0.82	0	0	0	3	83%	12	0	Yes	7/1/2012	7/10/2012
American	GT 110UI 1 00	Gas	Indoor	20.5	13.8	8.5	140	0.82	0	0	0	3	83%	12	0	Yes	7/1/2012	7/10/2012
American	GT 310UE 1 00	Gas	Outdoor	20.5	13.8	8.5	190	0.82	0	0	0	4.1	84%	12	0	Yes	7/1/2012	7/10/2012
American	GT 310UI 1 00	Gas	Indoor	20.5	13.8	8.5	190	0.82	0	0	0	4.1	84%	12	0	Yes	7/1/2012	7/10/2012
American	GT 320NEH 100	Gas	Outdoor	25.6	18.5	12.4	180	0.91	0	0	0	4.3	90%	12	5	Yes	8/1/2011	7/5/2011
American	GT 320NIH 100	Gas	Indoor	25.6	18.5	12.4	180	0.91	0	0	0	4.3	90%	12	5	Yes	8/1/2011	7/5/2011

American	GT 320PEH 101	Propane	Outdoor	25.6	18.5	12.4	180	0.91	0	0	0	4.3	90%	12	5	Yes	8/1/2011	7/5/2011
American	GT 320PIH 101	Propane	Indoor	25.6	18.5	12.4	180	0.91	0	0	0	4.4	90%	12	5	Yes	8/1/2011	7/5/2011
American	GT 510UE 1 00	Gas	Outdoor	20.5	13.8	8.5	199	0.82	0	0	0	4.2	83%	12	0	Yes	7/1/2012	7/10/2012
American	GT 510UI 1 00	Gas	Indoor	20.5	13.8	8.5	199	0.82	0	0	0	4.2	83%	12	0	Yes	7/1/2012	7/10/2012
American	GT 520NEH 100	Gas	Outdoor	25.6	18.5	12.4	199	0.91	166	0	0	4.65	91%	12	5	Yes	9/17/2010	9/17/2010
American	GT 520NIH 100	Gas	Indoor	25.6	18.5	12.4	199	0.91	163	0	0	4.69	93%	12	5	Yes	9/17/2010	9/17/2010
American	GT 520PEH 101	Propane	Outdoor	25.6	18.5	12.4	199	0.91	0	162	0	4.85	93%	12	5	Yes	9/17/2010	9/17/2010
American	GT 520PIH 101	Propane	Indoor	25.6	18.5	12.4	199	0.91	0	175	0	4.87	94%	12	5	Yes	9/17/2010	9/17/2010
American	GT-305-NE (200 Series)	Gas		25.5	14	9.6	180	0.82	183	0	0	3.9	83%	12	5	Yes	4/28/2009	4/28/2009
American	GT-305-NI (200 Series)	Gas		25.5	14	9.6	180	0.82	183	0	0	3.9	84%	12	5	Yes	4/28/2009	4/28/2009
American	GT-305-PE (201 Series)	Propane		25.5	14	9.6	180	0.82	0	200	0	3.9	83%	12	5	Yes	4/28/2009	4/28/2009
American	GT-305-PI (201 Series)	Propane		25.5	14	9.6	180	0.82	0	200	0	3.9	84%	12	5	Yes	4/28/2009	4/28/2009
American	GT-505-NE	Gas		25.5	14	9.6	199	0.82	183	0	0	4.3	82%	12	5	Yes	1/15/2009	1/15/2009
American	GT-505-NI	Gas		25.5	14	9.6	199	0.82	183	0	0	4.3	83%	12	5	Yes	1/15/2009	1/15/2009
American	GT-505-PE	Propane		25.5	14	9.6	190	0.82	0	200	0	4.3	82%	12	5	Yes	1/15/2009	1/15/2009
American	GT-505-PI	Propane		25.5	14	9.6	190	0.82	0	200	0	4.3	83%	12	5	Yes	1/15/2009	1/15/2009
American	GT110NE 10 0	Gas	Outdoor	20.5	13.8	6.7	140	0.82	183	0	0	3	83%	12	5	Yes	10/19/2010	10/19/2010
American	GT110NI 10 0	Gas	Indoor	20.5	13.8	6.7	140	0.82	184	0	0	2.87	83%	12	5	Yes	10/19/2010	10/19/2010
American	GT110PE 10 1	Propane	Outdoor	20.5	13.8	6.7	140	0.82	0	200	0	2.99	83%	12	5	Yes	10/19/2010	10/19/2010
American	GT110PI 10 1	Propane	Indoor	20.5	13.8	6.7	140	0.83	0	197	0	3.06	84%	12	5	Yes	10/19/2010	10/19/2010
American	GT310NE 10 0	Gas	Outdoor	20.5	13.8	8.5	190	0.82	184	0	0	4.03	83%	12	5	Yes	10/19/2010	10/19/2010
American	GT310NI 10 0	Gas	Indoor	20.5	13.8	8.5	190	0.82	184	0	0	4.07	82%	12	5	Yes	10/19/2010	10/19/2010
American	GT310PE 10 1	Propane	Outdoor	20.5	13.8	8.5	190	0.83	0	197	0	4.15	84%	12	5	Yes	10/19/2010	10/19/2010
American	GT310PI 10 1	Propane	Indoor	20.5	13.8	8.5	190	0.82	0	200	0	4.16	83%	12	5	Yes	10/19/2010	10/19/2010
American	GT510NE 10 0	Gas	Outdoor	20.5	13.8	8.5	199	0.82	184	0	0	4.25	82%	12	5	Yes	10/19/2010	10/19/2010
American	GT510NI 10 0	Gas	Indoor	20.5	13.8	8.5	199	0.83	181	0	0	4.24	83%	12	5	Yes	10/19/2010	10/19/2010
American	GT510PE 10 1	Propane	Outdoor	20.5	13.8	8.5	199	0.82	0	200	0	4.25	82%	12	5	Yes	10/19/2010	10/19/2010
American	GT510PI 10 1	Propane	Indoor	20.5	13.8	8.5	199	0.82	0	200	0	4.27	83%	12	5	Yes	10/19/2010	10/19/2010
American Hometec	AHG-T42 LP G	Propane	Indoor	22.5	14	5.9	107	0.82	0	198	0.8	2.5	84%	12	5	Yes	11/30/2010	11/30/2010
American Hometec	AHG-T42 NG	Gas	Indoor	22.5	14	5.9	110	0.82	181	0	0.8	2.5	82%	12	5	Yes	11/30/2010	11/30/2010
Bosch AquaStar	2400ES LP	Propane	Indoor/Outdoor	30.5	17.9	11.3	175	0.82	0	200	0	3.8	82%	15	5	Yes	12/15/2008	12/15/2008
Bosch AquaStar	2400ES NG	Gas	Indoor/Outdoor	30.5	17.9	11.3	175	0.82	183	0	0	3.8	82%	15	5	Yes	12/15/2008	12/15/2008
Bosch AquaStar	2700ES LP	Propane		30.5	17.9	11.3	199	0.82	0	191	0	4.2	82%	12	5	Yes	12/15/2008	12/15/2008
Bosch AquaStar	2700ES NG	Gas		30.5	17.9	11.3	199	0.82	182	0	0	4.2	82%	12	5	Yes	12/15/2008	12/15/2008
Bosch Therm	660 EF LP	Propane	Indoor	20.5	13.8	6.7	140	0.82	0	200	0.5	3.1	83%	15	5	Yes	9/13/2010	9/13/2010
Bosch Therm	660 EF NG	Gas	Indoor	20.5	13.8	6.7	140	0.82	183	0	0.5	3.1	83%	15	5	Yes	9/13/2010	9/13/2010
Bosch Therm	660 EFO LP	Propane	Outdoor	0	13.8	6.7	140	0.82	0	200	0.5	3.1	83%	15	5	Yes	9/13/2010	9/13/2010
Bosch Therm	660 EFO NG	Gas	Outdoor	0	13.8	6.7	140	0.82	183	0	0.5	3.1	83%	15	5	Yes	9/13/2010	9/13/2010
Bosch Therm	830 ES LP	Propane	Indoor/Outdoor	30.5	17.9	11.3	175	0.82	0	200	0	3.8	82%	15	5	Yes	12/15/2008	12/15/2008
Bosch Therm	830 ES NG	Gas	Indoor/Outdoor	30.5	17.9	11.3	175	0.82	183	0	0	3.8	82%	15	5	Yes	12/15/2008	12/15/2008
Bosch Therm	940 ES LP	Propane	Indoor	30.5	17.9	11.3	199	0.83	0	198	0	4.1	83%	15	5	Yes	12/15/2008	12/15/2008
Bosch Therm	940 ES NG	Gas	Indoor	30.5	17.9	11.3	199	0.83	180	0	0	4.1	83%	15	5	Yes	12/15/2008	12/15/2008
Bosch Therm	940 ESO LP	Propane	Outdoor	30.5	17.9	11.3	199	0.83	0	198	0.5	4.1	83%	15	5	Yes	7/26/2010	7/26/2010
Bosch Therm	940 ESO NG	Gas	Outdoor	30.5	17.9	11.3	199	0.83	180	0	0.5	4.1	83%	15	5	Yes	7/26/2010	7/26/2010
Bosch Therm	C 1050 ES	Gas	Indoor	30.5	17.9	11.25	199	0.94	163	0	0.5	4.87	94%	15	5	Yes	6/23/2011	3/12/2012
Bosch Therm	C 1050 ES LP	Propane	Indoor/Outdoor	30.5	17.9	11.3	199	0.91	0	180	0	4.6	92%	15	5	Yes	12/15/2008	12/15/2008
Bosch Therm	C 1050 ES NG	Gas	Indoor/Outdoor	30.5	17.9	11.3	199	0.91	165	0	0	4.6	92%	15	5	Yes	12/15/2008	12/15/2008
Bosch Therm	C 950 ES	Gas	Indoor/Outdoor	30.5	17.9	11.25	175	0.92	163	0	0.5	4.14	93%	15	5	Yes	6/23/2011	6/27/2011
Bradford White Corporation	TG-150E-N	Gas	Outdoor	23	14	8	150	0.82	183	0	0.6	3.3	83%	12	5	Yes	6/10/2009	6/10/2009
Bradford White Corporation	TG-150E-X	Propane	Outdoor	23	14	8	150	0.82	0	200	0.6	3.3	83%	12	5	Yes	6/10/2009	6/10/2009
Bradford White Corporation	TG-150I-N	Gas	Indoor	26	14	10	150	0.82	183	0	0.6	3.3	84%	12	5	Yes	6/10/2009	6/10/2009
Bradford White Corporation	TG-150I-X	Propane	Indoor	26	14	10	150	0.82	0	200	0.6	3.3	84%	12	5	Yes	6/10/2009	6/10/2009

Bradford White Corporation	TG-180E-N	Gas	Outdoor	25	14	10	180	0.82	183	0	0.6	3.9	83%	12	5	Yes	6/10/2009	6/10/2009
Bradford White Corporation	TG-180E-X	Propane	Outdoor	25	14	10	180	0.82	0	200	0.6	3.9	83%	12	5	Yes	6/10/2009	6/10/2009
Bradford White Corporation	TG-180I-N	Gas	Indoor	26	14	10	180	0.82	183	0	0.6	3.9	84%	12	5	Yes	6/10/2009	6/10/2009
Bradford White Corporation	TG-180I-X	Propane	Indoor	26	14	10	180	0.82	0	200	0.6	3.9	84%	12	5	Yes	6/10/2009	6/10/2009
Bradford White Corporation	TG-199E-N	Gas	Outdoor	25	14	10	199	0.82	183	0	0.6	4.3	83%	12	5	Yes	6/10/2009	6/10/2009
Bradford White Corporation	TG-199E-X	Propane	Outdoor	25	14	10	199	0.82	0	200	0.6	4.3	83%	12	5	Yes	6/10/2009	6/10/2009
Bradford White Corporation	TG-199I-N	Gas	Indoor	26	14	10	199	0.82	183	0	0.6	4.3	84%	12	5	Yes	6/10/2009	6/10/2009
Bradford White Corporation	TG-199I-X	Propane	Indoor	26	14	10	190	0.82	0	200	0.6	4.3	84%	12	5	Yes	6/10/2009	6/10/2009
Bradford White Corporation	TGHE-160E- N	Gas	Outdoor	26.5	18.5	10.3	157	0.96	156	0	0.26	3.8	1%	12	5	Yes		3/8/2012
Bradford White Corporation	TGHE-160E- X	Propane	Outdoor	26.5	18.5	10.3	157	0.96	0	171	0.26	3.8	1%	12	5	Yes		3/8/2012
Bradford White Corporation	TGHE-160I- N	Gas	Indoor	26.5	18.5	10.3	157	0.96	156	0	0.26	3.8	1%	12	5	Yes		3/8/2012
Bradford White Corporation	TGHE-160I- X	Propane	Indoor	26.5	18.5	10.3	157	0.96	0	171	0.26	3.8	1%	12	5	Yes		3/8/2012
Bradford White Corporation	TGHE-199E- N	Gas	Outdoor	26.5	18.5	10.3	199	0.93	161	0	0.26	4.9	1%	12	5	Yes		3/8/2012
Bradford White Corporation	TGHE-199E- X	Propane	Outdoor	26.5	18.5	10.3	199	0.93	0	176	0.26	4.9	1%	12	5	Yes		3/8/2012
Bradford White Corporation	TGHE-199I- N	Gas	Indoor	26.5	18.5	10.3	199	0.94	159	0	0.26	4.9	1%	12	5	Yes		3/8/2012
Bradford White Corporation	TGHE-199I- X	Propane	Indoor	26.5	18.5	10.3	199	0.94	0	175	0.26	4.9	1%	12	5	Yes		3/8/2012
Chofu	FO-C26	Gas	Outdoor	22.6	13.8	6.5	180	0.82	185	0	1	3.8	82%	10	5	Yes	2/12/2010	2/12/2010
Chofu	FO-C26	Propane	Outdoor	22.6	13.8	6.5	180	0.82	0	203	1	3.8	82%	10	5	Yes	2/12/2010	2/12/2010
Chofu	FO-C26FF	Gas	Indoor	24	13.8	8.4	180	0.82	185	0	1	3.85	82%	10	5	Yes	2/12/2010	2/12/2010
Chofu	FO-C26FF	Propane	Indoor	24	13.8	8.4	180	0.82	0	203	1	3.85	82%	10	5	Yes	2/12/2010	2/12/2010
Demand Energy	IHI56N	Gas	Indoor	30	18.1	11.4	150	0.82	182.7003048780488	0	0.7	3.2	84%	10	5	Yes	12/1/2011	11/2/2011
Demand Energy	IHI56P	Gas	Indoor	30	18.1	11.4	150	0.82	182.7003048780488	0	0.7	3.2	84%	10	5	Yes	12/1/2011	11/2/2011
Demand Energy	IHI75N	Gas	Indoor	30	18.1	11.4	180	0.82	182	0	0.7	3.9	84%	10	5	Yes	12/1/2011	11/2/2011
Demand Energy	IHI75P	Gas	Indoor	30	18.1	11.4	180	0.82	182	0	0.7	3.9	84%	10	5	Yes	12/1/2011	11/2/2011
Demand Energy	IHI97N	Gas	Indoor	30	18.1	11.4	194	0.83	180.49909638554215	0	0.7	4.3	84%	10	5	Yes	12/1/2011	11/2/2011
Demand Energy	IHI97P	Gas	Indoor	30	18.1	11.4	194	0.83	180.49909638554215	0	0.7	4.3	84%	10	5	Yes	12/1/2011	11/2/2011
Eternal	GU100(S)	Propane	Indoor/Outdoor	29.1	16.9	13.8	100	0.93	162	0	0.1	2.5	93.4%	15	5	Yes	12/16/2011	12/28/2011
Eternal	GU100(S)	Gas	Indoor/Outdoor	29.1	16.9	13.8	100	0.94	161	0	0.1	2.4	93.5%	15	5	Yes	12/16/2011	12/13/2011
Eternal	GU145(S)	Gas	Indoor/Outdoor	29.1	16.9	13.8	145	0.96	158	0	0.1	3.4	96%	20	5	Yes	3/1/2010	3/24/2011
Eternal	GU145(S)	Gas	Indoor/Outdoor	29.1	16.9	13.8	145	0.96	158	173	0.1	3.4	98%	20	5	Yes	1/25/2010	1/25/2010
Eternal	GU195(S,M)	Gas	Indoor/Outdoor	29.1	16.9	13.8	199	0.96	158	173	0.1	4.7	98%	20	5	Yes	1/25/2010	1/25/2010
Eternal	GU195(S,M)	Gas	Indoor/Outdoor	29.1	16.9	13.8	199	0.96	158	0	0.1	4.7	96%	20	5	Yes	3/1/2010	3/24/2011
Everun	EVG-T42 LP G	Propane	Indoor	22.5	14	5.9	107	0.82	0	198	0.8	2.5	84%	10	5	Yes	11/30/2010	11/30/2010
Everun	EVG-T42 NG	Gas	Indoor	22.5	14	5.9	110	0.82	181	0	0.8	2.5	82%	10	5	Yes	11/30/2010	11/30/2010
Flowmax	Flowmax-12 0	Gas	Indoor	28.7	16.2	12.6	116	0.83	180	0	0.6	2.61	85%	10	5	Yes	8/10/2010	8/10/2010
Flowmax	Flowmax-17 0	Gas	Indoor	27.56	19.3	18.5	174	0.87	173	0	0.6	4.26	88%	10	5	Yes	8/10/2010	8/10/2010
GE	GN75DNSRSA	Gas		22.9	14	9.6	180	0.82	183	0	0	3.9	82%	10	5	Yes	12/15/2008	12/15/2008
GE	GN75ENSRSA	Gas		22.9	14	9.8	180	0.82	183	0	0	3.9	82%	10	5	Yes	12/15/2008	12/15/2008
GE	GN94DNSRSA	Gas		22.9	14	9.6	199	0.82	183	0	0	4.3	82%	10	5	Yes	12/15/2008	12/15/2008
GE	GN94ENSRSA	Gas		22.9	14	9.8	199	0.82	183	0	0	4.3	82%	10	5	Yes	12/15/2008	12/15/2008
GE	GP94DNSRSA	Propane		22.9	14	9.6	190	0.82	0	200	0	4.3	82%	10	5	Yes	12/15/2008	12/15/2008
GE	GP94ENSRSA	Propane		22.9	14	9.8	199	0.82	0	200	0	4.3	82%	10	5	Yes	12/15/2008	12/15/2008
Giant	UGT-64DVN	Gas	Indoor	25.625	13.9	9.9	150	0.82	183	0	0.26	3.3	82%	12	5	Yes	3/26/2010	3/26/2010
Giant	UGT-64DVP	Propane	Indoor	25.625	13.9	9.9	150	0.82	0	200	0.26	3.3	82%	12	5	Yes	3/26/2010	3/26/2010
Giant	UGT-84DVN	Gas	Indoor	25.625	13.9	9.9	180	0.82	183	0	0.3	3.9	82%	12	5	Yes	3/26/2010	3/26/2010
Giant	UGT-84DVP	Propane	Indoor	25.625	13.9	9.9	180	0.82	0	200	0.3	3.9	82%	12	5	Yes	3/26/2010	3/26/2010
Intellihot	eNG200i	Gas	Indoor	28.6	17.5	13.7	199.95	0.93	164	0	0.6	4.89	92.6%	10	5	Yes	5/29/2012	6/13/2012
Intellihot	eNG200i	Gas	Indoor	28.6	17.5	13.7	199.95	0.93	164	0	0.6	4.89	92.6%	10	5	Yes	1/1/2012	3/13/2012
Intellihot	NG150i	Gas	Indoor	28.6	17.5	13.7	150	0.94	161	0	0.6	3.68	94%	10	5	Yes	5/27/2011	10/25/2011

Intellihot	NG185i	Gas	Indoor	28.6	17.5	13.7	185	0.93	162	0	0.6	4.41	93.4%	10	5	Yes	5/27/2011	10/25/2011
Intellihot	NG200i	Gas	Indoor	28.6	17.5	13.7	199.95	0.93	164	0	0.6	4.89	92.6%	10	5	Yes	5/27/2011	9/22/2011
Jacuzzi	J-SN180F	Gas	Indoor	25.5	14	9.6	180	0.82	183	0	0	3.9	82%	12	5	Yes	12/16/2008	12/16/2008
Jacuzzi	J-SN180F	Gas	Outdoor	25.5	14	9.6	180	0.82	183	0	0	3.9	81%	12	5	Yes	12/16/2008	8/11/2011
Jacuzzi	J-SN199F	Gas	Indoor	25.5	14	9.6	199	0.82	183	0	0	4.3	83%	12	5	Yes	12/16/2008	12/16/2008
Jacuzzi	J-SN199W	Gas	Outdoor	25.5	14	9.6	199	0.82	183	0	0	4.3	82%	12	5	Yes	12/16/2008	12/16/2008
Jacuzzi	J-SP180F	Propane	Indoor	25.5	14	9.6	180	0.82	0	200	0	3.9	82%	12	5	Yes	12/16/2008	12/16/2008
Jacuzzi	J-SP180W	Propane	Outdoor	25.5	14	9.6	180	0.82	0	200	0	3.9	81%	12	5	Yes	12/16/2008	12/16/2008
Jacuzzi	J-SP199F	Propane	Indoor	25.5	14	9.6	199	0.82	0	200	0	4.3	83%	12	5	Yes	12/16/2008	12/16/2008
Jacuzzi	J-SP199W	Propane	Outdoor	25.5	14	9.6	199	0.82	0	200	0	4.3	82%	12	5	Yes	12/16/2008	12/16/2008
Kenmore	154.330020	Gas		25.5	14	9.6	180	0.82	183	0	0	3.9	84%	12	5	Yes	5/25/2009	5/25/2009
Kenmore	154.330030	Propane		25.5	14	9.6	180	0.82	0	200	0	3.9	84%	12	5	Yes	5/25/2009	5/25/2009
Kenmore	154.330040	Gas		25.5	14	9.6	180	0.82	183	0	0	3.9	83%	12	5	Yes	5/25/2009	5/25/2009
Kenmore	154.330050	Propane		25.5	14	9.6	180	0.82	0	200	0	3.9	83%	12	5	Yes	5/25/2009	5/25/2009
Kenmore	154.330060	Gas		25.5	14	9.6	199	0.82	183	0	0	4.3	83%	12	5	Yes	5/25/2009	5/25/2009
Kenmore	154.330070	Propane		25.5	14	9.6	190	0.82	0	200	0	4.3	83%	12	5	Yes	5/25/2009	5/25/2009
Kenmore	154.330080	Gas		25.5	14	9.6	199	0.82	183	0	0	4.3	82%	12	5	Yes	5/25/2009	5/25/2009
Kenmore	154.330090	Propane		25.5	14	9.6	190	0.82	0	200	0	4.3	82%	12	5	Yes	5/25/2009	5/25/2009
Kenmore	154.335	Gas	Indoor	20.3	13.8	8.5	190	0.82	0	0	0	4	82%	12	5	Yes	8/1/2011	7/1/2011
Kenmore	154.33501	Propane	Indoor	20.3	13.8	8.5	190	0.82	0	0	0	4	82%	12	5	Yes	8/1/2011	7/1/2011
Kenmore	154.33502	Gas	Outdoor	20.3	13.8	8.5	190	0.82	0	0	0	4	82%	12	5	Yes	8/1/2011	7/1/2011
Kenmore	154.33503	Propane	Outdoor	20.3	13.8	8.5	190	0.82	0	0	0	4	82%	12	5	Yes	8/1/2011	7/1/2011
MPI	MWH180	Propane		24	13.8	8.4	180	0.82	0	203	0	3.85	82%	10	5	Yes	1/28/2009	1/28/2009
MPI	MWH180	Gas		24	13.8	8.4	180	0.82	185	0	0	3.85	82%	10	5	Yes	1/28/2009	1/28/2009
MPI	MWH180EX	Propane		22.6	13.8	6.5	180	0.82	0	203	0	3.8	82%	10	5	Yes	4/22/2009	4/22/2009
MPI	MWH180EX	Gas		22.6	13.8	6.5	180	0.82	185	0	0	3.8	82%	10	5	Yes	4/22/2009	4/22/2009
(Navien)	(NPE-180A-N G)	(Gas)		(27.4)	(17.3)	(11.4)	(150)	(0.95)	(160)	(0)	(0.5)	(8.4)	(95.7%)	(15)	(5)	(No)	(10/1/2012)	(9/7/2012)
(Navien)	(NPE-210A-N G)	(Gas)		(27.4)	(17.3)	(13.2)	(180)	(0.95)	(159)	(0)	(0.5)	(10.1)	(97.5%)	(15)	(5)	(No)	(10/1/2012)	(9/7/2012)
(Navien)	(NPE-240A-N G)	(Gas)		(27.4)	(17.3)	(13.2)	(199.9)	(0.95)	(159)	(0)	(0.5)	(11.2)	(96.6%)	(15)	(5)	(No)	(10/1/2012)	(9/7/2012)
Navien America	CC-180	Gas		28	17	10	150	0.98	155	0	0	3.83	98%	10	5	Yes	1/9/2009	1/9/2009
Navien America	CC-180	Propane		28	17	10	150	0.98	0	170	0	3.83	98%	10	5	Yes	1/9/2009	1/9/2009
Navien America	CC-180A	Propane		28	17	10	150	0.98	0	170	0	3.83	98%	10	5	Yes	1/9/2009	1/9/2009
Navien America	CC-180A	Gas		28	17	10	150	0.98	155	0	0	3.83	98%	10	5	Yes	1/9/2009	1/9/2009
Navien America	CC-210	Gas		28	17	12	175	0.95	160	0	0	4.2	98%	10	5	Yes	1/9/2009	1/9/2009
Navien America	CC-210	Propane		28	17	12	175	0.95	0	170	0	4.5	98%	10	5	Yes	1/9/2009	1/9/2009
Navien America	CC-210A	Propane		28	17	12	175	0.95	0	170	0	4.5	98%	10	5	Yes	1/9/2009	1/9/2009
Navien America	CC-210A	Gas		28	17	12	175	0.95	160	0	0	4.2	98%	10	5	Yes	1/9/2009	1/9/2009
Navien America	CC-240	Propane		28	17	12	199	0.95	0	170	0	4.94	97%	10	5	Yes	1/9/2009	1/9/2009
Navien America	CC-240	Gas		28	17	12	199	0.95	160	0	0	4.75	97%	10	5	Yes	1/9/2009	1/9/2009
Navien America	CC-240A	Propane		28	17	12	199	0.95	0	170	0	4.94	97%	10	5	Yes	1/9/2009	1/9/2009
Navien America	CC-240A	Gas		28	17	12	199	0.95	160	0	0	4.75	97%	10	5	Yes	1/9/2009	1/9/2009
Navien America	CR-180	Propane		28	17	10	150	0.98	0	170	0	3.83	98%	15	5	Yes	1/9/2009	1/9/2009
Navien America	CR-180	Gas		28	17	10	150	0.98	155	0	0	3.83	98%	15	5	Yes	1/9/2009	1/9/2009
Navien America	CR-180A	Gas		28	17	10	150	0.98	155	0	0	3.83	98%	15	5	Yes	1/9/2009	1/9/2009
Navien America	CR-180A	Propane		28	17	10	150	0.98	0	170	0	3.83	98%	15	5	Yes	1/9/2009	1/9/2009
Navien America	CR-210	Propane		28	17	12	175	0.95	0	170	0	4.5	98%	15	5	Yes	1/9/2009	1/9/2009
Navien America	CR-210	Gas		28	17	12	175	0.95	160	0	0	4.2	98%	15	5	Yes	1/9/2009	1/9/2009
Navien America	CR-210A	Gas		28	17	12	175	0.95	160	0	0	4.2	98%	15	5	Yes	1/9/2009	1/9/2009
Navien America	CR-210A	Propane		28	17	12	175	0.95	0	170	0	4.5	98%	15	5	Yes	1/9/2009	1/9/2009
Navien America	CR-240	Propane		28	17	12	199	0.95	0	170	0	4.94	97%	15	5	Yes	1/9/2009	1/9/2009
Navien America	CR-240	Gas		28	17	12	199	0.95	160	0	0	4.75	97%	15	5	Yes	1/9/2009	1/9/2009
Navien America	CR-240A	Propane		28	17	12	199	0.95	0	170	0	4.94	97%	15	5	Yes	1/9/2009	1/9/2009
Navien America	CR-240A	Gas		28	17	12	199	0.95	160	0	0	4.75	97%	15	5	Yes	1/9/2009	1/9/2009
Navien America	NP-180	Propane	Indoor/Outdoor	28	17	14	150	0.96	0	171	0.5	3.8	98%	15	5	Yes	10/13/2009	10/13/2009
Navien America	NP-180	Gas	Indoor/Outdoor	28	17	14	150	0.96	159	0	0.5	3.7	98%	15	5	Yes	10/13/2009	10/13/2009
Navien America	NP-180A	Gas	Indoor/Outdoor	28	17	14	150	0.94	162	0	0.5	3.7	98%	15	5	Yes	10/13/2009	10/13/2009
Navien America	NP-180A	Propane	Indoor/Outdoor	28	17	14	150	0.94	0	172	0.5	3.8	98%	15	5	Yes	10/13/2009	10/13/2009
Navien America	NP-210	Propane	Indoor/Outdoor	28	17	15	180	0.97	0	171	0.5	4.7	98%	15	5	Yes	10/13/2009	10/13/2009
Navien America	NP-210	Gas	Indoor/Outdoor	28	17	15	180	0.95	160	0	0.5	4.3	97%	15	5	Yes	10/13/2009	10/13/2009
Navien America	NP-210A	Propane	Indoor/Outdoor	28	17	15	180	0.94	0	172	0.5	4.5	97%	15	5	Yes	10/13/2009	10/13/2009

Navien America	NP-210A	Gas	Indoor/Outdoor	28	17	15	180	0.94	162	0	0.5	4.3	98%	15	5	Yes	10/13/2009	10/13/2009
Navien America	NP-240	Propane	Indoor/Outdoor	28	17	15	199	0.97	0	171	0.5	5.2	97%	15	5	Yes	10/13/2009	10/13/2009
Navien America	NP-240	Gas	Indoor/Outdoor	28	17	15	199	0.95	159	0	0.5	4.8	97%	15	5	Yes	10/13/2009	10/13/2009
Navien America	NP-240A	Gas	Indoor/Outdoor	28	17	15	199	0.95	160	0	0.5	4.9	98%	15	5	Yes	10/13/2009	10/13/2009
Navien America	NP-240A	Propane	Indoor/Outdoor	28	17	15	199	0.95	0	172	0.5	5	97%	15	5	Yes	10/13/2009	10/13/2009
Navien America	NR-180	Propane	Indoor/Outdoor	28	17	14	150	0.96	0	171	0.5	3.8	98%	15	5	Yes	10/13/2009	10/13/2009
Navien America	NR-180	Gas	Indoor/Outdoor	28	17	14	150	0.96	159	0	0.5	3.7	98%	15	5	Yes	10/13/2009	10/13/2009
Navien America	NR-180A	Propane	Indoor/Outdoor	28	17	14	150	0.94	0	172	0.5	3.8	98%	15	5	Yes	10/13/2009	10/13/2009
Navien America	NR-180A	Gas	Indoor/Outdoor	28	17	14	150	0.94	162	0	0.5	3.7	98%	15	5	Yes	10/13/2009	10/13/2009
Navien America	NR-210	Gas	Indoor/Outdoor	28	17	15	180	0.97	160	0	0.5	4.7	98%	15	5	Yes	10/13/2009	10/13/2009
Navien America	NR-210	Propane	Indoor/Outdoor	28	17	15	180	0.95	0	171	0.5	4.3	98%	15	5	Yes	10/13/2009	10/13/2009
Navien America	NR-210A	Gas	Indoor/Outdoor	28	17	15	180	0.94	162	0	0.5	4.3	98%	15	5	Yes	10/13/2009	10/13/2009
Navien America	NR-210A	Propane	Indoor/Outdoor	28	17	15	180	0.94	0	172	0.5	4.5	97%	15	5	Yes	10/13/2009	10/13/2009
Navien America	NR-240	Gas	Indoor/Outdoor	28	17	15	199	0.97	159	0	0.5	5.2	97%	15	5	Yes	10/13/2009	10/13/2009
Navien America	NR-240	Propane	Indoor/Outdoor	28	17	15	199	0.95	0	171	0.5	4.8	97%	15	5	Yes	10/13/2009	10/13/2009
Navien America	NR-240A	Gas	Indoor/Outdoor	28	17	15	199	0.95	160	0	0.5	4.9	98%	15	5	Yes	10/13/2009	10/13/2009
Navien America	NR-240A	Propane	Indoor/Outdoor	28	17	15	199	0.95	0	172	0.5	5	97%	15	5	Yes	10/13/2009	10/13/2009
Noritz	N-0531S	Propane		20.5	13.8	6.7	140	0.84	0	180	0	3.1	84%	12	5	Yes	12/22/2008	12/22/2008
Noritz	N-0531S	Gas		20.5	13.8	6.7	140	0.82	183	0	0	3.1	82%	12	5	Yes	12/22/2008	12/22/2008
Noritz	N-0531S-OD	Gas		20.5	13.8	6.7	140	0.83	183	0	0	3.1	82%	12	5	Yes	12/22/2008	12/22/2008
Noritz	N-0531S-OD	Propane		20.5	13.8	6.7	140	0.84	0	180	0	3.1	84%	12	5	Yes	12/22/2008	12/22/2008
Noritz	N-0631S	Gas		23.6	13.8	6.7	180	0.83	183	0	0	3.8	83%	12	5	Yes	12/22/2008	12/22/2008
Noritz	N-0631S	Propane		23.6	13.8	6.7	180	0.83	0	182	0	4	84%	12	5	Yes	12/22/2008	12/22/2008
Noritz	N-0631S-OD	Gas		23.6	13.8	6.7	180	0.82	185	0	0	3.8	82%	12	5	Yes	12/22/2008	12/22/2008
Noritz	N-0631S-OD	Propane		23.6	13.8	6.7	180	0.83	0	183	0	3.9	83%	12	5	Yes	12/22/2008	12/22/2008
Noritz	N-0751M	Gas		23.6	13.8	9.4	199	0.83	183	0	0	4.3	83%	12	5	Yes	12/22/2008	12/22/2008
Noritz	N-0751M	Propane		23.6	13.8	9.4	199	0.83	0	182	0	4.4	83%	12	5	Yes	12/22/2008	12/22/2008
Noritz	N-0751M-DV	Gas		24.2	18.3	9.4	199	0.83	183	0	0	4.3	83%	12	5	Yes	12/22/2008	12/22/2008
Noritz	N-0751M-DV	Propane		24.2	18.3	9.4	199	0.82	0	185	0	4.5	81%	12	5	Yes	12/22/2008	12/22/2008
Noritz	N-0751M-DV C	Propane		23.6	13.8	10.2	199	0.84	0	180	0	4.2	84%	12	5	Yes	12/22/2008	12/22/2008
Noritz	N-0751M-DV C	Gas		23.6	13.8	10.2	199	0.82	184	0	0	4.3	83%	12	5	Yes	12/22/2008	12/22/2008
Noritz	N-0751M-OD	Gas		23.6	13.8	9.4	199	0.82	183	0	0	4.3	82%	12	5	Yes	12/22/2008	12/22/2008
Noritz	N-0751M-OD	Propane		23.6	13.8	9.4	199	0.86	0	177	0	4.5	85%	12	5	Yes	12/22/2008	12/22/2008
Noritz	N-0841MC	Gas		24.2	18.3	9.4	199	0.91	166	0	0	4.9	90%	12	5	Yes	12/22/2008	12/22/2008
Noritz	N-0841MC	Propane		24.2	18.3	9.4	199	0.93	0	163	0	4.9	93%	12	5	Yes	12/22/2008	12/22/2008
Noritz	N-0841MC-D V	Propane		24.2	18.3	9.4	199	0.94	0	161	0	5.1	94%	12	5	Yes	12/22/2008	12/22/2008
Noritz	N-0841MC-D V	Gas		24.2	18.3	9.4	199	0.92	165	0	0	4.8	92%	12	5	Yes	12/22/2008	12/22/2008
Noritz	N-0842MC	Propane	Indoor/Outdoor	24.2	18.3	9.4	199	0.93	0	178	0.5	4.9	93%	12	5	Yes	4/22/2009	4/22/2009
Noritz	N-0842MC	Gas	Indoor/Outdoor	24.2	18.3	9.4	199	0.91	166	0	0.5	4.9	90%	12	5	Yes	4/22/2009	4/22/2009
Noritz	N-0842MC-D V	Gas	Indoor	24.2	18.3	9.4	199	0.92	165	0	0.5	4.8	92%	12	5	Yes	4/22/2009	4/22/2009
Noritz	N-0842MC-D V	Propane	Indoor	24.2	18.3	9.4	199	0.94	0	177	0.5	5	94%	12	5	Yes	4/22/2009	4/22/2009
Noritz	NC199-DVC	Gas		23.6	13.8	10.2	199	0.82	184	0	0.5	4.3	83%	12	5	Yes	11/3/2009	11/3/2009
Noritz	NC199-DVC	Propane		23.6	13.8	10.2	199	0.84	0	198	0.5	4.2	84%	12	5	Yes	11/3/2009	11/3/2009
Noritz	NC199-OD	Gas		23.6	13.8	9.4	199	0.82	183	0	0.5	4.3	82%	12	5	Yes	11/3/2009	11/3/2009
Noritz	NC199-OD	Gas		23.6	13.8	9.4	199	0.86	0	194	0.5	4.5	85%	12	5	Yes	11/3/2009	11/3/2009
Noritz	NC1991-DVC	Gas	Indoor	23.6	13.8	10.6	200	0.82	179	0	0.5	9.8	84%	12	5	Yes	4/1/2012	4/17/2012
Noritz	NC1991-DVC	Propane	Indoor	23.6	13.8	10.6	200	0.88	168	0	0.5	9.8	89%	12	5	Yes	4/1/2012	4/17/2012
Noritz	NC1991-OD	Gas	Outdoor	23.6	13.8	9.4	200	0.84	176	0	0.5	9.8	86%	12	5	Yes	4/1/2012	4/17/2012
Noritz	NC1991-OD	Propane	Outdoor	23.6	13.8	9.4	200	0.88	168	0	0.5	9.8	90%	12	5	Yes	4/1/2012	4/17/2012
Noritz	NCC199-DV	Propane		24.2	18.3	9.4	199	0.94	0	178	0.5	5	94%	12	5	Yes	11/3/2009	11/3/2009
Noritz	NCC199-DV	Gas		24.2	18.3	9.4	199	0.92	165	0	0.5	4.8	92%	12	5	Yes	11/3/2009	11/3/2009
Noritz	NCC199-SV	Gas		24.2	18.3	9.4	199	0.91	166	0	0.5	4.9	90%	12	5	Yes	11/3/2009	11/3/2009
Noritz	NCC199-SV	Propane		24.2	18.3	9.4	199	0.93	0	178	0.5	4.9	93%	12	5	Yes	11/3/2009	11/3/2009
Noritz	NCC1991-DV	Gas	Indoor	24.2	18.3	9.4	200	0.92	158	0	0.5	11.1	95%	12	5	Yes	4/1/2012	4/17/2012
Noritz	NCC1991-DV	Propane	Indoor	24.2	18.3	9.4	200	0.91	157	0	0.5	11.1	96%	12	5	Yes	4/1/2012	4/17/2012
Noritz	NCC1991-OD	Propane	Outdoor	24.2	18.3	9.4	200	0.91	157	0	0.5	11.1	96%	12	5	Yes	4/1/2012	4/17/2012
Noritz	NCC1991-OD	Gas	Outdoor	24.2	18.3	9.4	200	0.92	158	0	0.5	11.1	95%	12	5	Yes	4/1/2012	4/17/2012
Noritz	NR50-OD	Propane	Outdoor	20.5	13.8	6.7	120	0.85	177	0	0.5	4.2	84%	12	5	Yes	6/1/2011	4/25/2011
Noritz	NR50-OD	Gas	Outdoor	20.5	13.8	6.7	120	0.82	185	0	0.5	4.2	81.9%	12	5	Yes	6/1/2011	4/25/2011
Noritz	NR66-OD	Gas		20.5	13.8	6.7	140	0.83	183	0	0.5	3.1	82%	12	5	Yes	11/3/2009	11/3/2009

Noritz	NR66-OD	Propane		20.5	13.8	6.7	140	0.84	0	197	0.5	3.1	84%	12	5	Yes	11/3/2009	11/3/2009
Noritz	NR66-SV	Propane		20.5	13.8	6.7	140	0.84	0	198	0.5	3.1	84%	12	5	Yes	11/3/2009	11/3/2009
Noritz	NR66-SV	Gas		20.5	13.8	6.7	140	0.82	183	0	0.5	3.1	82%	12	5	Yes	11/3/2009	11/3/2009
Noritz	NR71-OD	Gas		23.6	13.8	6.7	180	0.82	185	0	0.5	3.8	82%	12	5	Yes	11/3/2009	11/3/2009
Noritz	NR71-OD	Propane		23.6	13.8	6.7	180	0.83	0	200	0.5	3.9	83%	12	5	Yes	11/3/2009	11/3/2009
Noritz	NR71-SV	Gas		23.6	13.8	6.7	180	0.83	183	0	0.5	3.8	83%	12	5	Yes	11/3/2009	11/3/2009
Noritz	NR71-SV	Propane		23.6	13.8	6.7	180	0.83	183	0	0.5	4	84%	12	5	Yes	11/3/2009	11/3/2009
Noritz	NR83-DVC	Propane	Indoor	23.6	13.8	9.4	180	0.83	0	198	0.5	4	84%	12	5	Yes	7/27/2010	7/27/2010
Noritz	NR83-DVC	Gas	Indoor	23.6	13.8	9.4	180	0.82	182	0	0.5	3.9	83%	12	5	Yes	7/27/2010	7/27/2010
Noritz	NR98-DVC	Gas		23.6	13.8	10.2	199	0.82	184	0	0.5	4.3	83%	12	5	Yes	11/3/2009	11/3/2009
Noritz	NR98-DVC	Propane		23.6	13.8	10.2	199	0.84	0	198	0.5	4.2	84%	12	5	Yes	11/3/2009	11/3/2009
Noritz	NR98-OD	Gas		23.6	13.8	9.4	199	0.82	183	0	0.5	4.3	82%	12	5	Yes	11/3/2009	11/3/2009
Noritz	NR98-OD	Gas		23.6	13.8	9.4	199	0.86	0	194	0.5	4.5	85%	12	5	Yes	11/3/2009	11/3/2009
Noritz	NR98-SV	Gas		23.6	13.8	9.4	199	0.83	183	0	0.5	4.3	83%	12	5	Yes	11/3/2009	11/3/2009
Noritz	NR98-SV	Propane		23.6	13.8	9.4	199	0.83	0	199	0.5	4.4	83%	12	5	Yes	11/3/2009	11/3/2009
Noritz	NR981-DVC	Gas	Indoor	23.6	13.8	10.6	200	0.82	179	0	0.5	9.8	84%	12	5	Yes	4/1/2012	4/17/2012
Noritz	NR981-DVC	Propane	Indoor	23.6	13.8	10.6	200	0.88	168	0	0.5	9.8	89%	12	5	Yes	4/1/2012	4/17/2012
Noritz	NR981-OD	Propane	Outdoor	23.6	13.8	9.4	200	0.88	168	0	0.5	9.8	90%	12	5	Yes	4/1/2012	4/17/2012
Noritz	NR981-OD	Gas	Outdoor	23.6	13.8	9.4	200	0.84	176	0	0.5	9.8	86%	12	5	Yes	4/1/2012	4/17/2012
Noritz	NR981-SV	Propane	Indoor	23.6	13.8	9.4	200	0.88	169	0	0.5	9.8	89%	12	5	Yes	5/1/2012	5/21/2012
Noritz	NR981-SV	Gas	Indoor	23.6	13.8	9.4	200	0.83	181	0	0.5	9.8	84%	12	5	Yes	5/1/2012	5/21/2012
Noritz	NRC111-DV	Gas		24.2	18.3	9.4	199	0.92	165	0	0.5	4.8	92%	12	5	Yes	11/3/2009	11/3/2009
Noritz	NRC111-DV	Propane		24.2	18.3	9.4	199	0.94	0	177	0.5	5	94%	12	5	Yes	11/3/2009	11/3/2009
Noritz	NRC111-SV	Propane		24.2	18.3	9.4	199	0.93	0	178	0.5	4.9	93%	12	5	Yes	11/3/2009	11/3/2009
Noritz	NRC111-SV	Gas		24.2	18.3	9.4	199	0.91	166	0	0.5	4.9	90%	12	5	Yes	11/3/2009	11/3/2009
Noritz	NRC1111-DV	Gas	Indoor	24.2	18.3	9.4	200	0.92	158	0	0.5	11.1	95%	12	5	Yes	4/1/2012	4/17/2012
Noritz	NRC1111-DV	Propane	Indoor	24.2	18.3	9.4	200	0.91	157	0	0.5	11.1	96%	12	5	Yes	4/1/2012	4/17/2012
Noritz	NRC1111-OD	Propane	Outdoor	24.2	18.3	9.4	200	0.91	157	0	0.5	11.1	96%	12	5	Yes	4/1/2012	4/17/2012
Noritz	NRC1111-OD	Gas	Outdoor	24.2	18.3	9.4	200	0.92	158	0	0.5	11.1	95%	12	5	Yes	4/1/2012	4/17/2012
Noritz	NRC83-DV	Propane	Indoor	24.2	18.3	19.4	157	0.92	0	177	0.5	3.7	94.7%	12	5	Yes	11/14/2011	9/14/2011
Noritz	NRC83-DV	Gas	Indoor	24.2	18.3	19.4	157	0.92	162	0	0.5	3.7	93.9%	12	5	Yes	11/14/2011	9/14/2011
Noritz	NRC83-OD	Propane	Outdoor	24.2	18.3	19.4	157	0.92	0	177	0.5	3.7	94.7%	12	5	Yes	11/14/2011	9/14/2011
Noritz	NRC83-OD	Gas	Outdoor	24.2	18.3	19.4	157	0.92	162	0	0.5	3.7	93.9%	12	5	Yes	11/14/2011	9/14/2011
Noritz	NRC98-DV	Propane	Indoor	24.2	18.3	19.4	180	0.92	0	176	0.5	4.6	95.5%	12	5	Yes	9/1/2011	4/22/2011
Noritz	NRC98-DV	Gas	Indoor	24.2	18.3	19.4	180	0.91	163	0	0.5	4.3	93.7%	12	5	Yes	9/1/2011	4/22/2011
Noritz	NRC98-OD	Propane	Outdoor	24.2	18.3	19.4	180	0.92	0	176	0.5	4.6	95.5%	12	5	Yes	11/14/2011	9/14/2011
Noritz	NRC98-OD	Gas	Outdoor	24.2	18.3	19.4	180	0.91	163	0	0.5	4.3	93.7%	12	5	Yes	11/14/2011	9/14/2011
Paloma	CPTG-53DVN	Gas		23	13.8	7.3	141	0.82	183	0	0	3	82%	12	5	Yes	1/8/2009	1/8/2009
Paloma	CPTG-53DVN HA	Gas		23	13.8	7.3	141	0.82	183	0	0	3	82%	12	5	Yes	1/8/2009	1/8/2009
Paloma	CPTG-53DVP	Propane		23	13.8	7.3	141	0.82	0	200	0	3	82%	12	5	Yes	1/8/2009	1/8/2009
Paloma	CPTG-53DVP HA	Propane		23	13.8	7.3	135	0.82	0	200	0	3	82%	12	5	Yes	1/8/2009	1/8/2009
Paloma	CPTG-53PVN	Gas		20.5	13.8	6.3	135	0.82	183	0	0	3.1	82%	12	5	Yes	1/8/2009	1/8/2009
Paloma	CPTG-53PVN H	Gas		20.5	13.8	6.3	145	0.82	183	0	0	3.1	0%	12	5	Yes	1/8/2009	1/8/2009
Paloma	CPTG-53PVP	Propane		20.5	13.8	6.3	145	0.82	0	200	0	3.1	82%	12	5	Yes	1/8/2009	1/8/2009
Paloma	CPTG-53PVP H	Propane		20.5	13.8	6.3	141	0.82	0	200	0	3.1	82%	12	5	Yes	1/8/2009	1/8/2009
Paloma	CPTG-53XN	Gas		20.5	13.8	6.3	141	0.82	183	0	0	3	82%	12	5	Yes	1/8/2009	1/8/2009
Paloma	CPTG-53XP	Propane		20.5	13.8	6.3	141	0.82	0	200	0	3	82%	12	5	Yes	1/9/2009	1/9/2009
Paloma	CPTG-74DVN	Gas		25.4	14.9	11.1	199	0.82	183	0	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Paloma	CPTG-74DVN H	Gas		25.4	14.9	11.1	199	0.82	183	0	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Paloma	CPTG-74DVP	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Paloma	CPTG-74DVP H	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Paloma	CPTG-74PVN	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/8/2009	1/11/2009
Paloma	CPTG-74PVN HA	Gas		25.4	14.9	11.1	199	0.82	183	0	0	4.3	82%	12	5	Yes	1/8/2009	1/11/2009
Paloma	CPTG-74PVP	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/8/2009	1/11/2009
Paloma	CPTG-74PVP HA	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/8/2009	1/11/2009
Paloma	CPTG-74XP	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Paloma	PH-20RDVSN (-1 through 10)	Gas		20.5	13.8	5.8	141	0.82	183	0	0	3.1	82%	12	5	Yes	2/10/2009	2/10/2009
Paloma	PH-20RDVSP (-1 through 10)	Propane		20.5	13.8	5.8	135	0.82	0	200	0	3.1	84%	12	5	Yes	2/10/2009	2/10/2009

Paloma	PH-20RIFSN (-1 through 10)	Gas		20.5	13.8	5.8	145	0.82	183	0	0	3.1	82%	12	5	Yes	2/10/2009	2/10/2009
Paloma	PH-20RIFSP (-1 through 10)	Propane		20.5	13.8	5.8	141	0.82	0	200	0	3.1	84%	12	5	Yes	2/10/2009	2/10/2009
Paloma	PH-20ROFN (-1 through 10)	Gas		20.5	13.8	5.8	141	0.82	183	0	0	3.1	82%	12	5	Yes	2/10/2009	2/10/2009
Paloma	PH-20ROFP (-1 through 10)	Propane		20.5	13.8	5.8	141	0.82	0	200	0	3.1	84%	12	5	Yes	2/10/2009	2/10/2009
Paloma	PH-25RDVSN (-1 through 10)	Gas		25.6	13.9	9.9	180	0.82	183	0	0	4	81%	12	5	Yes	2/10/2009	2/10/2009
Paloma	PH-25RDVSP (-1 through 10)	Propane		25.6	13.9	9.9	180	0.82	0	200	0	4	81%	12	5	Yes	2/10/2009	2/10/2009
Paloma	PH-25ROFN (-1 through 10)	Gas		23.6	13.9	8.9	180	0.82	183	0	0	4	81%	12	5	Yes	2/10/2009	2/10/2009
Paloma	PH-25ROFP (-1 through 10)	Propane		23.6	13.9	8.9	180	0.82	0	200	0	4	81%	12	5	Yes	2/10/2009	2/10/2009
Paloma	PH-28RDVSN (-1 through 10)	Gas		25.4	14	11.1	199	0.82	183	0	0	4.3	84%	12	5	Yes	2/10/2009	2/10/2009
Paloma	PH-28RDVSP (-1 through 10)	Propane		25.4	14	11.1	199	0.82	0	200	0	4.3	84%	12	5	Yes	2/10/2009	2/10/2009
Paloma	PH-28RIFSN (-1 through 10)	Gas		25.4	14	11.1	199	0.82	183	0	0	4.3	84%	12	5	Yes	2/10/2009	2/10/2009
Paloma	PH-28RIFSP (-1 through 10)	Propane		25.4	14	11.1	199	0.82	0	200	0	4.3	84%	12	5	Yes	2/10/2009	2/10/2009
Paloma	PH-28ROFN (-1 through 10)	Gas		25.4	14	11.1	199	0.82	183	0	0	4.3	84%	12	5	Yes	2/10/2009	2/10/2009
Paloma	PH-28ROFP (-1 through 10)	Propane		25.4	14	11.1	199	0.82	0	200	0	4.3	84%	12	5	Yes	2/10/2009	2/10/2009
Paloma	PH2-20RDVS N	Gas	Indoor	25.625	13.9	9.9	150	0.82	183	0	0.3	3.3	82%	12	5	Yes	3/26/2010	3/26/2010
Paloma	PH2-20RDVS N (-1 through 10)	Gas	Indoor	25.6	13.8	9.5	150	0.82	183	0	0.4	3.3	84%	12	5	Yes	2/23/2010	2/23/2010
Paloma	PH2-20RDVS P	Propane	Indoor	25.625	13.9	9.9	150	0.82	0	200	0.3	3.3	82%	12	5	Yes	3/26/2010	3/26/2010
Paloma	PH2-20RDVS P (-1 through 10)	Propane	Indoor	25.6	13.8	9.5	150	0.82	0	200	0.4	3.3	84%	12	5	Yes	2/23/2010	2/23/2010
Paloma	PH2-20ROFN	Gas	Outdoor	23.625	13.9	8.9	150	0.82	183	0	0.26	3.3	82%	12	5	Yes	3/26/2010	3/26/2010
Paloma	PH2-20ROFN (-1 through 10)	Gas	Outdoor	23.6	13.8	8.5	150	0.82	183	0	0.4	3.3	84%	12	5	Yes	2/23/2010	2/23/2010
Paloma	PH2-20ROFP	Propane	Outdoor	23.625	13.9	8.9	150	0.82	0	200	0.26	3.3	82%	12	5	Yes	3/26/2010	3/26/2010
Paloma	PH2-20ROFP (-1 through 10)	Propane	Outdoor	23.6	13.8	8.5	150	0.82	0	200	0.4	3.3	84%	12	5	Yes	2/23/2010	2/23/2010
Paloma	PH2-25RDVS N	Gas	Indoor	25.625	13.9	9.9	180	0.82	183	0	0.3	3.9	82%	12	5	Yes	3/26/2010	3/26/2010
Paloma	PH2-25RDVS N (-1 through 10)	Gas	Indoor	25.6	13.8	9.5	180	0.82	183	0	0.4	3.9	84%	12	5	Yes	2/23/2010	2/23/2010
Paloma	PH2-25RDVS P	Propane	Indoor	25.625	13.9	9.9	180	0.82	0	200	0.3	3.9	82%	12	5	Yes	3/26/2010	3/26/2010
Paloma	PH2-25RDVS P (-1 through 10)	Propane	Indoor	25.6	13.8	9.5	180	0.82	0	200	0.4	3.9	84%	12	5	Yes	2/23/2010	2/23/2010
Paloma	PH2-25ROFN	Gas	Outdoor	23.625	13.9	8.9	180	0.82	183	0	0.3	4	82%	12	5	Yes	3/26/2010	3/26/2010
Paloma	PH2-25ROFN (-1 through 10)	Gas	Outdoor	23.6	13.8	8.5	180	0.82	183	0	0.4	4	84%	12	5	Yes	2/23/2010	2/23/2010
Paloma	PH2-25ROFP	Gas	Outdoor	23.625	13.9	8.9	180	0.82	0	200	0.3	4	82%	12	5	Yes	3/26/2010	3/26/2010
Paloma	PH2-25ROFP (-1 through 10)	Propane	Outdoor	23.6	13.8	8.5	180	0.82	0	200	0.4	4	84%	12	5	Yes	2/23/2010	2/23/2010
Paloma	PH2-28RDVS LN	Gas	Indoor	25.625	13.875	9.875	199.9	0.82	183	0	0.26	4.4	84%	12	5	Yes	11/1/2011	10/27/2011
Paloma	PH2-28RDVS LP	Propane	Indoor	25.625	13.875	9.875	199.9	0.82	183	0	0.26	4.4	84%	12	5	Yes	11/1/2011	10/27/2011
Paloma	PH2-28RDVS N (-1 through 10)	Gas		25.6	13.8	9.5	199	0.82	183	0	0	4.4	84%	12	5	Yes	12/3/2009	12/3/2009
Paloma	PH2-28RDVS P (-1 through 10)	Propane		25.6	13.8	9.5	199	0.82	0	200	0	4.4	84%	12	5	Yes	12/3/2009	12/3/2009
Paloma	PH2-28ROFL N	Gas	Outdoor	23.625	13.875	8.875	199.9	0.82	183	0	0.26	4.3	83%	12	5	Yes	11/1/2011	10/27/2011
Paloma	PH2-28ROFL P	Propane	Outdoor	23.625	13.875	8.875	199.9	0.82	183	0	0.26	4.3	83%	12	5	Yes	11/1/2011	10/27/2011
Paloma	PH2-28ROFN (-1 through 10)	Gas		23.6	13.8	8.5	199	0.82	183	0	0	4.4	84%	12	5	Yes	12/3/2009	12/3/2009
Paloma	PH2-28ROFP (-1 through 10)	Propane		23.6	13.8	8.5	199	0.82	0	200	0	4.4	84%	12	5	Yes	12/3/2009	12/3/2009
Paloma	PHH-32RDVN (-1 through 10)	Gas	Indoor	26.5	17.9	10	199.9	0.94	159	0	0.4	4.9	93%	10	5	Yes	10/15/2010	10/15/2010
Paloma	PHH-32RDVP (-1 through 10)	Propane	Indoor	26.5	17.9	10	199.9	0.94	0	175	0.4	4.9	93%	12	5	Yes	10/15/2010	10/15/2010

Paloma	PHH-32ROFN (-1 through 10)	Gas	Outdoor	26.5	17.9	10	199.9	0.94	159	0	0.4	4.9	93%	12	5	Yes	10/15/2010	10/15/2010
Paloma	PHH-32ROFP (-1 through 10)	Propane	Outdoor	26.5	17.9	10	199.9	0.94	0	175	0.4	4.9	93%	12	5	Yes	10/15/2010	10/15/2010
Paloma	PTG-53DVN	Gas		23	13.8	7.3	141	0.82	183	0	0	3	82%	12	5	Yes	1/8/2009	1/8/2009
Paloma	PTG-53DVP	Propane		23	13.8	7.3	135	0.82	0	200	0	3	82%	12	5	Yes	1/8/2009	1/8/2009
Paloma	PTG-53PVN	Gas		20.5	13.8	6.3	145	0.82	183	0	0	3.1	82%	12	5	Yes	1/8/2009	1/8/2009
Paloma	PTG-53PVP	Propane		20.5	13.8	6.3	141	0.82	0	200	0	3.1	82%	12	5	Yes	1/8/2009	1/8/2009
Paloma	PTG-53XN	Gas		20.5	13.8	6.3	141	0.82	183	0	0	3	82%	12	5	Yes	1/8/2009	1/8/2009
Paloma	PTG-53XP	Propane		20.5	13.8	6.3	141	0.82	0	200	0	3	82%	12	5	Yes	1/9/2009	1/9/2009
Paloma	PTG-74DVN	Gas		25.4	14.9	11.1	199	0.82	183	0	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Paloma	PTG-74DVNH	Gas		25.4	14.9	11.1	199	0.82	183	0	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Paloma	PTG-74DVNU H	Gas		25.4	14.9	11.1	199	0.82	183	0	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Paloma	PTG-74DVP	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Paloma	PTG-74DVPH	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Paloma	PTG-74DVPU H	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Paloma	PTG-74PVN	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/8/2009	1/11/2009
Paloma	PTG-74PVNH	Gas		25.4	14.9	11.1	199	0.82	183	0	0	4.3	82%	12	5	Yes	1/8/2009	1/11/2009
Paloma	PTG-74PVNU H	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/8/2009	1/11/2009
Paloma	PTG-74PVP	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/11/2009	1/11/2009
Paloma	PTG-74PVPH	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/11/2009	1/11/2009
Paloma	PTG-74PVPH	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/11/2009	1/11/2009
Paloma	PTG-74XN	Gas		25.4	14.9	11.1	199	0.82	183	0	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Paloma	PTG-74XNH	Gas		25.4	14.9	11.1	199	0.82	183	0	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Paloma	PTG-74XNUH	Gas		25.4	14.9	11.1	199	0.82	183	0	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Paloma	PTG-74XP	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Paloma	PTG-74XPH	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Paloma	PTG-74XPUH	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Paloma, WaiWela	PHH-25RDVL N	Gas	Indoor	27.5	18.5	9.875	0.157	0.92	163	0	0.26	3.8	92%	12	5	Yes	4/20/2012	8/2/2012
Paloma, WaiWela	PHH-25RDVL P	Propane	Indoor	27.5	18.5	9.875	0.157	0.92	0	178	0.26	3.8	92%	12	5	Yes	4/20/2012	8/2/2012
Paloma, WaiWela	PHH-25ROFL N	Gas	Outdoor	27.5	18.5	9.875	0.157	0.92	163	0	0.26	3.8	92%	12	5	Yes	4/20/2012	8/2/2012
Paloma, WaiWela	PHH-25ROFL P	Propane	Outdoor	27.5	18.5	9.875	0.157	0.92	0	178	0.26	3.8	92%	12	5	Yes	4/20/2012	8/2/2012
Paloma, WaiWela	PHH-32RDVL N	Gas	Indoor	27.5	18.5	9.875	0.1999	0.94	159	0	0.26	4.8	94%	12	5	Yes	4/20/2012	8/2/2012
Paloma, WaiWela	PHH-32RDVL P	Propane	Indoor	27.5	18.5	9.875	0.1999	0.94	0	175	0.26	4.8	94%	12	5	Yes	4/20/2012	8/2/2012
Paloma, WaiWela	PHH-32ROFL N	Gas	Outdoor	27.5	18.5	9.875	0.1999	0.94	159	0	0.26	4.8	95%	12	5	Yes	4/20/2012	8/2/2012
Paloma, WaiWela	PHH-32ROFL P	Propane	Outdoor	27.5	18.5	9.875	0.1999	0.94	0	175	0.26	4.8	95%	12	5	Yes	4/20/2012	8/2/2012
Quietside	DPW-120A	Gas		27.6	18.1	8	120	0.85	182	0	0	2.7	82%	12	5	Yes	3/3/2009	3/3/2009
Quietside	DPW-120A	Propane		27.6	18.1	8	120	0.85	0	200	0	2.7	82%	12	5	Yes	3/3/2009	3/3/2009
Quietside	ODW-120A	Propane		25.5	15.8	8	120	0.91	0	179	0	2.8	93%	12	5	Yes	3/3/2009	3/3/2009
Quietside	ODW-120A	Gas		25.5	15.8	8	120	0.91	163	0	0	2.8	93%	12	5	Yes	3/3/2009	3/3/2009
Quietside	ODW-180A	Propane		28.6	18.5	9.2	180	0.92	0	182	0	4.2	93%	12	5	Yes	3/3/2009	3/3/2009
Quietside	ODW-180A	Gas		28.6	18.5	9.2	180	0.92	166	0	0	4.2	93%	12	5	Yes	3/3/2009	3/3/2009
Quietside	ODW-199A	Propane		28.6	18.5	9.2	199	0.92	0	179	0	4.6	92%	12	5	Yes	3/3/2009	3/3/2009
Quietside	ODW-199A	Gas		28.6	18.5	9.2	199	0.92	163	0	0	4.6	92%	12	5	Yes	3/3/2009	3/3/2009
Rainsoft	GTR110NE 1 00	Gas	Outdoor	20.5	13.8	6.7	140	0.82	183	0	0	3	83%	12	5	Yes	10/20/2010	10/20/2010
Rainsoft	GTR110NI 1 00	Gas	Indoor	20.5	13.8	6.7	140	0.82	184	0	0	2.87	83%	12	5	Yes	10/20/2010	10/20/2010
Rainsoft	GTR110PE 1 01	Propane	Outdoor	20.5	13.8	6.7	140	0.82	0	200	0	2.99	83%	12	5	Yes	10/20/2010	10/20/2010
Rainsoft	GTR110PI 1 01	Propane	Indoor	20.5	13.8	6.7	140	0.83	0	197	0	3.06	84%	12	5	Yes	10/20/2010	10/20/2010
Rainsoft	GTR310NE 1 00	Gas	Outdoor	20.5	13.8	8.5	190	0.82	184	0	0	4.03	83%	12	5	Yes	10/20/2010	10/20/2010
Rainsoft	GTR310NI 1 00	Gas	Indoor	20.5	13.8	8.5	190	0.82	184	0	0	4.07	82%	12	5	Yes	10/20/2010	10/20/2010
Rainsoft	GTR310PE 1 01	Propane	Outdoor	20.5	13.8	8.5	190	0.83	0	197	0	4.15	84%	12	5	Yes	10/20/2010	10/20/2010
Rainsoft	GTR310PI 1 01	Propane	Indoor	20.5	13.8	8.5	190	0.82	0	200	0	4.16	83%	12	5	Yes	10/20/2010	10/20/2010
Rainsoft	GTR510NE 1 00	Gas	Outdoor	20.5	13.8	8.5	199	0.82	184	0	0	4.25	82%	12	5	Yes	10/20/2010	10/20/2010
Rainsoft	GTR510NI 1 00	Gas	Indoor	20.5	13.8	8.5	199	0.83	181	0	0	4.24	83%	12	5	Yes	10/20/2010	10/20/2010
Rainsoft	GTR510PE 1 01	Propane	Outdoor	20.5	13.8	8.5	199	0.82	0	200	0	4.25	82%	12	5	Yes	10/20/2010	10/20/2010
Rainsoft	GTR510PI 1 01	Propane	Indoor	20.5	13.8	8.5	199	0.82	0	200	0	4.27	83%	12	5	Yes	10/20/2010	10/20/2010
Reliance	TS 110UE 1 00	Gas	Outdoor	20.5	13.8	8.5	140	0.82	0	0	0	3	83%	12	0	Yes	7/1/2012	7/10/2012
Reliance	TS 110UI 1 00	Gas	Indoor	20.5	13.8	8.5	140	0.82	0	0	0	3	83%	12	0	Yes	7/1/2012	7/10/2012
Reliance	TS 310UE 1 00	Gas	Outdoor	20.5	13.8	8.5	190	0.82	0	0	0	4.1	84%	12	0	Yes	7/1/2012	7/10/2012
Reliance	TS 310UI 1 00	Gas	Indoor	20.5	13.8	8.5	190	0.82	0	0	0	4.1	84%	12	0	Yes	7/1/2012	7/10/2012

Reliance	TS 320GEH 100	Gas	Outdoor	25.6	18.5	12.4	180	0.91	0	0	0	4.3	90%	12	5	Yes	8/1/2011	7/5/2011
Reliance	TS 320GIH 100	Gas	Indoor	25.6	18.5	12.4	180	0.91	0	0	0	4.3	90%	12	5	Yes	8/1/2011	7/5/2011
Reliance	TS 320LEH 101	Propane	Outdoor	25.6	18.5	12.4	180	0.91	0	0	0	4.3	90%	12	5	Yes	8/1/2011	7/5/2011
Reliance	TS 320LIH 101	Propane	Indoor	25.6	18.5	12.4	180	0.91	0	0	0	4.4	90%	12	5	Yes	8/1/2011	7/5/2011
Reliance	TS 510UE 1 00	Gas	Outdoor	20.5	13.8	8.5	199	0.82	0	0	0	4.2	83%	12	0	Yes	7/1/2012	7/10/2012
Reliance	TS 510UI 1 00	Gas	Indoor	20.5	13.8	8.5	199	0.82	0	0	0	4.2	83%	12	0	Yes	7/1/2012	7/10/2012
Reliance	TS110GE 10 0	Gas	Outdoor	20.5	13.8	6.7	140	0.82	183	0	0	3	83%	12	5	Yes	10/20/2010	10/20/2010
Reliance	TS110GI 10 0	Gas	Indoor	20.5	13.8	6.7	140	0.82	184	0	0	2.87	83%	12	5	Yes	10/20/2010	10/20/2010
Reliance	TS110LE 10 1	Propane	Outdoor	20.5	13.8	6.7	140	0.82	0	200	0	2.99	83%	12	5	Yes	10/20/2010	10/20/2010
Reliance	TS110LI 10 1	Propane	Indoor	20.5	13.8	6.7	140	0.83	0	197	0	3.06	84%	12	5	Yes	10/20/2010	10/20/2010
Reliance	TS310GE 10 0	Gas	Outdoor	20.5	13.8	8.5	190	0.82	184	0	0	4.03	83%	12	5	Yes	10/20/2010	10/20/2010
Reliance	TS310GI 10 0	Gas	Indoor	20.5	13.8	8.5	190	0.82	184	0	0	4.07	82%	12	5	Yes	10/20/2010	10/20/2010
Reliance	TS310LE 10 1	Propane	Outdoor	20.5	13.8	8.5	190	0.83	0	197	0	4.15	84%	12	5	Yes	10/20/2010	10/20/2010
Reliance	TS310LI 10 1	Propane	Indoor	20.5	13.8	8.5	190	0.82	0	200	0	4.16	83%	12	5	Yes	10/20/2010	10/20/2010
Reliance	TS510GE 10 0	Gas	Outdoor	20.5	13.8	8.5	199	0.82	184	0	0	4.25	82%	12	5	Yes	10/20/2010	10/20/2010
Reliance	TS510GI 10 0	Gas	Indoor	20.5	13.8	8.5	199	0.83	181	0	0	4.24	83%	12	5	Yes	10/20/2010	10/20/2010
Reliance	TS510LE 10 1	Propane	Outdoor	20.5	13.8	8.5	199	0.82	0	200	0	4.25	82%	12	5	Yes	10/20/2010	10/20/2010
Reliance	TS510LI 10 1	Propane	Indoor	20.58	13.8	8.5	199	0.82	0	200	0	4.27	83%	12	5	Yes	10/20/2010	10/20/2010
Reliance	TS520GEH 1 00	Gas	Outdoor	25.6	18.5	12.4	199	0.91	0	0	0	4.7	92%	12	5	Yes	8/1/2011	7/1/2011
Reliance	TS520GIH 1 00	Gas	Indoor	25.6	18.5	12.4	199	0.91	0	0	0	4.7	92%	12	5	Yes	8/1/2011	7/1/2011
Reliance	TS520LEH 1 01	Propane	Outdoor	25.6	18.5	12.4	199	0.91	0	0	0	4.7	92%	12	5	Yes	8/1/2011	7/1/2011
Reliance	TS520LIH 1 01	Propane	Indoor	25.6	18.5	12.4	199	0.91	0	0	0	4.7	92%	12	5	Yes	8/1/2011	7/1/2011
Rheem	CPTG-53DVN HA	Gas		23	13.8	7.3	141	0.82	183	0	0	3	82%	12	5	Yes	1/8/2009	1/8/2009
Rheem	CPTG-74XN	Gas		25.4	14.9	11.1	199	0.82	183	0	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Rheem	CRTG-53DVN	Gas		23	13.8	7.3	141	0.82	183	0	0	3	82%	12	5	Yes	1/8/2009	1/8/2009
Rheem	CRTG-53DVN H	Gas		23	13.8	7.3	141	0.82	183	0	0	3	82%	12	5	Yes	1/8/2009	1/8/2009
Rheem	CRTG-53DVP	Propane		23	13.8	7.3	135	0.82	0	200	0	3	82%	12	5	Yes	1/8/2009	1/8/2009
Rheem	CRTG-53PVN	Gas		20.5	13.8	6.3	145	0.82	183	0	0	3.1	82%	12	5	Yes	1/8/2009	1/8/2009
Rheem	CRTG-53PVN UE	Gas		20.5	13.8	6.3	145	0.82	183	0	0	3.1	82%	12	5	Yes	1/8/2009	1/8/2009
Rheem	CRTG-53PVP	Propane		20.5	13.8	6.3	141	0.82	0	200	0	3.1	82%	12	5	Yes	1/8/2009	1/8/2009
Rheem	CRTG-53XN	Gas		20.5	13.8	6.3	141	0.82	183	0	0	3	82%	12	5	Yes	1/8/2009	1/8/2009
Rheem	CRTG-53XP	Propane		20.5	13.8	6.3	141	0.82	0	200	0	3	82%	12	5	Yes	1/9/2009	1/9/2009
Rheem	CRTG-66DVN	Gas		25.6	13.9	9.9	180	0.82	183	0	0	4	82%	12	5	Yes	1/9/2009	1/9/2009
Rheem	CRTG-66DVP	Propane		25.6	13.9	9.9	180	0.82	0	200	0	4	82%	12	5	Yes	1/9/2009	1/9/2009
Rheem	CRTG-66XN	Gas		23.6	13.9	8.9	180	0.82	183	0	0	4	82%	12	5	Yes	1/9/2009	1/9/2009
Rheem	CRTG-66XP	Propane		23.6	13.9	8.9	180	0.82	0	200	0	4	82%	12	5	Yes	1/8/2009	1/11/2009
Rheem	CRTG-74DVN	Gas		25.4	14.9	11.1	199	0.82	183	0	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Rheem	CRTG-74DVP	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Rheem	CRTG-74PVN	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/8/2009	1/11/2009
Rheem	CRTG-74PVN	Gas		25.4	14.9	11.1	199	0.82	183	0	0	4.3	82%	12	5	Yes	1/8/2009	1/11/2009
Rheem	CRTG-74PVP	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/11/2009	1/11/2009
Rheem	CRTG-74XN	Gas		25.4	14.9	11.1	199	0.82	183	0	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Rheem	CRTG-74XP	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Rheem	CRTGL-74PV N	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/8/2009	1/11/2009
Rheem	CRTGL74DVN	Gas		25.4	14.9	11.1	199	0.82	183	0	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Rheem	CRTGL74DVP	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Rheem	CRTGL74PVP	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/11/2009	1/11/2009
Rheem	CRTGL74XN	Gas		25.4	14.9	11.1	199	0.82	183	0	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Rheem	CRTGL74XP	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Rheem	ECO200PVNU H	Gas		25.4	14.9	11.1	199	0.82	183	0	0	4.3	82%	12	5	Yes	1/8/2009	1/11/2009
Rheem	RTG-53DVN	Gas		23	13.8	7.3	141	0.82	183	0	0	3	82%	12	5	Yes	1/8/2009	1/8/2009
Rheem	RTG-53DVP	Propane		23	13.8	7.3	135	0.82	0	200	0	3	82%	12	5	Yes	1/8/2009	1/8/2009
Rheem	RTG-53PVN	Gas		20.5	13.8	6.3	145	0.82	183	0	0	3.1	82%	12	5	Yes	1/8/2009	1/8/2009
Rheem	RTG-53PVP	Propane		20.5	13.8	6.3	141	0.82	0	200	0	3.1	82%	12	5	Yes	1/8/2009	1/8/2009
Rheem	RTG-53XN	Gas		20.5	13.8	6.3	141	0.82	183	0	0	3	82%	12	5	Yes	1/8/2009	1/8/2009
Rheem	RTG-53XP	Propane		20.5	13.8	6.3	141	0.82	0	200	0	3	82%	12	5	Yes	1/9/2009	1/9/2009
Rheem	RTG-64DVN	Gas	Indoor	25.625	13.9	9.9	150	0.82	183	0	0.3	3.3	82%	12	5	Yes	3/26/2010	3/26/2010
Rheem	RTG-64DVP	Propane	Indoor	25.625	13.9	9.9	150	0.82	0	200	0.3	3.3	82%	12	5	Yes	3/26/2010	3/26/2010
Rheem	RTG-64XN	Gas	Outdoor	23.625	13.9	8.9	150	0.82	183	0	0.26	3.3	82%	12	5	Yes	3/26/2010	3/26/2010

Rheem	RTG-64XP	Propane	Outdoor	23.625	13.9	8.9	150	0.82	0	200	0.26	3.3	82%	12	5	Yes	3/26/2010	3/26/2010
Rheem	RTG-66DVN	Gas		25.6	13.9	9.9	180	0.82	183	0	0	4	82%	12	5	Yes	1/9/2009	1/9/2009
Rheem	RTG-66DVP	Propane		25.6	13.9	9.9	180	0.82	0	200	0	4	82%	12	5	Yes	1/9/2009	1/9/2009
Rheem	RTG-66XN	Gas		23.6	13.9	8.9	180	0.82	183	0	0	4	82%	12	5	Yes	1/9/2009	1/9/2009
Rheem	RTG-66XP	Propane		23.6	13.9	8.9	180	0.82	0	200	0	4	82%	12	5	Yes	1/8/2009	1/11/2009
Rheem	RTG-74DVN	Gas		25.4	14.9	11.1	199	0.82	183	0	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Rheem	RTG-74DVP	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Rheem	RTG-74PVN	Gas		25.4	14.9	11.1	199	0.82	183	0	0	4.3	82%	12	5	Yes	1/8/2009	1/11/2009
Rheem	RTG-74PVP	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/11/2009	1/11/2009
Rheem	RTG-74XN	Gas		25.4	14.9	11.1	199	0.82	183	0	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Rheem	RTG-74XP	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Rheem	RTG-84DVN	Gas	Indoor	25.625	13.9	9.9	180	0.82	183	0	0.3	3.9	82%	12	5	Yes	3/26/2010	3/26/2010
Rheem	RTG-84DVP	Propane	Indoor	25.625	13.9	9.9	180	0.82	0	200	0.3	3.9	82%	12	5	Yes	3/26/2010	3/26/2010
Rheem	RTG-84XN	Gas	Outdoor	23.625	13.9	8.9	180	0.82	183	0	0.3	4	82%	12	5	Yes	3/26/2010	3/26/2010
Rheem	RTG-84XP	Propane	Outdoor	23.625	13.9	8.9	180	0.82	0	200	0.3	4	82%	12	5	Yes	3/26/2010	3/26/2010
Rheem	RTG-95DVLN	Gas	Indoor	25.625	13.875	9.875	199.9	0.82	183	0	0.26	4.4	84%	12	5	Yes	11/1/2011	10/27/2011
Rheem	RTG-95DVLP	Propane	Indoor	25.625	13.875	9.875	199.9	0.82	183	0	0.26	4.4	84%	12	5	Yes	11/1/2011	10/27/2011
Rheem	RTG-95DVN	Gas	Indoor	25.6	13.9	9.9	199	0.82	183	0	0	4.4	84%	12	5	Yes	12/29/2009	12/29/2009
Rheem	RTG-95DVP	Propane	Indoor	25.6	13.9	9.9	199	0.82	0	200	0.3	4.4	84%	12	5	Yes	12/29/2009	12/29/2009
Rheem	RTG-95XLN	Gas	Outdoor	23.625	13.875	8.875	199.9	0.82	183	0	0.26	4.3	83%	12	5	Yes	11/1/2011	10/27/2011
Rheem	RTG-95XLP	Propane	Outdoor	23.625	13.875	8.875	199.9	0.82	183	0	0.26	4.3	83%	12	5	Yes	11/1/2011	10/27/2011
Rheem	RTG-95XN	Gas	Outdoor	25.6	13.9	9.9	199	0.82	183	0	0.3	4.4	84%	12	5	Yes	12/29/2009	12/29/2009
Rheem	RTG-95XP	Propane	Outdoor	25.6	13.9	9.9	199	0.82	0	200	0.3	4.4	84%	12	5	Yes	12/29/2009	12/29/2009
Rheem	RTGH-84DVL N	Gas	Indoor	27.5	18.5	9.875	0.157	0.92	163	0	0.26	3.8	92%	12	5	Yes	4/20/2012	8/2/2012
Rheem	RTGH-84DVL P	Propane	Indoor	27.5	18.5	9.875	0.157	0.92	0	178	0.26	3.8	92%	12	5	Yes	4/20/2012	8/2/2012
Rheem	RTGH-84XLN	Gas	Outdoor	27.5	18.5	9.875	0.157	0.92	163	0	0.26	3.8	92%	12	5	Yes	4/20/2012	8/2/2012
Rheem	RTGH-84XLP	Propane	Outdoor	27.5	18.5	9.875	0.157	0.92	0	178	0.26	3.8	92%	12	5	Yes	4/20/2012	8/2/2012
Rheem	RTGH-95DVL N	Gas	Indoor	27.5	18.5	9.875	0.1999	0.94	159	0	0.26	4.8	94%	12	5	Yes	4/20/2012	8/2/2012
Rheem	RTGH-95DVL P	Propane	Indoor	27.5	18.5	9.875	0.1999	0.94	0	175	0.26	4.8	94%	12	5	Yes	4/20/2012	8/2/2012
Rheem	RTGH-95DVN	Gas	Indoor	26.5	17.8	9.9	199	0.94	158	0	0.26	4.9	94%	12	5	Yes	9/27/2010	9/27/2010
Rheem	RTGH-95DVP	Propane	Indoor	26.5	17.8	9.9	199	0.94	0	173	0.26	4.9	94%	12	5	Yes	9/27/2010	9/27/2010
Rheem	RTGH-95XLN	Gas	Outdoor	27.5	18.5	9.875	0.1999	0.94	159	0	0.26	4.8	95%	12	5	Yes	4/20/2012	8/2/2012
Rheem	RTGH-95XLP	Propane	Outdoor	27.5	18.5	9.875	0.1999	0.94	0	175	0.26	4.8	95%	12	5	Yes	4/20/2012	8/2/2012
Rheem	RTGH-95XN	Gas	Outdoor	26.5	17.8	9.9	199	0.94	159	0	0.26	4.9	94%	12	5	Yes	9/27/2010	9/27/2010
Rheem	RTGH-95XP	Propane	Outdoor	26.5	17.8	9.9	199	0.94	0	175	0.26	4.9	94%	12	5	Yes	9/27/2010	9/27/2010
Rheem	RTGL74DVN	Gas		25.4	14.9	11.1	199	0.82	183	0	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Rheem	RTGL74DVP	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Rheem	RTGL74PVN	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/8/2009	1/11/2009
Rheem	RTGL74PVP	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/11/2009	1/11/2009
Rheem	RTGL74XN	Gas		25.4	14.9	11.1	199	0.82	183	0	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Rheem	RTGL74XP	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Rheem EcoSense	CECO-180DV N	Gas		25.6	13.9	9.9	180	0.82	183	0	0	4	82%	12	5	Yes	2/24/2009	2/24/2009
Rheem EcoSense	CECO-180DV P	Propane		25.6	13.9	9.9	180	0.82	0	200	0	4	82%	12	5	Yes	2/24/2009	2/24/2009
Rheem EcoSense	CECO-180XN	Gas		23.6	13.9	8.9	180	0.82	183	0	0	4	82%	12	5	Yes	1/9/2009	1/9/2009
Rheem EcoSense	CECO-180XP	Propane		23.6	13.9	8.9	180	0.82	0	200	0	4	82%	12	5	Yes	1/8/2009	1/11/2009
Rheem EcoSense	CECO200DVN	Gas		25.4	14.9	11.1	199	0.82	183	0	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Rheem EcoSense	CECO200DVN H	Gas		25.4	14.9	11.1	199	0.82	183	0	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Rheem EcoSense	CECO200DVP	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Rheem EcoSense	CECO200DVP H	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Rheem EcoSense	CECO200PVN	Gas		25.4	14.9	11.1	199	0.82	183	0	0	4.3	82%	12	5	Yes	1/8/2009	1/11/2009
Rheem EcoSense	CECO200PVN H	Gas		25.4	14.9	11.1	199	0.82	183	0	0	4.3	82%	12	5	Yes	1/8/2009	1/11/2009
Rheem EcoSense	CECO200PVP	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/8/2009	1/11/2009
Rheem EcoSense	CECO200PVP H	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/8/2009	1/11/2009
Rheem EcoSense	CECO200XN	Gas		25.4	14.9	11.1	199	0.82	183	0	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Rheem EcoSense	CECO200XP	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Rheem EcoSense	CPTG-53DVN	Gas		23	13.8	7.3	141	0.82	183	0	0	3	82%	12	5	Yes	1/8/2009	1/8/2009
Rheem EcoSense	CPTG-53DVP	Propane		23	13.8	7.3	141	0.82	0	200	0	3	82%	12	5	Yes	1/8/2009	1/8/2009
Rheem EcoSense	CPTG-53DVP HA	Propane		23	13.8	7.3	135	0.82	0	200	0	3	82%	12	5	Yes	1/8/2009	1/8/2009
Rheem EcoSense	CPTG-53PVN	Gas		20.5	13.8	6.3	135	0.82	183	0	0	3.1	82%	12	5	Yes	1/8/2009	1/8/2009
Rheem EcoSense	CPTG-53PVN H	Gas		20.5	13.8	6.3	145	0.82	183	0	0	3.1	0%	12	5	Yes	1/8/2009	1/8/2009

Rheem EcoSense	CPTG-53PVP	Propane		20.5	13.8	6.3	145	0.82	0	200	0	3.1	82%	12	5	Yes	1/8/2009	1/8/2009
Rheem EcoSense	CPTG-53PVP H	Propane		20.5	13.8	6.3	141	0.82	0	200	0	3.1	82%	12	5	Yes	1/8/2009	1/8/2009
Rheem EcoSense	CPTG-53XN	Gas		20.5	13.8	6.3	141	0.82	183	0	0	3	82%	12	5	Yes	1/8/2009	1/8/2009
Rheem EcoSense	CPTG-53XP	Propane		20.5	13.8	6.3	141	0.82	0	200	0	3	82%	12	5	Yes	1/9/2009	1/9/2009
Rheem EcoSense	CPTG-74DVN	Gas		25.4	14.9	11.1	199	0.82	183	0	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Rheem EcoSense	CPTG-74DVN H	Gas		25.4	14.9	11.1	199	0.82	183	0	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Rheem EcoSense	CPTG-74DVP	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Rheem EcoSense	CPTG-74DVP H	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Rheem EcoSense	CPTG-74PVN	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/8/2009	1/11/2009
Rheem EcoSense	CPTG-74PVN HA	Gas		25.4	14.9	11.1	199	0.82	183	0	0	4.3	82%	12	5	Yes	1/8/2009	1/11/2009
Rheem EcoSense	CPTG-74PVP	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/8/2009	1/11/2009
Rheem EcoSense	CPTG-74PVP HA	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/8/2009	1/11/2009
Rheem EcoSense	CPTG-74XP	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Rheem EcoSense	ECO-180DVN	Gas		25.6	13.9	9.9	180	0.82	183	0	0	4	82%	12	5	Yes	1/9/2009	1/9/2009
Rheem EcoSense	ECO-180DVP	Propane		25.6	13.9	9.9	180	0.82	0	200	0	4	82%	12	5	Yes	1/9/2009	1/9/2009
Rheem EcoSense	ECO-180XN	Gas		23.6	13.9	8.9	180	0.82	183	0	0	4	82%	12	5	Yes	1/9/2009	1/9/2009
Rheem EcoSense	ECO-180XP	Propane		23.6	13.9	8.9	180	0.82	0	200	0	4	82%	12	5	Yes	1/8/2009	1/11/2009
Rheem EcoSense	ECO150DVN3	Gas	Indoor	25.625	13.9	9.9	150	0.82	183	0	0.3	3.3	82%	12	5	Yes	3/26/2010	3/26/2010
Rheem EcoSense	ECO150DVP3	Propane	Indoor	25.625	13.9	9.9	150	0.82	0	200	0.3	3.3	82%	12	5	Yes	3/26/2010	3/26/2010
Rheem EcoSense	ECO150XN3	Gas	Outdoor	23.625	13.9	8.9	150	0.82	183	0	0.26	3.3	82%	12	5	Yes	3/26/2010	3/26/2010
Rheem EcoSense	ECO150XP3	Propane	Outdoor	23.625	13.9	8.9	150	0.82	0	200	0.26	3.3	82%	12	5	Yes	3/26/2010	3/26/2010
Rheem EcoSense	ECO180DVN3	Gas	Indoor	25.625	13.9	9.9	180	0.82	183	0	0.3	3.9	82%	12	5	Yes	3/26/2010	3/26/2010
Rheem EcoSense	ECO180DVP3	Propane	Indoor	25.625	13.9	9.9	180	0.82	0	200	0.3	3.9	82%	12	5	Yes	3/26/2010	3/26/2010
Rheem EcoSense	ECO180XN3	Gas	Outdoor	23.625	13.9	8.9	180	0.82	183	0	0.3	4	82%	12	5	Yes	3/26/2010	3/26/2010
Rheem EcoSense	ECO180XP3	Propane	Outdoor	23.625	13.9	9.9	180	0.82	0	200	0.3	4	82%	12	5	Yes	3/26/2010	3/26/2010
Rheem EcoSense	ECO200DVN	Gas		25.4	14.9	11.1	199	0.82	183	0	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Rheem EcoSense	ECO200DVN3	Gas	Indoor	25.6	13.9	9.9	199	0.82	183	0	0.3	4.4	84%	12	5	Yes	12/29/2009	12/29/2009
Rheem EcoSense	ECO200DVNH	Gas		25.4	14.9	11.1	199	0.82	183	0	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Rheem EcoSense	ECO200DVNU H	Gas		25.4	14.9	11.1	199	0.82	183	0	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Rheem EcoSense	ECO200DVP	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Rheem EcoSense	ECO200DVP3	Propane	Indoor	25.6	13.9	9.9	199	0.82	0	200	0.3	4.4	84%	12	5	Yes	12/29/2009	12/29/2009
Rheem EcoSense	ECO200DVPH	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Rheem EcoSense	ECO200DVPU H	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Rheem EcoSense	ECO200PVN	Gas		25.4	14.9	11.1	199	0.82	183	0	0	4.3	82%	12	5	Yes	1/8/2009	1/11/2009
Rheem EcoSense	ECO200PVNH	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/8/2009	1/11/2009
Rheem EcoSense	ECO200PVP	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/11/2009	1/11/2009
Rheem EcoSense	ECO200PVPH	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/11/2009	1/11/2009
Rheem EcoSense	ECO200PVPU H	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/11/2009	1/11/2009
Rheem EcoSense	ECO200XN	Gas		25.4	14.9	11.1	199	0.82	183	0	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Rheem EcoSense	ECO200XN3	Gas	Outdoor	25.6	13.9	9.9	199	0.82	183	0	0.3	4.4	84%	12	5	Yes	12/29/2009	12/29/2009
Rheem EcoSense	ECO200XNH	Gas		25.4	14.9	11.1	199	0.82	183	0	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Rheem EcoSense	ECO200XNUH	Gas		25.4	14.9	11.1	199	0.82	183	0	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Rheem EcoSense	ECO200XP	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Rheem EcoSense	ECO200XP3	Propane	Outdoor	25.6	13.9	9.9	199	0.82	0	200	0.3	4.4	84%	12	5	Yes	12/29/2009	12/29/2009
Rheem EcoSense	ECO200XPH	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Rheem EcoSense	ECO200XPUH	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Rheem EcoSense	ECOH200DVN	Gas	Indoor	26.5	17.8	9.9	199	0.94	158	0	0.26	4.9	94%	12	5	Yes	9/27/2010	9/27/2010
Rheem EcoSense	ECOH200DVP	Propane	Indoor	26.5	17.8	9.9	199	0.94	0	173	0.26	4.9	94%	12	5	Yes	9/27/2010	9/27/2010
Rheem EcoSense	ECOH200XN	Gas	Outdoor	26.5	17.8	9.9	199	0.94	159	0	0.26	4.9	94%	12	5	Yes	9/27/2010	9/27/2010
Rheem EcoSense	ECOH200XP	Propane	Outdoor	26.5	17.8	9.9	199	0.94	0	175	0.26	4.9	94%	12	5	Yes	9/27/2010	9/27/2010
Rheem EcoSense	PTG-53DVN	Gas		23	13.8	7.3	141	0.82	183	0	0	3	82%	12	5	Yes	1/8/2009	1/8/2009
Rheem EcoSense	PTG-53DVP	Propane		23	13.8	7.3	135	0.82	0	200	0	3	82%	12	5	Yes	1/8/2009	1/8/2009
Rheem EcoSense	PTG-53PVN	Gas		20.5	13.8	6.3	145	0.82	183	0	0	3.1	82%	12	5	Yes	1/8/2009	1/8/2009
Rheem EcoSense	PTG-53PVP	Propane		20.5	13.8	6.3	141	0.82	0	200	0	3.1	82%	12	5	Yes	1/8/2009	1/8/2009
Rheem EcoSense	PTG-53XN	Gas		20.5	13.8	6.3	141	0.82	183	0	0	3	82%	12	5	Yes	1/8/2009	1/8/2009
Rheem EcoSense	PTG-53XP	Propane		20.5	13.8	6.3	141	0.82	0	200	0	3	82%	12	5	Yes	1/9/2009	1/9/2009
Rheem EcoSense	PTG-74DVN	Gas		25.4	14.9	11.1	199	0.82	183	0	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Rheem EcoSense	PTG-74DVNH	Gas		25.4	14.9	11.1	199	0.82	183	0	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Rheem EcoSense	PTG-74DVNU H	Gas		25.4	14.9	11.1	199	0.82	183	0	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Rheem EcoSense	PTG-74DVP	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009

Rheem EcoSense	PTG-74DVPH	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Rheem EcoSense	PTG-74DVPH	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Rheem EcoSense	PTG-74DVPU H	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Rheem EcoSense	PTG-74PVN	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/8/2009	1/11/2009
Rheem EcoSense	PTG-74PVNH	Gas		25.4	14.9	11.1	199	0.82	183	0	0	4.3	82%	12	5	Yes	1/8/2009	1/11/2009
Rheem EcoSense	PTG-74PVNU H	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/8/2009	1/11/2009
Rheem EcoSense	PTG-74PVP	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/11/2009	1/11/2009
Rheem EcoSense	PTG-74PVPH	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/11/2009	1/11/2009
Rheem EcoSense	PTG-74PVPU H	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/11/2009	1/11/2009
Rheem EcoSense	PTG-74XN	Gas		25.4	14.9	11.1	199	0.82	183	0	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Rheem EcoSense	PTG-74XNH	Gas		25.4	14.9	11.1	199	0.82	183	0	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Rheem EcoSense	PTG-74XNUH	Gas		25.4	14.9	11.1	199	0.82	183	0	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Rheem EcoSense	PTG-74XP	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Rheem EcoSense	PTG-74XPH	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Rheem EcoSense	PTG-74XPUH	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Rheem/EcoSense	ECO200DVLN 3	Gas	Indoor	25.625	13.875	9.875	199.9	0.82	183	0	0.26	4.4	84%	12	5	Yes	11/1/2011	10/27/2011
Rheem/EcoSense	ECO200DVLP 3	Propane	Indoor	25.625	13.875	9.875	199.9	0.82	183	0	0.26	4.4	84%	12	5	Yes	11/1/2011	10/27/2011
Rheem/EcoSense	ECO200XLN3	Gas	Outdoor	23.625	13.875	8.875	199.9	0.82	183	0	0.26	4.3	83%	12	5	Yes	11/1/2011	10/27/2011
Rheem/EcoSense	ECO200XLP3	Propane	Outdoor	23.625	13.875	8.875	199.9	0.82	183	0	0.26	4.3	83%	12	5	Yes	11/1/2011	10/27/2011
Rheem/EcoSense	ECOH160DVL N	Gas	Indoor	27.5	18.5	9.875	0.157	0.92	163	0	0.26	3.8	92%	12	5	Yes	4/20/2012	8/2/2012
Rheem/EcoSense	ECOH160DVL P	Propane	Indoor	27.5	18.5	9.875	0.157	0.92	0	178	0.26	3.8	92%	12	5	Yes	4/20/2012	8/2/2012
Rheem/EcoSense	ECOH160XLN	Gas	Outdoor	27.5	18.5	9.875	0.157	0.92	163	0	0.26	3.8	92%	12	5	Yes	4/20/2012	8/2/2012
Rheem/EcoSense	ECOH160XLP	Propane	Outdoor	27.5	18.5	9.875	0.157	0.92	0	178	0.26	3.8	92%	12	5	Yes	4/20/2012	8/2/2012
Rheem/EcoSense	ECOH200DVL N	Gas	Indoor	27.5	18.5	9.875	0.1999	0.94	159	0	0.26	4.8	94%	12	5	Yes	4/20/2012	8/2/2012
Rheem/EcoSense	ECOH200DVL P	Propane	Indoor	27.5	18.5	9.875	0.1999	0.94	0	175	0.26	4.8	94%	12	5	Yes	4/20/2012	8/2/2012
Rheem/EcoSense	ECOH200XLN	Gas	Outdoor	27.5	18.5	9.875	0.1999	0.94	159	0	0.26	4.8	95%	12	5	Yes	4/20/2012	8/2/2012
Rheem/EcoSense	ECOH200XLP	Propane	Outdoor	27.5	18.5	9.875	0.1999	0.94	0	175	0.26	4.8	95%	12	5	Yes	4/20/2012	8/2/2012
Richmond	CRMTG-53DV N	Gas		23	13.8	7.3	141	0.82	183	0	0	3	82%	12	5	Yes	1/8/2009	1/8/2009
Richmond	CRMTG-53DV NHA	Gas		23	13.8	7.3	141	0.82	183	0	0	3	82%	12	5	Yes	1/8/2009	1/8/2009
Richmond	CRMTG-53DV P	Propane		23	13.8	7.3	135	0.82	0	200	0	3	82%	12	5	Yes	1/8/2009	1/8/2009
Richmond	CRMTG-53DV PHA	Propane		23	13.8	7.3	135	0.82	0	200	0	3	82%	12	5	Yes	1/8/2009	1/8/2009
Richmond	CRMTG-53PV N	Gas		20.5	13.8	6.3	145	0.82	183	0	0	3.1	82%	12	5	Yes	1/8/2009	1/8/2009
Richmond	CRMTG-53PV NH	Gas		20.5	13.8	6.3	145	0.82	183	0	0	3.1	82%	12	5	Yes	1/8/2009	1/8/2009
Richmond	CRMTG-53PV P	Propane		20.5	13.8	6.3	141	0.82	0	200	0	3.1	82%	12	5	Yes	1/8/2009	1/8/2009
Richmond	CRMTG-53PV PH	Propane		20.5	13.8	6.3	141	0.82	0	200	0	3.1	82%	12	5	Yes	1/8/2009	1/8/2009
Richmond	CRMTG-53XN	Gas		20.5	13.8	6.3	141	0.82	183	0	0	3	82%	12	5	Yes	1/8/2009	1/8/2009
Richmond	CRMTG-53XP	Propane		20.5	13.8	6.3	141	0.82	0	200	0	3	82%	12	5	Yes	1/9/2009	1/9/2009
Richmond	CRMTG-74DV N	Gas		25.4	14.9	11.1	199	0.82	183	0	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Richmond	CRMTG-74DV NH	Gas		25.4	14.9	11.1	199	0.82	183	0	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Richmond	CRMTG-74DV P	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Richmond	CRMTG-74DV PH	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Richmond	CRMTG-74PV N	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/8/2009	1/11/2009
Richmond	CRMTG-74PV NHA	Gas		25.4	14.9	11.1	199	0.82	183	0	0	4.3	82%	12	5	Yes	1/8/2009	1/11/2009
Richmond	CRMTG-74PV P	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/8/2009	1/11/2009
Richmond	CRMTG-74PV PHA	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/8/2009	1/11/2009
Richmond	CRMTG-74XN	Gas		25.4	14.9	11.1	199	0.82	183	0	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Richmond	CRMTG-74XP	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Richmond	RMTG-53DVN	Gas		23	13.8	7.3	141	0.82	183	0	0	3	82%	12	5	Yes	1/8/2009	1/8/2009
Richmond	RMTG-53DVP	Propane		23	13.8	7.3	135	0.82	0	200	0	3	82%	12	5	Yes	1/8/2009	1/8/2009
Richmond	RMTG-53PVN	Gas		20.5	13.8	6.3	145	0.82	183	0	0	3.1	82%	12	5	Yes	1/8/2009	1/8/2009
Richmond	RMTG-53PVP	Propane		20.5	13.8	6.3	141	0.82	0	200	0	3.1	82%	12	5	Yes	1/8/2009	1/8/2009
Richmond	RMTG-53XN	Gas		20.5	13.8	6.3	141	0.82	183	0	0	3	82%	12	5	Yes	1/8/2009	1/8/2009
Richmond	RMTG-53XP	Propane		20.5	13.8	6.3	141	0.82	0	200	0	3	82%	12	5	Yes	1/9/2009	1/9/2009
Richmond	RMTG-66DVN	Gas		25.6	13.9	9.9	180	0.82	183	0	0	4	82%	12	5	Yes	1/9/2009	1/9/2009
Richmond	RMTG-66DVP	Propane		25.6	13.9	9.9	180	0.82	0	200	0	4	82%	12	5	Yes	1/9/2009	1/9/2009

Richmond	RMTG-66XN	Gas		23.6	13.9	8.9	180	0.82	183	0	0	4	82%	12	5	Yes	1/9/2009	1/9/2009
Richmond	RMTG-66XP	Propane		23.6	13.9	8.9	180	0.82	0	200	0	4	82%	12	5	Yes	1/8/2009	1/11/2009
Richmond	RMTG-74DVN	Gas		25.4	14.9	11.1	199	0.82	183	0	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Richmond	RMTG-74DVN H	Gas		25.4	14.9	11.1	199	0.82	183	0	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Richmond	RMTG-74DVN UH	Gas		25.4	14.9	11.1	199	0.82	183	0	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Richmond	RMTG-74DVP	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Richmond	RMTG-74DVP H	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Richmond	RMTG-74DVP UH	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Richmond	RMTG-74PVN	Gas		25.4	14.9	11.1	199	0.82	183	0	0	4.3	82%	12	5	Yes	1/8/2009	1/11/2009
Richmond	RMTG-74PVN H	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/8/2009	1/11/2009
Richmond	RMTG-74PVN UH	Gas		25.4	14.9	11.1	199	0.82	183	0	0	4.3	82%	12	5	Yes	1/8/2009	1/11/2009
Richmond	RMTG-74PVP	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/11/2009	1/11/2009
Richmond	RMTG-74PVP H	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/11/2009	1/11/2009
Richmond	RMTG-74PVP UH	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/11/2009	1/11/2009
Richmond	RMTG-74XN	Gas		25.4	14.9	11.1	199	0.82	183	0	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Richmond	RMTG-74XNH	Gas		25.4	14.9	11.1	199	0.82	183	0	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Richmond	RMTG-74XNU H	Gas		25.4	14.9	11.1	199	0.82	183	0	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Richmond	RMTG-74XP	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Richmond	RMTG-74XPH	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Richmond	RMTG-74XPU H	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Richmond	RMTG64DVN	Gas	Indoor	25.625	13.9	9.9	150	0.82	183	0	0.3	3.3	82%	12	5	Yes	3/26/2010	3/26/2010
Richmond	RMTG64DVP	Propane	Indoor	25.625	13.9	9.9	150	0.82	0	200	0.3	3.3	82%	12	5	Yes	3/26/2010	3/26/2010
Richmond	RMTG64XN	Gas	Outdoor	23.625	13.9	8.9	150	0.82	183	0	0.26	3.3	82%	12	5	Yes	3/26/2010	3/26/2010
Richmond	RMTG64XP	Propane	Outdoor	23.625	13.9	8.9	150	0.82	0	200	0.26	3.3	82%	12	5	Yes	3/26/2010	3/26/2010
Richmond	RMTG84DVN	Gas	Indoor	25.625	13.9	9.9	180	0.82	183	0	0.3	3.9	82%	12	5	Yes	3/26/2010	3/26/2010
Richmond	RMTG84DVP	Propane	Indoor	25.625	13.9	9.9	180	0.82	0	200	0.3	3.9	82%	12	5	Yes	3/26/2010	3/26/2010
Richmond	RMTG84XN	Gas	Outdoor	23.625	13.9	8.9	180	0.82	183	0	0.3	4	82%	12	5	Yes	3/26/2010	3/26/2010
Richmond	RMTG84XP	Propane	Outdoor	23.625	13.9	8.9	180	0.82	0	200	0.3	4	82%	12	5	Yes	3/26/2010	3/26/2010
Richmond	RMTG95DVLN	Gas	Indoor	25.625	13.875	9.875	199.9	0.82	183	0	0.26	4.4	84%	12	5	Yes	11/1/2011	10/27/2011
Richmond	RMTG95DVLP	Propane	Indoor	25.625	13.875	9.875	199.9	0.82	183	0	0.26	4.4	84%	12	5	Yes	11/1/2011	10/27/2011
Richmond	RMTG95DVN	Gas	Indoor	25.6	13.9	9.9	199	0.82	183	0	0.3	4.4	199%	12	5	Yes	12/29/2009	12/29/2009
Richmond	RMTG95DVP	Propane	Indoor	25.6	13.9	9.9	199	0.82	0	200	0.3	4.4	84%	12	5	Yes	12/29/2009	12/29/2009
Richmond	RMTG95XLN	Gas	Outdoor	23.625	13.875	8.875	199.9	0.82	183	0	0.26	4.3	83%	12	5	Yes	11/1/2011	10/27/2011
Richmond	RMTG95XLP	Propane	Outdoor	23.625	13.875	8.875	199.9	0.82	183	0	0.26	4.3	83%	12	5	Yes	11/1/2011	10/27/2011
Richmond	RMTG95XN	Gas	Outdoor	25.6	13.9	9.9	199	0.82	183	0	0.3	4.4	84%	12	5	Yes	12/29/2009	12/29/2009
Richmond	RMTG95XP	Propane	Outdoor	25.6	13.9	9.9	199	0.82	0	200	0.3	4.4	84%	12	5	Yes	12/29/2009	12/29/2009
Richmond	RMTGH84DVL N	Gas	Indoor	27.5	18.5	9.875	0.157	0.92	163	0	0.26	3.8	92%	12	5	Yes	4/20/2012	8/2/2012
Richmond	RMTGH84DVL P	Propane	Indoor	27.5	18.5	9.875	0.157	0.92	0	178	0.26	3.8	92%	12	5	Yes	4/20/2012	8/2/2012
Richmond	RMTGH84XLN	Gas	Outdoor	27.5	18.5	9.875	0.157	0.92	163	0	0.26	3.8	92%	12	5	Yes	4/20/2012	8/2/2012
Richmond	RMTGH84XLP	Propane	Outdoor	27.5	18.5	9.875	0.157	0.92	0	178	0.26	3.8	92%	12	5	Yes	4/20/2012	8/2/2012
Richmond	RMTGH95DVL N	Gas	Indoor	27.5	18.5	9.875	0.1999	0.94	159	0	0.26	4.8	94%	12	5	Yes	4/20/2012	8/2/2012
Richmond	RMTGH95DVL P	Propane	Indoor	27.5	18.5	9.875	0.1999	0.94	0	175	0.26	4.8	94%	12	5	Yes	4/20/2012	8/2/2012
Richmond	RMTGH95DVN	Gas	Indoor	26.5	17.8	9.9	199	0.94	158	0	0.26	4.9	94%	12	5	Yes	9/27/2010	9/27/2010
Richmond	RMTGH95DVP	Propane	Indoor	26.5	17.8	9.9	199	0.94	0	173	0.26	4.9	94%	12	5	Yes	9/27/2010	9/27/2010
Richmond	RMTGH95XLN	Gas	Outdoor	27.5	18.5	9.875	0.1999	0.94	159	0	0.26	4.8	95%	12	5	Yes	4/20/2012	8/2/2012
Richmond	RMTGH95XLP	Propane	Outdoor	27.5	18.5	9.875	0.1999	0.94	0	175	0.26	4.8	95%	12	5	Yes	4/20/2012	8/2/2012
Richmond	RMTGH95XN	Gas	Outdoor	26.5	17.8	9.9	199	0.94	159	0	0.26	4.9	94%	12	5	Yes	9/27/2010	9/27/2010
Richmond	RMTGH95XP	Propane	Outdoor	26.5	17.8	9.9	199	0.94	0	175	0.26	4.9	94%	12	5	Yes	9/27/2010	9/27/2010
Richmond	RMTGL74PVN	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/8/2009	1/11/2009
Richmond	RMTGL74PVN H	Gas		25.4	14.9	11.1	199	0.82	183	0	0	4.3	82%	12	5	Yes	1/8/2009	1/11/2009
Richmond	RMTGL74PVN UH	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/8/2009	1/11/2009
Richmond	RMTGL74PVP	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/11/2009	1/11/2009
Richmond	RMTGL74PVP H	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/11/2009	1/11/2009
Richmond	RMTGL74PVP UH	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/11/2009	1/11/2009
Richmond	RMTGL74XN	Gas		25.4	14.9	11.1	199	0.82	183	0	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Richmond	RMTGL74XNH	Gas		25.4	14.9	11.1	199	0.82	183	0	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009

Richmond	RMTGL74XNU H	Gas		25.4	14.9	11.1	199	0.82	183	0	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Richmond	RMTGL74XP	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Richmond	RMTGL74XPH	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Richmond	RMTGL74XPU H	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Rinnai	R50LSiN	Gas		25.5	14	9.6	150	0.82	183	0	0	3.3	83%	12	5	Yes	12/16/2008	12/16/2008
Rinnai	R50LSiP	Propane		25.5	14	9.6	150	0.82	0	200	0	3.3	83%	12	5	Yes	12/16/2008	12/16/2008
Rinnai	R63LSe2	Propane	Outdoor	22.9	14	9.8	150	0.82	0	200	0.6	3.3	83%	12	5	Yes	8/12/2009	8/12/2009
Rinnai	R63LSe2	Gas	Outdoor	22.9	14	9.8	150	0.82	183	0	0.6	3.3	83%	12	5	Yes	8/12/2009	8/12/2009
Rinnai	R75LSeN	Gas		25.5	14	9.6	180	0.82	183	0	0	3.9	81%	12	5	Yes	12/16/2008	12/16/2008
Rinnai	R75LSeP	Propane		25.5	14	9.6	180	0.82	0	200	0	3.9	81%	12	5	Yes	12/16/2008	12/16/2008
Rinnai	R75LSiN	Gas		25.5	14	9.6	180	0.82	183	0	0	3.9	82%	12	5	Yes	12/16/2008	12/16/2008
Rinnai	R75LSiP	Propane		25.5	14	9.6	180	0.82	0	200	0	3.9	82%	12	5	Yes	12/16/2008	12/16/2008
Rinnai	R94LSeN	Gas		25.5	14	9.6	199	0.82	183	0	0	4.3	82%	12	5	Yes	12/16/2008	12/16/2008
Rinnai	R94LSeP	Propane		25.5	14	9.6	199	0.82	0	200	0	4.3	82%	12	5	Yes	12/16/2008	12/16/2008
Rinnai	R94LSiN	Gas		25.5	14	9.6	199	0.82	183	0	0	4.3	83%	12	5	Yes	12/16/2008	12/16/2008
Rinnai	R94LSIP	Propane		25.5	14	9.6	199	0.82	0	200	0	4.3	83%	12	5	Yes	12/16/2008	12/16/2008
Rinnai	RC80eN	Gas	Outdoor	26.4	18.5	10.7	157	0.93	161	0	0.4	3.9	94%	12	5	Yes	8/11/2009	8/11/2009
Rinnai	RC80eP	Propane	Outdoor	26.4	18.5	10.7	157	0.93	161	0	0.4	3.9	94%	12	5	Yes	8/11/2009	8/11/2009
Rinnai	RC80HPe	Propane	Outdoor	26.4	18.5	10.7	157	0.93	0	176	0.4	3.9	94%	12	5	Yes	8/11/2009	8/11/2009
Rinnai	RC80HPe	Gas	Outdoor	26.4	18.5	10.7	157	0.93	161	0	0.4	3.9	94%	12	5	Yes	8/11/2009	8/11/2009
Rinnai	RC80HPi	Gas	Indoor	26.4	18.5	10.1	157	0.93	161	0	0.4	3.9	94%	12	5	Yes	8/11/2009	8/11/2009
Rinnai	RC80HPi	Propane	Indoor	26.4	18.5	10.1	157	0.93	0	176	0.4	3.9	94%	12	5	Yes	8/11/2009	8/11/2009
Rinnai	RC80iN	Gas	Indoor	26.4	18.5	10.1	157	0.93	161	0	0.4	3.9	94%	12	5	Yes	8/11/2009	8/11/2009
Rinnai	RC80iP	Propane	Indoor	26.4	18.5	10.1	157	0.93	0	176	0.4	3.9	94%	12	5	Yes	8/11/2009	8/11/2009
Rinnai	RC98eN	Gas	Outdoor	26.4	18.5	10.7	199	0.93	161	0	0.4	5	94%	12	5	Yes	8/11/2009	8/11/2009
Rinnai	RC98eP	Propane	Outdoor	26.4	18.5	10.7	199	0.93	0	176	0.4	5	94%	12	5	Yes	8/11/2009	8/11/2009
Rinnai	RC98HPe	Gas	Outdoor	26.4	18.5	10.7	199	0.93	161	0	0.4	5	94%	12	5	Yes	8/11/2009	8/11/2009
Rinnai	RC98HPe	Propane	Outdoor	26.4	18.5	10.7	199	0.93	0	176	0.4	5	94%	12	5	Yes	8/11/2009	8/11/2009
Rinnai	RC98HPi	Propane	Indoor	26.4	18.5	10.1	199	0.93	0	176	0.4	5	94%	12	5	Yes	8/11/2009	8/11/2009
Rinnai	RC98HPi	Gas		26.4	18.5	10.1	199	0.93	161	176	0.4	5	94%	12	5	Yes	8/11/2009	8/11/2009
Rinnai	RC98iN	Gas		26.4	18.5	10.1	199	0.93	161	176	0.4	5	94%	12	5	Yes	8/11/2009	8/11/2009
Rinnai	RC98iP	Propane	Indoor	26.4	18.5	10.1	199	0.93	0	176	0.4	5	94%	12	5	Yes	8/11/2009	8/11/2009
Rinnai	REU-KB2530 FFUD-US	Gas	Indoor	26.4	18.5	10.5	157	0.96	161	0	0.26	4.5	97%	12	5	Yes	4/23/2012	7/30/2012
Rinnai	REU-KB2530 WD-US	Gas	Outdoor	26.4	18.5	10.7	157	0.96	161	0	0.26	4.5	97%	12	5	Yes	4/23/2012	7/30/2012
Rinnai	REU-KB3237 FFUD-US	Gas	Indoor	26.4	18.5	10.7	199	0.95	161	0	0.26	4.9	97%	12	5	Yes	4/23/2012	7/30/2012
Rinnai	REU-KB3237 WD-US	Gas	Outdoor	26.4	18.5	10.7	199	0.95	161	0	0.26	4.9	95%	12	5	Yes	4/23/2012	7/30/2012
Rinnai	REU-VC2025 FFU-US	Gas	Indoor	23	14	9.3	150	0.82	183	0	0.26	3	83%	12	5	Yes	5/25/2012	7/30/2012
Rinnai	REU-VC2025 W-US	Gas	Outdoor	23	14	9.3	150	0.82	183	0	0.26	3	83%	12	5	Yes	5/25/2012	7/30/2012
Rinnai	REU-VC2528 FFU-US	Gas	Indoor	23	14	9.3	180	0.82	183	0	0.26	3.9	83%	12	5	Yes	4/8/2012	7/30/2012
Rinnai	REU-VC2528 FFUD-US	Gas	Indoor	22.9	14	9.9	180	0.82	183	0	0.26	3.9	82%	12	5	Yes	3/15/2012	7/30/2012
Rinnai	REU-VC2528 W-US	Gas	Outdoor	23	14	9.3	180	0.82	183	0	0.26	3.9	83%	12	5	Yes	4/8/2012	7/30/2012
Rinnai	REU-VC2528 WD-US	Gas	Outdoor	22.9	14	9.9	180	0.82	183	0	0.26	3.9	82%	12	5	Yes	3/15/2012	7/30/2012
Rinnai	REU-VC2837 FFUD-US	Gas	Indoor	22.9	14	9.9	199	0.82	183	0	0.26	4.3	83%	12	5	Yes	3/15/2012	7/30/2012
Rinnai	REU-VC2837 WD-US	Gas	Outdoor	22.9	14	9.9	199	0.82	183	0	0.26	4.3	83%	12	5	Yes	3/15/2012	7/30/2012
Rinnai	RL75eN	Gas	Outdoor	25.5	14	9.6	180	0.82	183	0	0	3.9	81%	12	5	Yes	12/16/2008	8/11/2011
Rinnai	RL75eP	Propane	Outdoor	25.5	14	9.6	180	0.82	0	200	0	3.9	81%	12	5	Yes	12/16/2008	12/16/2008
Rinnai	RL75iN	Gas	Indoor	25.5	14	9.6	180	0.82	183	0	0	3.9	82%	12	5	Yes	12/16/2008	12/16/2008
Rinnai	RL75iP	Propane	Indoor	25.5	14	9.6	180	0.82	0	200	0	3.9	82%	12	5	Yes	12/16/2008	12/16/2008
Rinnai	RL94eN	Gas	Outdoor	25.5	14	9.6	199	0.82	183	0	0	4.3	82%	12	5	Yes	12/16/2008	12/16/2008
Rinnai	RL94eP	Propane	Outdoor	25.5	14	9.6	199	0.82	0	200	0	4.3	82%	12	5	Yes	12/16/2008	12/16/2008
Rinnai	RL94iN	Gas	Indoor	25.5	14	9.6	199	0.82	183	0	0	4.3	83%	12	5	Yes	12/16/2008	12/16/2008
Rinnai	RL94iP	Propane	Indoor	25.5	14	9.6	199	0.82	0	200	0	4.3	83%	12	5	Yes	12/16/2008	12/16/2008

Rinnai	RV53eN	Gas	Outdoor	20.9	13.8	6.7	120	0.82	183	0	0	2.6	83%	10	5	Yes	12/16/2008	12/16/2008
Rinnai	RV53eP	Propane	Outdoor	20.9	13.8	6.7	120	0.82	0	200	0	2.6	83%	10	5	Yes	12/16/2008	12/16/2008
Rinnai	RV53iN	Gas	Indoor	24.7	13.8	8.8	150	0.82	183	0	0.6	3.3	83%	10	5	Yes	6/6/2010	6/6/2010
Rinnai	RV53iP	Propane	Indoor	24.7	13.8	8.8	150	0.82	0	200	0.6	3.3	83%	10	5	Yes	6/6/2010	6/6/2010
Rinnai	V53eN	Gas	Outdoor	20.9	13.8	6.7	120	0.82	183	0	0	2.6	83%	10	5	Yes	12/16/2008	12/16/2008
Rinnai	V53eP	Propane		20.9	13.8	6.7	120	0.82	0	200	0	2.6	83%	10	5	Yes	12/16/2008	12/16/2008
Rinnai	V53i	Propane	Indoor	24.7	13.8	8.8	150	0.82	0	200	0.6	3.3	83%	10	5	Yes	6/6/2010	6/6/2010
Rinnai	V53i	Gas	Indoor	24.7	13.8	8.8	150	0.82	183	0	0.6	3.3	83%	10	5	Yes	6/6/2010	6/6/2010
Ruud	RUTG-53DVN	Gas		23	13.8	7.3	141	0.82	183	0	0	3	82%	12	5	Yes	1/8/2009	1/8/2009
Ruud	RUTG-53DVP	Propane		23	13.8	7.3	135	0.82	0	200	0	3	82%	12	5	Yes	1/8/2009	1/8/2009
Ruud	RUTG-53PVN	Gas		20.5	13.8	6.3	145	0.82	183	0	0	3.1	82%	12	5	Yes	1/8/2009	1/8/2009
Ruud	RUTG-53PVP	Propane		20.5	13.8	6.3	141	0.82	0	200	0	3.1	82%	12	5	Yes	1/8/2009	1/8/2009
Ruud	RUTG-53XN	Gas		20.5	13.8	6.3	141	0.82	183	0	0	3	82%	12	5	Yes	1/8/2009	1/8/2009
Ruud	RUTG-53XP	Propane		20.5	13.8	6.3	141	0.82	0	200	0	3	82%	12	5	Yes	1/9/2009	1/9/2009
Ruud	RUTG-64DVN	Gas	Indoor	25.625	13.9	9.9	150	0.82	183	0	0.3	3.3	82%	12	5	Yes	3/26/2010	3/26/2010
Ruud	RUTG-64DVP	Propane	Indoor	25.625	13.9	9.9	150	0.82	0	200	0.3	3.3	82%	12	5	Yes	3/26/2010	3/26/2010
Ruud	RUTG-64XN	Gas	Outdoor	23.625	13.9	8.9	150	0.82	183	0	0.26	3.3	82%	12	5	Yes	3/26/2010	3/26/2010
Ruud	RUTG-64XP	Propane	Outdoor	23.625	13.9	8.9	150	0.82	0	200	0.26	3.3	82%	12	5	Yes	3/26/2010	3/26/2010
Ruud	RUTG-66DVN	Gas		25.6	13.9	9.9	180	0.82	183	0	0	4	82%	12	5	Yes	1/9/2009	1/9/2009
Ruud	RUTG-66DVP	Propane		25.6	13.9	9.9	180	0.82	0	200	0	4	82%	12	5	Yes	1/9/2009	1/9/2009
Ruud	RUTG-66XN	Gas		23.6	13.9	8.9	180	0.82	183	0	0	4	82%	12	5	Yes	1/9/2009	1/9/2009
Ruud	RUTG-66XP	Propane		23.6	13.9	8.9	180	0.82	0	200	0	4	82%	12	5	Yes	1/8/2009	1/11/2009
Ruud	RUTG-74DVN	Gas		25.4	14.9	11.1	199	0.82	183	0	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Ruud	RUTG-74DVP	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Ruud	RUTG-74PVN	Gas		25.4	14.9	11.1	199	0.82	183	0	0	4.3	82%	12	5	Yes	1/8/2009	1/11/2009
Ruud	RUTG-74PVP	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/11/2009	1/11/2009
Ruud	RUTG-74XN	Gas		25.4	14.9	11.1	199	0.82	183	0	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Ruud	RUTG-74XP	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Ruud	RUTG-84DVN	Gas	Indoor	25.625	13.9	9.9	180	0.82	183	0	0.3	3.9	82%	12	5	Yes	3/26/2010	3/26/2010
Ruud	RUTG-84DVP	Propane	Indoor	25.625	13.9	9.9	180	0.82	0	200	0.3	3.9	82%	12	5	Yes	3/26/2010	3/26/2010
Ruud	RUTG-84XN	Gas	Outdoor	23.625	13.9	8.9	180	0.82	183	0	0.3	4	82%	12	5	Yes	3/26/2010	3/26/2010
Ruud	RUTG-84XP	Propane	Outdoor	23.625	13.9	8.9	180	0.82	0	200	0.3	4	82%	12	5	Yes	3/26/2010	3/26/2010
Ruud	RUTG-95DVL N	Gas	Indoor	25.625	13.875	9.875	199.9	0.82	183	0	0.26	4.4	84%	12	5	Yes	11/1/2011	10/27/2011
Ruud	RUTG-95DVL P	Propane	Indoor	25.625	13.875	9.875	199.9	0.82	183	0	0.26	4.4	84%	12	5	Yes	11/1/2011	10/27/2011
Ruud	RUTG-95DVN	Gas	Indoor	25.6	13.9	9.9	199	0.82	183	0	0.3	4.4	84%	12	5	Yes	12/29/2009	12/29/2009
Ruud	RUTG-95DVP	Propane	Indoor	25.6	13.9	9.9	199	0.82	0	200	0.3	4.4	84%	12	5	Yes	12/29/2009	12/29/2009
Ruud	RUTG-95XLN	Gas	Outdoor	23.625	13.875	8.875	199.9	0.82	183	0	0.26	4.3	83%	12	5	Yes	11/1/2011	10/27/2011
Ruud	RUTG-95XLP	Propane	Outdoor	23.625	13.875	8.875	199.9	0.82	183	0	0.26	4.3	83%	12	5	Yes	11/1/2011	10/27/2011
Ruud	RUTG-95XN	Gas	Outdoor	25.6	13.9	9.9	199	0.82	183	0	0.3	4.4	84%	12	5	Yes	12/29/2009	12/29/2009
Ruud	RUTG-95XP	Propane	Outdoor	25.6	13.9	9.9	199	0.82	0	200	0.3	4.4	84%	12	5	Yes	12/29/2009	12/29/2009
Ruud	RUTGH-84DV LN	Gas	Indoor	27.5	18.5	9.875	0.157	0.92	163	0	0.26	3.8	92%	12	5	Yes	4/20/2012	8/2/2012
Ruud	RUTGH-84DV LP	Propane	Indoor	27.5	18.5	9.875	0.157	0.92	0	178	0.26	3.8	92%	12	5	Yes	4/20/2012	8/2/2012
Ruud	RUTGH-84XL N	Gas	Outdoor	27.5	18.5	9.875	0.157	0.92	163	0	0.26	3.8	92%	12	5	Yes	4/20/2012	8/2/2012
Ruud	RUTGH-84XL P	Propane	Outdoor	27.5	18.5	9.875	0.157	0.92	0	178	0.26	3.8	92%	12	5	Yes	4/20/2012	8/2/2012
Ruud	RUTGH-95DV LN	Gas	Indoor	27.5	18.5	9.875	0.1999	0.94	159	0	0.26	4.8	94%	12	5	Yes	4/20/2012	8/2/2012
Ruud	RUTGH-95DV LP	Propane	Indoor	27.5	18.5	9.875	0.1999	0.94	0	175	0.26	4.8	94%	12	5	Yes	4/20/2012	8/2/2012
Ruud	RUTGH-95DV N	Gas	Indoor	26.5	17.8	9.9	199	0.94	158	0	0.26	4.9	94%	12	5	Yes	9/27/2010	9/27/2010
Ruud	RUTGH-95DV P	Propane	Indoor	26.5	17.8	9.9	199	0.94	0	173	0.26	4.9	94%	12	5	Yes	9/27/2010	9/27/2010
Ruud	RUTGH-95XL N	Gas	Outdoor	27.5	18.5	9.875	0.1999	0.94	159	0	0.26	4.8	95%	12	5	Yes	4/20/2012	8/2/2012
Ruud	RUTGH-95XL P	Propane	Outdoor	27.5	18.5	9.875	0.1999	0.94	0	175	0.26	4.8	95%	12	5	Yes	4/20/2012	8/2/2012
Ruud	RUTGH-95XN	Gas	Outdoor	26.5	17.8	9.9	199	0.94	159	0	0.26	4.9	94%	12	5	Yes	9/27/2010	9/27/2010
Ruud	RUTGH-95XP	Propane	Outdoor	26.5	17.8	9.9	199	0.94	0	175	0.26	4.9	94%	12	5	Yes	9/27/2010	9/27/2010
Ruud	RUTGL74DVN	Gas		25.4	14.9	11.1	199	0.82	183	0	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Ruud	RUTGL74DVP	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Ruud	RUTGL74PVN	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/8/2009	1/11/2009
Ruud	RUTGL74PVP	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/11/2009	1/11/2009
Ruud	RUTGL74XN	Gas		25.4	14.9	11.1	199	0.82	183	0	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009
Ruud	RUTGL74XP	Propane		25.4	14.9	11.1	199	0.82	0	200	0	4.3	82%	12	5	Yes	1/12/2009	1/12/2009

State	GT S110NE 100	Gas	Outdoor	20.5	13.8	6.7	140	0.82	183	0	0	3	83%	12	5	Yes	10/19/2010	10/19/2010
State	GT S110NI 100	Gas	Indoor	20.5	13.8	6.7	140	0.82	184	0	0	2.87	8%	12	5	Yes	10/19/2010	10/19/2010
State	GT S110PE 101	Propane	Outdoor	20.5	13.8	6.7	140	0.82	0	200	0	2.99	83%	12	5	Yes	10/19/2010	10/19/2010
State	GT S110PI 101	Propane	Indoor	20.5	13.8	6.7	140	0.83	0	197	0	3.06	84%	12	5	Yes	10/19/2010	10/19/2010
State	GT S310NE 100	Gas	Outdoor	20.5	13.8	8.5	190	0.82	184	0	0	4.03	83%	12	5	Yes	10/19/2010	10/19/2010
State	GT S310NI 100	Gas	Indoor	20.5	13.8	8.5	190	0.82	184	0	0	4.07	82%	12	5	Yes	10/19/2010	10/19/2010
State	GT S310PE 101	Propane	Outdoor	20.5	13.8	8.5	190	0.83	0	197	0	4.15	84%	12	5	Yes	10/19/2010	10/19/2010
State	GT S310PI 101	Propane	Indoor	20.5	13.8	8.5	190	0.82	0	200	0	4.16	83%	12	5	Yes	10/19/2010	10/19/2010
State	GT S510NE 100	Gas	Outdoor	20.5	13.8	8.5	199	0.82	184	0	0	4.25	82%	12	5	Yes	10/19/2010	10/19/2010
State	GT S510NI 100	Gas	Indoor	20.5	13.8	8.5	199	0.83	181	0	0	4.24	83%	12	5	Yes	10/19/2010	10/19/2010
State	GT S510PE 101	Propane	Outdoor	20.5	13.8	8.5	199	0.82	0	200	0	4.25	82%	12	5	Yes	10/19/2010	10/19/2010
State	GT S510PI 101	Propane	Indoor	20.5	13.8	8.5	199	0.82	0	200	0	4.27	83%	12	5	Yes	10/19/2010	10/19/2010
State	GTS 520NEH 100	Gas	Outdoor	25.6	18.5	12.4	199	0.91	166	0	0	4.65	91%	12	5	Yes	9/17/2010	9/17/2010
State	GTS 520NIH 100	Gas	Indoor	25.6	18.5	12.4	199	0.91	163	0	0	4.69	93%	12	5	Yes	9/17/2010	9/17/2010
State	GTS 520PEH 101	Propane	Outdoor	25.6	18.5	12.4	199	0.91	0	162	0	4.85	93%	12	5	Yes	9/17/2010	9/17/2010
State	GTS 520PIH 101	Propane	Indoor	25.6	18.5	12.4	199	0.91	0	175	0	4.87	94%	12	5	Yes	9/17/2010	9/17/2010
State	GTS-305-NE (200 Series)	Gas		25.5	14	9.6	180	0.82	183	0	0	3.9	83%	12	5	Yes	4/28/2009	4/28/2009
State	GTS-305-NI (200 Series)	Gas		25.5	14	9.6	180	0.82	183	0	0	3.9	84%	12	5	Yes	4/28/2009	4/28/2009
State	GTS-305-PE (201 Series)	Propane		25.5	14	9.6	180	0.82	0	200	0	3.9	83%	12	5	Yes	4/28/2009	4/28/2009
State	GTS-305-PI (201 Series)	Propane		25.5	14	9.6	180	0.82	0	200	0	3.9	84%	12	5	Yes	4/28/2009	4/28/2009
State	GTS-505-NE	Gas		25.5	14	9.6	199	0.82	183	0	0	4.3	82%	12	5	Yes	1/15/2009	1/15/2009
State	GTS-505-NI	Gas		25.5	14	9.6	199	0.82	183	0	0	4.3	83%	12	5	Yes	1/15/2009	1/15/2009
State	GTS-505-PE	Propane		25.5	14	9.6	190	0.82	0	200	0	4.3	82%	12	5	Yes	1/15/2009	1/15/2009
State	GTS-505-PI	Propane		25.5	14	9.6	190	0.82	0	200	0	4.3	83%	12	5	Yes	1/15/2009	1/15/2009
State Water Heaters	GTS 110UE 100	Gas	Outdoor	20.5	13.8	8.5	140	0.82	0	0	0	3	83%	12	0	Yes	7/1/2012	7/10/2012
State Water Heaters	GTS 110UI 100	Gas	Indoor	20.5	13.8	8.5	140	0.82	0	0	0	3	83%	12	0	Yes	7/1/2012	7/10/2012
State Water Heaters	GTS 310UE 100	Gas	Outdoor	20.5	13.8	8.5	190	0.82	0	0	0	4.1	84%	12	0	Yes	7/1/2012	7/10/2012
State Water Heaters	GTS 310UI 100	Gas	Indoor	20.5	13.8	8.5	190	0.82	0	0	0	4.1	84%	12	0	Yes	7/1/2012	7/10/2012
State Water Heaters	GTS 320NEH 100	Gas	Outdoor	25.6	18.5	12.4	180	0.91	0	0	0	4.3	90%	12	5	Yes	8/1/2011	7/5/2011
State Water Heaters	GTS 320NIH 100	Gas	Indoor	25.6	18.5	12.4	180	0.91	0	0	0	4.3	90%	12	5	Yes	8/1/2011	7/5/2011
State Water Heaters	GTS 320PEH 101	Propane	Outdoor	25.6	18.5	12.4	180	0.91	0	0	0	4.3	90%	12	5	Yes	8/1/2011	7/5/2011
State Water Heaters	GTS 320PIH 101	Propane	Indoor	25.6	18.5	12.4	180	0.91	0	0	0	4.4	90%	12	5	Yes	8/1/2011	7/5/2011
State Water Heaters	GTS 510UE 100	Gas	Outdoor	20.5	13.8	8.5	199	0.82	0	0	0	4.2	83%	12	0	Yes	7/1/2012	7/10/2012
State Water Heaters	GTS 510UI 100	Gas	Indoor	20.5	13.8	8.5	199	0.82	0	0	0	4.2	83%	12	0	Yes	7/1/2012	7/10/2012
Sure Comfort	SCT200DVLN	Gas	Indoor	25.625	13.875	9.875	199.9	0.82	183	0	0.26	4.4	84%	12	5	Yes	11/1/2011	10/27/2011
Sure Comfort	SCT200DVLP	Propane	Indoor	25.625	13.875	9.875	199.9	0.82	183	0	0.26	4.4	84%	12	5	Yes	11/1/2011	10/27/2011
Sure Comfort	SCT200XLN	Gas	Outdoor	23.625	13.875	8.875	199.9	0.82	183	0	0.26	4.3	83%	12	5	Yes	11/1/2011	10/27/2011
Sure Comfort	SCT200XLP	Propane	Outdoor	23.625	13.875	8.875	199.9	0.82	183	0	0.26	4.3	83%	12	5	Yes	11/1/2011	10/27/2011
Sure Comfort	SCT64DVN	Gas	Indoor	25.625	13.9	9.9	150	0.82	183	0	0.26	3.3	82%	12	5	Yes	3/26/2010	3/26/2010
Sure Comfort	SCT64DVP	Propane	Indoor	25.625	13.9	9.9	150	0.82	0	200	0.26	3.3	82%	12	5	Yes	3/26/2010	3/26/2010
Sure Comfort	SCT64XN	Gas	Outdoor	23.625	13.9	8.9	150	0.82	183	0	0.26	3.3	82%	12	5	Yes	3/26/2010	3/26/2010
Sure Comfort	SCT64XP	Propane	Outdoor	23.625	13.9	8.9	150	0.82	0	200	0.26	3.3	82%	12	5	Yes	3/26/2010	3/26/2010
Sure Comfort	SCT84DVN	Gas	Indoor	25.625	13.9	9.9	180	0.82	183	0	0.3	3.9	82%	12	5	Yes	3/26/2010	3/26/2010
Sure Comfort	SCT84DVP	Propane	Indoor	25.625	13.9	9.9	180	0.82	0	200	0.3	3.9	82%	12	5	Yes	3/26/2010	3/26/2010
Sure Comfort	SCT84XN	Gas	Outdoor	23.625	13.9	8.9	180	0.82	183	0	0.3	4	82%	12	5	Yes	3/26/2010	3/26/2010
Sure Comfort	SCT84XP	Propane	Outdoor	23.625	13.9	8.9	180	0.82	0	200	0.3	4	82%	12	5	Yes	3/26/2010	3/26/2010
Sure Comfort	SCTH160DVL N	Gas	Indoor	27.5	18.5	9.875	0.157	0.92	163	0	0.26	3.8	92%	12	5	Yes	4/20/2012	8/2/2012
Sure Comfort	SCTH160DVL P	Propane	Indoor	27.5	18.5	9.875	0.157	0.92	0	178	0.26	3.8	92%	12	5	Yes	4/20/2012	8/2/2012
Sure Comfort	SCTH160XLN	Gas	Outdoor	27.5	18.5	9.875	0.157	0.92	163	0	0.26	3.8	92%	12	5	Yes	4/20/2012	8/2/2012
Sure Comfort	SCTH160XLP	Propane	Outdoor	27.5	18.5	9.875	0.157	0.92	0	178	0.26	3.8	92%	12	5	Yes	4/20/2012	8/2/2012

Sure Comfort	SCTH200DVL N	Gas	Indoor	27.5	18.5	9.875	0.1999	0.94	159	0	0.26	4.8	94%	12	5	Yes	4/20/2012	8/2/2012
Sure Comfort	SCTH200DVL P	Propane	Indoor	27.5	18.5	9.875	0.1999	0.94	0	175	0.26	4.8	94%	12	5	Yes	4/20/2012	8/2/2012
Sure Comfort	SCTH200DVN	Gas	Indoor	26.5	17.8	9.9	199	0.94	158	0	0.26	4.9	94%	12	5	Yes	9/27/2010	9/27/2010
Sure Comfort	SCTH200DVP	Propane	Indoor	26.5	17.8	9.9	199	0.94	0	173	0.26	4.9	94%	12	5	Yes	9/27/2010	9/27/2010
Sure Comfort	SCTH200XLN	Gas	Outdoor	27.5	18.5	9.875	0.1999	0.94	159	0	0.26	4.8	95%	12	5	Yes	4/20/2012	8/2/2012
Sure Comfort	SCTH200XLP	Propane	Outdoor	27.5	18.5	9.875	0.1999	0.94	0	175	0.26	4.8	95%	12	5	Yes	4/20/2012	8/2/2012
Sure Comfort	SCTH200XN	Gas	Outdoor	26.5	17.8	9.9	199	0.94	159	0	0.26	4.9	94%	12	5	Yes	9/27/2010	9/27/2010
Sure Comfort	SCTH200XP	Propane	Outdoor	26.5	17.8	9.9	199	0.94	0	175	0.26	4.9	94%	12	5	Yes	9/27/2010	9/27/2010
Takagi	Flash T-H1	Propane		26.3	16.5	11.3	190	0.94	0	175	0	4.9	94%	10	5	Yes	12/17/2008	12/17/2008
Takagi	Flash T-H1	Gas		26.3	16.5	11.3	199	0.92	164	0	0	4.6	92%	10	5	Yes	12/17/2008	12/17/2008
Takagi	Flash T-K3	Propane		20.5	13.8	8.5	199	0.86	0	194	0	4.4	85%	10	5	Yes	12/18/2008	12/18/2008
Takagi	Flash T-K3	Gas		20.5	13.8	8.5	199	0.84	181	0	0	4.2	83%	10	5	Yes	12/17/2008	12/17/2008
Takagi	Flash T-K3 -OS	Gas		20.5	13.8	8.5	190	0.82	184	0	0	4.1	82%	10	5	Yes	12/18/2008	12/18/2008
Takagi	Flash T-K3 -OS	Propane		20.5	13.8	8.5	190	0.82	0	203	0	4.2	82%	10	5	Yes	12/18/2008	12/18/2008
Takagi	Flash T-K3 -Pro	Gas		20.5	13.8	8.5	199	0.83	183	0	0	4.1	82%	10	5	Yes	12/18/2008	12/18/2008
Takagi	Flash T-K3 -Pro	Propane		20.5	13.8	8.5	199	0.83	0	199	0	4.3	83%	10	5	Yes	12/18/2008	12/18/2008
Takagi	Flash T-K3 -SP	Propane		20.5	13.8	8.5	190	0.82	0	202	0	4.1	82%	10	5	Yes	12/18/2008	12/18/2008
Takagi	Flash T-K3 -SP	Gas		20.5	13.8	8.5	190	0.82	184	0	0	4.1	82%	10	5	Yes	12/18/2008	12/18/2008
Takagi	Flash T-KJ r.	Propane		20.5	13.8	6.8	140	0.83	0	198	0	3.1	82%	10	5	Yes	3/27/2009	3/27/2009
Takagi	T-D2-IN-N	Gas	Indoor	20.5	13.8	8.5	199	0.83	181	0	0	4.24	83%	12	5	Yes	10/19/2010	10/19/2010
Takagi	T-D2-IN-P	Propane	Indoor	20.5	13.8	8.5	199	0.82	0	200	0	4.27	83%	12	5	Yes	10/19/2010	10/19/2010
Takagi	T-D2-OS-N	Gas	Outdoor	20.5	13.8	8.5	199	0.82	157	0	0	4.25	82%	12	5	Yes	10/19/2010	10/19/2010
Takagi	T-D2-OS-P	Propane	Outdoor	20.5	13.8	8.5	199	0.82	0	200	0	4.25	82%	12	5	Yes	10/19/2010	10/19/2010
Takagi	T-D2U-IN-N	Gas	Indoor	20.5	13.8	8.5	199	0.82	0	0	0	4.2	83%	12	0	Yes	7/1/2012	7/10/2012
Takagi	T-D2U-OS-N	Gas	Outdoor	20.5	13.8	8.5	199	0.82	0	0	0	4.2	83%	12	0	Yes	7/1/2012	7/10/2012
Takagi	T-H2-DV	Propane	Indoor	25.6	18.5	12.4	199	0.91	0	175	0	4.87	94%	12	5	Yes	10/15/2009	10/15/2009
Takagi	T-H2-DV	Gas		25.6	18.5	12.4	199	0.91	163	0	0	4.69	93%	12	5	Yes	10/15/2009	10/15/2009
Takagi	T-H2-OS	Gas	Outdoor	25.6	18.5	12.4	199	0.91	166	0	0	4.65	91%	12	5	Yes	10/15/2009	10/15/2009
Takagi	T-H2-OS	Propane	Outdoor	25.6	18.5	12.4	199	0.91	0	162	0	4.85	93%	12	5	Yes	10/15/2009	10/15/2009
Takagi	T-H2S-DV-N	Gas	Indoor	25.6	18.5	12.4	180	0.91	0	0	0	4.3	90%	12	5	Yes	8/1/2011	7/5/2011
Takagi	T-H2S-DV-P	Propane	Indoor	25.6	18.5	12.4	180	0.91	0	0	0	4.4	90%	12	5	Yes	8/1/2011	7/5/2011
Takagi	T-H2S-OS-N	Gas	Outdoor	25.6	18.5	12.4	180	0.91	0	0	0	4.3	90%	12	5	Yes	8/1/2011	7/5/2011
Takagi	T-H2S-OS-P	Propane	Outdoor	25.6	18.5	12.4	180	0.91	0	0	0	4.3	90%	12	5	Yes	8/1/2011	7/5/2011
Takagi	T-K4-IN-N	Gas	Indoor	20.5	13.8	8.5	190	0.82	184	0	0	4.07	82%	12	5	Yes	10/19/2010	10/19/2010
Takagi	T-K4-IN-P	Propane	Indoor	20.5	13.8	8.5	190	0.82	0	200	0	4.16	83%	12	5	Yes	10/19/2010	10/19/2010
Takagi	T-K4-OS-N	Gas	Outdoor	20.5	13.8	8.5	190	0.82	184	0	0	4.03	83%	12	5	Yes	10/19/2010	10/19/2010
Takagi	T-K4-OS-P	Propane	Outdoor	20.5	13.8	8.5	190	0.83	0	197	0	4.15	84%	12	5	Yes	10/19/2010	10/19/2010
Takagi	T-K4U-IN-N	Gas	Indoor	20.5	13.8	8.5	190	0.82	0	0	0	4.1	84%	12	0	Yes	7/1/2012	7/10/2012
Takagi	T-K4U-OS-N	Gas	Outdoor	20.5	13.8	8.5	190	0.82	0	0	0	4.1	84%	12	0	Yes	7/1/2012	7/10/2012
Takagi	T-KJr2-IN- N	Gas	Indoor	20.5	13.8	6.7	140	0.82	184	0	0	2.87	83%	12	5	Yes	10/19/2010	10/19/2010
Takagi	T-KJr2-IN- P	Propane	Indoor	20.5	13.8	6.7	140	0.83	0	197	0	3.06	84%	12	5	Yes	10/19/2010	10/19/2010
Takagi	T-KJr2-OS- N	Gas	Outdoor	20.5	13.8	6.7	140	0.82	183	0	0	3	83%	12	5	Yes	10/19/2010	10/19/2010
Takagi	T-KJr2-OS- P	Propane	Outdoor	20.5	13.8	6.7	140	0.82	0	200	0	2.99	83%	12	5	Yes	10/19/2010	10/19/2010
Takagi	T-KJr2U-IN -N	Gas	Indoor	20.5	13.8	8.5	140	0.82	0	0	0	3	83%	12	0	Yes	7/1/2012	7/10/2012
Takagi	T-KJr2U-OS -N	Gas	Outdoor	20.5	13.8	8.5	140	0.82	0	0	0	3	83%	12	0	Yes	7/1/2012	7/10/2012
US Craftmaster	GTU 110UE 100	Gas	Outdoor	20.5	13.8	8.5	140	0.82	0	0	0	3	83%	12	0	Yes	7/1/2012	7/10/2012
US Craftmaster	GTU 110UI 100	Gas	Indoor	20.5	13.8	8.5	140	0.82	0	0	0	3	83%	12	0	Yes	7/1/2012	7/10/2012
US Craftmaster	GTU 310UE 100	Gas	Outdoor	20.5	13.8	8.5	190	0.82	0	0	0	4.1	84%	12	0	Yes	7/1/2012	7/10/2012
US Craftmaster	GTU 310UI 100	Gas	Indoor	20.5	13.8	8.5	190	0.82	0	0	0	4.1	84%	12	0	Yes	7/1/2012	7/10/2012
US Craftmaster	GTU 320NEH 100	Gas	Outdoor	25.6	18.5	12.4	180	0.91	0	0	0	4.3	90%	12	5	Yes	8/1/2011	7/5/2011
US Craftmaster	GTU 320NIH 100	Gas	Indoor	25.6	18.5	12.4	180	0.91	0	0	0	4.3	90%	12	5	Yes	8/1/2011	7/5/2011
US Craftmaster	GTU 320PEH 101	Propane	Outdoor	25.6	18.5	12.4	180	0.91	0	0	0	4.3	90%	12	5	Yes	8/1/2011	7/5/2011
US Craftmaster	GTU 320PIH 101	Propane	Indoor	25.6	18.5	12.4	180	0.91	0	0	0	4.4	90%	12	5	Yes	8/1/2011	7/5/2011
US Craftmaster	GTU 510UE 100	Gas	Outdoor	20.5	13.8	8.5	199	0.82	0	0	0	4.2	83%	12	0	Yes	7/1/2012	7/10/2012
US Craftmaster	GTU 510UI 100	Gas	Indoor	20.5	13.8	8.5	199	0.82	0	0	0	4.2	83%	12	0	Yes	7/1/2012	7/10/2012
US Craftmaster	GTU520NEH 100	Gas	Outdoor	25.6	18.5	12.4	199	0.91	0	0	0	4.7	92%	12	5	Yes	8/1/2011	7/1/2011
US Craftmaster	GTU520NIH 100	Gas	Indoor	25.6	18.5	12.4	199	0.91	0	0	0	4.7	92%	12	5	Yes	8/1/2011	7/1/2011
US Craftmaster	GTU520PEH 101	Propane	Outdoor	25.6	18.5	12.4	199	0.91	0	0	0	4.7	92%	12	5	Yes	8/1/2011	7/1/2011
US Craftmaster	GTU520PIH 101	Propane	Indoor	25.6	18.5	12.4	199	0.91	0	0	0	4.7	92%	12	5	Yes	8/1/2011	7/1/2011
USCraftmaster	GTU110NE 1 00	Gas	Outdoor	20.5	13.8	6.7	140	0.82	183	0	0	3	83%	12	5	Yes	10/20/2010	10/20/2010

USCraftmaster	GTU110NI 1 00	Gas	Indoor	20.5	13.8	6.7	140	0.82	184	0	0	2.87	83%	12	5	Yes	10/20/2010	10/20/2010
USCraftmaster	GTU110PE 1 01	Propane	Outdoor	20.5	13.8	6.7	140	0.82	0	200	0	2.99	83%	12	5	Yes	10/20/2010	10/20/2010
USCraftmaster	GTU110PI 1 01	Propane	Indoor	20.5	13.8	6.7	140	0.83	0	197	0	3.06	84%	12	5	Yes	10/20/2010	10/20/2010
USCraftmaster	GTU310NE 1 00	Gas	Outdoor	20.5	13.8	8.5	190	0.82	184	0	0	4.03	83%	12	5	Yes	10/20/2010	10/20/2010
USCraftmaster	GTU310NI 1 00	Gas	Indoor	20.5	13.8	8.5	190	0.82	184	0	0	4.07	82%	12	5	Yes	10/20/2010	10/20/2010
USCraftmaster	GTU310PE 1 01	Propane	Outdoor	20.5	13.8	8.5	190	0.83	0	197	0	4.15	84%	12	5	Yes	10/20/2010	10/20/2010
USCraftmaster	GTU310PI 1 01	Propane	Indoor	20.5	13.8	8.5	190	0.82	0	200	0	4.16	83%	12	5	Yes	10/20/2010	10/20/2010
USCraftmaster	GTU510NE 1 00	Gas	Outdoor	20.5	13.8	8.5	199	0.82	184	0	0	4.25	82%	12	5	Yes	10/20/2010	10/20/2010
USCraftmaster	GTU510NI 1 00	Gas	Indoor	20.5	13.8	8.5	199	0.83	181	0	0	4.24	83%	12	5	Yes	10/20/2010	10/20/2010
USCraftmaster	GTU510PE 1 01	Propane	Outdoor	20.5	13.8	8.5	199	0.82	0	200	0	4.25	82%	12	5	Yes	10/20/2010	10/20/2010
USCraftmaster	GTU510PI 1 01	Propane	Indoor	20.5	13.8	8.5	199	0.82	0	200	0	4.27	83%	12	5	Yes	10/20/2010	10/20/2010
Wai Wela	PH-20RDVSN (-1 through 10)	Gas		20.5	13.8	5.8	141	0.82	183	0	0	3.1	82%	12	5	Yes	2/10/2009	2/10/2009
Wai Wela	PH-20RDVSP (-1 through 10)	Propane		20.5	13.8	5.8	135	0.82	0	200	0	3.1	84%	12	5	Yes	2/10/2009	2/10/2009
Wai Wela	PH-20RIFSN (-1 through 10)	Gas		20.5	13.8	5.8	145	0.82	183	0	0	3.1	82%	12	5	Yes	2/10/2009	2/10/2009
Wai Wela	PH-20RIFSP (-1 through 10)	Propane		20.5	13.8	5.8	141	0.82	0	200	0	3.1	84%	12	5	Yes	2/10/2009	2/10/2009
Wai Wela	PH-20ROFN (-1 through 10)	Gas		20.5	13.8	5.8	141	0.82	183	0	0	3.1	82%	12	5	Yes	2/10/2009	2/10/2009
Wai Wela	PH-20ROFP (-1 through 10)	Propane		20.5	13.8	5.8	141	0.82	0	200	0	3.1	84%	12	5	Yes	2/10/2009	2/10/2009
Wai Wela	PH-25RDVSN (-1 through 10)	Gas		25.6	13.9	9.9	180	0.82	183	0	0	4	81%	12	5	Yes	2/10/2009	2/10/2009
Wai Wela	PH-25RDVSP (-1 through 10)	Propane		25.6	13.9	9.9	180	0.82	0	200	0	4	81%	12	5	Yes	2/10/2009	2/10/2009
Wai Wela	PH-25ROFN (-1 through 10)	Gas		23.6	13.9	8.9	180	0.82	183	0	0	4	81%	12	5	Yes	2/10/2009	2/10/2009
Wai Wela	PH-25ROFP (-1 through 10)	Propane		23.6	13.9	8.9	180	0.82	0	200	0	4	81%	12	5	Yes	2/10/2009	2/10/2009
Wai Wela	PH-28RDVSN (-1 through 10)	Gas		25.4	14	11.1	199	0.82	183	0	0	4.3	84%	12	5	Yes	2/10/2009	2/10/2009
Wai Wela	PH-28RDVSP (-1 through 10)	Propane		25.4	14	11.1	199	0.82	0	200	0	4.3	84%	12	5	Yes	2/10/2009	2/10/2009
Wai Wela	PH-28RIFSN (-1 through 10)	Gas		25.4	14	11.1	199	0.82	183	0	0	4.3	84%	12	5	Yes	2/10/2009	2/10/2009
Wai Wela	PH-28RIFSP (-1 through 10)	Propane		25.4	14	11.1	199	0.82	0	200	0	4.3	84%	12	5	Yes	2/10/2009	2/10/2009
Wai Wela	PH-28ROFN (-1 through 10)	Gas		25.4	14	11.1	199	0.82	183	0	0	4.3	84%	12	5	Yes	2/10/2009	2/10/2009
Wai Wela	PH-28ROFP (-1 through 10)	Propane		25.4	14	11.1	199	0.82	0	200	0	4.3	84%	12	5	Yes	2/10/2009	2/10/2009
Wai Wela	PH2-20RDVS N (-1 through 10)	Gas		25.6	13.8	9.5	150	0.82	183	0	0.4	3.3	84%	12	5	Yes	2/23/2010	2/23/2010
Wai Wela	PH2-20RDVS P (-1 through 10)	Propane		25.6	13.8	9.5	150	0.82	0	200	0.4	3.3	84%	12	5	Yes	2/23/2010	2/23/2010
Wai Wela	PH2-20ROFN (-1 through 10)	Gas		23.6	13.8	8.5	150	0.82	183	0	0.4	3.3	84%	12	5	Yes	2/23/2010	2/23/2010
Wai Wela	PH2-20ROFP (-1 through 10)	Propane		23.6	13.8	8.5	150	0.82	0	200	0.4	3.3	84%	12	5	Yes	2/23/2010	2/23/2010
Wai Wela	PH2-25RDVS N (-1 through 10)	Gas		25.6	13.8	9.5	180	0.82	183	0	0.4	3.9	84%	12	5	Yes	2/23/2010	2/23/2010
Wai Wela	PH2-25RDVS P (-1 through 10)	Propane		25.6	13.8	9.5	180	0.82	0	200	0.4	3.9	84%	12	5	Yes	2/23/2010	2/23/2010
Wai Wela	PH2-25ROFN (-1 through 10)	Gas		23.6	13.8	8.5	180	0.82	183	0	0.4	4	84%	12	5	Yes	2/23/2010	2/23/2010
Wai Wela	PH2-25ROFP (-1 through 10)	Propane		23.6	13.8	8.5	180	0.82	0	200	0.4	4	84%	12	5	Yes	2/23/2010	2/23/2010
Wai Wela	PH2-28RDVS N (-1 through 10)	Gas		25.6	13.8	9.5	199	0.82	183	0	0	4.4	84%	12	5	Yes	12/3/2009	12/3/2009
Wai Wela	PH2-28RDVS P (-1 through 10)	Propane		25.6	13.8	9.5	199	0.82	0	200	0	4.4	84%	12	5	Yes	12/3/2009	12/3/2009
Wai Wela	PH2-28ROFN (-1 through 10)	Gas		23.6	13.8	8.5	199	0.82	183	0	0	4.4	84%	12	5	Yes	12/3/2009	12/3/2009
Wai Wela	PH2-28ROFP (-1 through 10)	Propane		23.6	13.8	8.5	199	0.82	0	200	0	4.4	84%	12	5	Yes	12/3/2009	12/3/2009
Wai Wela	PHH-32RDVN (-1 through 10)	Gas	Indoor	26.5	17.9	10	199.9	0.94	159	0	0.4	4.9	93%	12	5	Yes	10/15/2010	10/15/2010

Wai Wela	PHH-32RDVP (-1 through 10)	Propane	Indoor	26.5	17.9	10	199.9	0.94	0	175	0.4	4.9	93%	12	5	Yes	10/15/2010	10/15/2010
Wai Wela	PHH-32ROFN (-1 through 10)	Gas	Outdoor	26.5	17.9	10	199.9	0.94	159	0	0.4	4.9	93%	12	5	Yes	10/15/2010	10/15/2010
Wai Wela	PHH-32ROFP (-1 through 10)	Propane	Outdoor	26.5	17.9	10	199.9	0.94	0	175	0.4	4.9	93%	12	5	Yes	10/15/2010	10/15/2010
WaiWela	PH2-28RDVS LN	Gas	Indoor	25.625	13.875	9.875	199.9	0.82	183	0	0.26	4.4	84%	12	5	Yes	11/1/2011	10/27/2011
WaiWela	PH2-28RDVS LP	Propane	Indoor	25.625	13.875	9.875	199.9	0.82	183	0	0.26	4.4	84%	12	5	Yes	11/1/2011	10/27/2011
WaiWela	PH2-28ROFL N	Gas	Outdoor	23.625	13.875	8.875	199.9	0.82	183	0	0.26	4.3	83%	12	5	Yes	11/1/2011	10/27/2011
WaiWela	PH2-28ROFL P	Propane	Outdoor	23.625	13.875	8.875	199.9	0.82	183	0	0.26	4.3	83%	12	5	Yes	11/1/2011	10/27/2011