Best viewed and printed on legal size paper

ENERGY STAR Qualified Whole-Home Gas Tankless Water Heaters

Last Modified: 01/29/2009

Definitions of Terms Used in Column Headers

Brand	Model	Fuel Type	Height (inches)	Width (inches)	Depth (inches)	Min Input (Thousand BTU per hour)	Max Input (Thousand BTU per hour)	Energy Factor	Therms/year (Gas)	Gallons/year (Propane)	Max Gallons Per Minute(77°F rise)	Recovery Efficiency (%)	Min Warranty-Heat Exchanger	Min Warranty-Parts (years)	Active	Active Date
A.O. Smith	ATI-505-N	Gas	25.5	14	9.6	15	199	0.82	183	0	4.3	83%	12	5	Yes	1/15/2009
A.O. Smith	ATI-505-P	Propane	25.5	14	9.6	15	190	0.82	0	200	4.3	83%	12	5	Yes	1/15/2009
A.O. Smith	ATO-505-N	Gas	25.5	14	9.6	15	199	0.82	183	0	4.3	82%	12	5	Yes	1/15/2009
A.O. Smith	ATO-505-P	Propane	25.5	14	9.6	15	190	0.82	0	200	4.3	82%	12	5	Yes	1/15/2009
American	GT-505-NE	Gas	25.5	14	9.6	15	199	0.82	183	0	4.3	82%	12	5	Yes	1/15/2009
American	GT-505-NI	Gas	25.5	14	9.6	15	199	0.82	183	0	4.3	83%	12	5	Yes	1/15/2009
American	GT-505-PE	Propane	25.5	14	9.6	15	190	0.82	0	200	4.3	82%	12	5	Yes	1/15/2009
American	GT-505-PI	Propane	25.5	14	9.6	15	190	0.82	0	200	4.3	83%	12	5	Yes	1/15/2009
Bosch AquaStar	2400ES LP	Propane	30.5	17.9	11.3	19	175	0.82	0	191	3.8	82%	12	5	Yes	12/15/2008
Bosch AquaStar	2400ES NG	Gas	30.5	17.9	11.3	19	175	0.82	182	0	3.8	82%	12	5	Yes	12/15/2008
Bosch AquaStar	2700ES LP	Propane	30.5	17.9	11.3	19	199	0.82	0	191	4.2	82%	12	5	Yes	12/15/2008
Bosch AquaStar	2700ES NG	Gas	30.5	17.9	11.3	19	199	0.82	182	0	4.2	82%	12	5	Yes	12/15/2008
Bosch ProTankless	GWH 715ES LP	Propane	30.5	17.9	11.3	19	199	0.82	0	191	4.2	82%	15	5	Yes	12/15/2008
Bosch ProTankless	GWH 715ES NG	Gas	30.5	17.9	11.3	19	199	0.82	182	0	4.2	82%	15	5	Yes	12/15/2008
Bosch ProTankless	GWH C 800E S LP	Propane	30.5	17.9	11.3	19	199	0.89	0	174	4.6	92%	15	5	Yes	12/15/2008
Bosch ProTankless	GWH C 800E S NG	Gas	30.5	17.9	11.3	19	199	0.89	167	0	4.6	92%	15	5	Yes	12/15/2008
Eccotemp	40H Indoor	Propane	25.5	16	7.5	19	138	0.82	0	50	2.67	84%	10	5	Yes	1/29/2009
Eccotemp	40H Indoor	Gas	25.5	16	7.5	19	138	0.82	45.7	0	2.67	84%	10	5	Yes	1/29/2009
Eccotemp	40H Outdoo r	Propane	25.5	16	7.5	19	138	0.84	0	50	2.67	84%	10	5	Yes	1/29/2009
Eccotemp	40H Outdoo r	Gas	25.5	16	7.5	19	138	0.84	45.7	0	2.67	84%	10	5	Yes	1/29/2009
GE	GN75DNSRSA	Gas	22.9	14	9.6	15	180	0.82	183	0	3.9	82%	10	5	Yes	12/15/2008
GE	GN75ENSRSA	Gas	22.9	14	9.8	15	180	0.82	183	0	3.9	82%	10	5	Yes	12/15/2008
GE	GN94DNSRSA	Gas	22.9	14	9.6	15	199	0.82	183	0	4.3	82%	10	5	Yes	12/15/2008
GE	GN94ENSRSA	Gas	22.9	14	9.8	15	199	0.82	183	0	4.3	82%	10	5	Yes	12/15/2008
GE	GP94DNSRSA	Propane	22.9	14	9.6	15	190	0.82	0	200	4.3	82%	10	5	Yes	12/15/2008
GE	GP94ENSRSA	Propane	22.9	14	9.8	15	199	0.82	0	200	4.3	82%	10	5	Yes	12/15/2008
MPI	MWH180	Gas	24	13.8	8.4	20	180	0.82	185	0	3.85	82%	10	5	Yes	1/28/2009
MPI	MWH180	Propane	24	13.8	8.4	20	180	0.82	0	203	3.85	82%	10	5	Yes	1/28/2009
Navien America	CC-180	Gas	28	17	10	15	150	0.98	155	0	3.83	98%	10	5	Yes	1/9/2009
Navien America	CC-180	Propane	28	17	10	15	150	0.98	0	170	3.83	98%	10	5	Yes	1/9/2009
Navien America	CC-180A	Propane	28	17	10	15	150	0.98	0	170	3.83	98%	10	5	Yes	1/9/2009
Navien America	CC-180A	Gas	28	17	10	15	150	0.98	155	0	3.83	98%	10	5	Yes	1/9/2009
Navien America	CC-210	Propane	28	17	12	17	175	0.95	0	170	4.5	98%	10	5	Yes	1/9/2009

Brand	Model	Fuel Type	Height (inches)	Width (inches)	Depth (inches)	Min Input (Thousand BTU per hour)	Max Input (Thousand BTU per hour)	Energy Factor	Therms/year (Gas)	Gallons/year (Propane)	Max Gallons Per Minute(77°F rise)	Recovery Efficiency (%)	Min Warranty-Heat Exchanger	Min Warranty-Parts (years)	Active	Active Date
Navien America	CC-210	Gas	28	17	12	17	175	0.95	160	0	4.2	98%	10	5	Yes	1/9/2009
Navien America	CC-210A	Propane	28	17	12	17	175	0.95	0	170	4.5	98%	10	5	Yes	1/9/2009
Navien America	CC-210A	Gas	28	17	12	17	175	0.95	160	0	4.2	98%	10	5	Yes	1/9/2009
Navien America	CC-240	Gas	28	17	12	17	199	0.95	160	0	4.75	97%	10	5	Yes	1/9/2009
Navien America	CC-240	Propane	28	17	12	17	199	0.95	0	170	4.94	97%	10	5	Yes	1/9/2009
Navien America	CC-240A	Gas	28	17	12	17	199	0.95	160	0	4.75	97%	10	5	Yes	1/9/2009
Navien America	CC-240A	Propane	28	17	12	17	199	0.95	0	170	4.94	97%	10	5	Yes	1/9/2009
Navien America	CR-180	Gas	28	17	10	15	150	0.98	155	0	3.83	98%	15	5	Yes	1/9/2009
Navien America	CR-180	Propane	28	17	10	15	150	0.98	0	170	3.83	98%	15	5	Yes	1/9/2009
Navien America	CR-180A	Propane	28	17	10	15	150	0.98	0	170	3.83	98%	15	5	Yes	1/9/2009
Navien America	CR-180A	Gas	28	17	10	15	150	0.98	155	0	3.83	98%	15	5	Yes	1/9/2009
Navien America	CR-210	Gas	28	17	12	17	175	0.95	160	0	4.2	98%	15	5	Yes	1/9/2009
Navien America	CR-210	Propane	28	17	12	17	175	0.95	0	170	4.5	98%	15	5	Yes	1/9/2009
Navien America	CR-210A	Propane	28	17	12	17	175	0.95	0	170	4.5	98%	15	5	Yes	1/9/2009
Navien America	CR-210A	Gas	28	17	12	17	175	0.95	160	0	4.2	98%	15	5	Yes	1/9/2009
Navien America	CR-240	Propane	28	17	12	17	199	0.95	0	170	4.94	97%	15	5	Yes	1/9/2009
Navien America	CR-240	Gas	28	17	12	17	199	0.95	160	0	4.75	97%	15	5	Yes	1/9/2009
Navien America	CR-240A	Gas	28	17	12	17	199	0.95	160	0	4.75	97%	15	5	Yes	1/9/2009
Navien America	CR-240A	Propane	28	17	12	17	199	0.95	0	170	4.94	97%	15	5	Yes	1/9/2009
Noritz	N-0531S	Gas	20.5	13.8	6.7	20	140	0.82	183	0	3.1	82%	12	5	Yes	12/22/2008
Noritz	N-0531S	Propane	20.5	13.8	6.7	20	140	0.84	0	180	3.1	84%	12	5	Yes	12/22/2008
Noritz	N-0531S-OD	Propane	20.5	13.8	6.7	20	140	0.84	0	180	3.1	84%	12	5	Yes	12/22/2008
Noritz	N-0531S-OD	Gas	20.5	13.8	6.7	20	140	0.83	183	0	3.1	82%	12	5	Yes	12/22/2008
Noritz	N-0631S	Propane	23.6	13.8	6.7	25	180	0.83	0	182	4	84%	12	5	Yes	12/22/2008
Noritz	N-0631S	Gas	23.6	13.8	6.7	25	180	0.83	183	0	3.8	83%	12	5	Yes	12/22/2008
Noritz	N-0631S-OD	Gas	23.6	13.8	6.7	25	180	0.82	185	0	3.8	82%	12	5	Yes	12/22/2008
Noritz	N-0631S-OD	Propane	23.6	13.8	6.7	25	180	0.83	0	183	3.9	83%	12	5	Yes	12/22/2008
Noritz	N-0751M	Gas	23.6	13.8	9.4	12	199	0.83	183	0	4.3	83%	12	5	Yes	12/22/2008
Noritz	N-0751M	Propane	23.6	13.8	9.4	12	199	0.83	0	182	4.4	83%	12	5	Yes	12/22/2008
Noritz	N-0751M-DV	Gas	24.2	18.3	9.4	12	199	0.83	183	0	4.3	83%	12	5	Yes	12/22/2008
Noritz	N-0751M-DV	Propane	24.2	18.3	9.4	12	199	0.82	0	185	4.5	81%	12	5	Yes	12/22/2008
Noritz	N-0751M-DV C	Propane	23.6	13.8	10.2	11	199	0.84	0	180	4.2	84%	12	5	Yes	12/22/2008
Noritz	N-0751M-DV C	Gas	23.6	13.8	10.2	11	199	0.82	184	0	4.3	83%	12	5	Yes	12/22/2008

Brand	Model	Fuel Type	Height (inches)	Width (inches)	Depth (inches)	Min Input (Thousand BTU per hour)	Max Input (Thousand BTU per hour)	Energy Factor	Therms/year (Gas)	Gallons/year (Propane)	Max Gallons Per Minute(77°F rise)	Recovery Efficiency (%)	Min Warranty-Heat Exchanger	Min Warranty-Parts (years)	Active	Active Date
Noritz	N-0751M-OD	Gas	23.6	13.8	9.4	12	199	0.82	183	0	4.3	82%	12	5	Yes	12/22/2008
Noritz	N-0751M-OD	Propane	23.6	13.8	9.4	12	199	0.86	0	177	4.5	85%	12	5	Yes	12/22/2008
Noritz	N-0841MC	Gas	24.2	18.3	9.4	11	199	0.91	166	0	4.9	90%	12	5	Yes	12/22/2008
Noritz	N-0841MC	Propane	24.2	18.3	9.4	11	199	0.93	0	163	4.9	93%	12	5	Yes	12/22/2008
Noritz	N-0841MC-D V	Propane	24.2	18.3	9.4	11	199	0.94	0	161	5.1	94%	12	5	Yes	12/22/2008
Noritz	N-0841MC-D V	Gas	24.2	18.3	9.4	11	199	0.92	165	0	4.8	92%	12	5	Yes	12/22/2008
Paloma	CPTG-53DVN	Gas	23	13.8	7.3	20	141	0.82	183	0	3	82%	12	5	Yes	1/8/2009
Paloma	CPTG-53DVN HA	Gas	23	13.8	7.3	20	141	0.82	183	0	3	82%	12	5	Yes	1/8/2009
Paloma	CPTG-53DVP	Propane	23	13.8	7.3	20	141	0.82	0	200	3	82%	12	5	Yes	1/8/2009
Paloma	CPTG-53DVP HA	Propane	23	13.8	7.3	20	135	0.82	0	200	3	82%	12	5	Yes	1/8/2009
Paloma	CPTG-53PVN	Gas	20.5	13.8	6.3	21	135	0.82	183	0	3.1	82%	12	5	Yes	1/8/2009
Paloma	CPTG-53PVN H	Gas	20.5	13.8	6.3	21	145	0.82	183	0	3.1	0%	12	5	Yes	1/8/2009
Paloma	CPTG-53PVP	Propane	20.5	13.8	6.3	21	145	0.82	0	200	3.1	82%	12	5	Yes	1/8/2009
Paloma	CPTG-53PVP H	Propane	20.5	13.8	6.3	21	141	0.82	0	200	3.1	82%	12	5	Yes	1/8/2009
Paloma	CPTG-53XN	Gas	20.5	13.8	6.3	19	141	0.82	183	0	3	82%	12	5	Yes	1/8/2009
Paloma	CPTG-53XP	Propane	20.5	13.8	6.3	19	141	0.82	0	200	3	82%	12	5	Yes	1/9/2009
Paloma	CPTG-74DVN	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Paloma	CPTG-74DVN H	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Paloma	CPTG-74DVP	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Paloma	CPTG-74DVP H	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Paloma	CPTG-74PVN	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/8/2009
Paloma	CPTG-74PVN HA	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/8/2009
Paloma	CPTG-74PVP	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/8/2009
Paloma	CPTG-74PVP HA	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/8/2009
Paloma	CPTG-74XP	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Paloma	PTG-53DVN	Gas	23	13.8	7.3	20	141	0.82	183	0	3	82%	12	5	Yes	1/8/2009
Paloma	PTG-53DVP	Propane	23	13.8	7.3	20	135	0.82	0	200	3	82%	12	5	Yes	1/8/2009
Paloma	PTG-53PVN	Gas	20.5	13.8	6.3	21	145	0.82	183	0	3.1	82%	12	5	Yes	1/8/2009
Paloma	PTG-53PVP	Propane	20.5	13.8	6.3	21	141	0.82	0	200	3.1	82%	12	5	Yes	1/8/2009
Paloma	PTG-53XN	Gas	20.5	13.8	6.3	19	141	0.82	183	0	3	82%	12	5	Yes	1/8/2009
Paloma	PTG-53XP	Propane	20.5	13.8	6.3	19	141	0.82	0	200	3	82%	12	5	Yes	1/9/2009
Paloma	PTG-74DVN	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Paloma	PTG-74DVNH	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009

Brand	Model	Fuel Type	Height (inches)	Width (inches)	Depth (inches)	Min Input (Thousand BTU per hour)	Max Input (Thousand BTU per hour)	Energy Factor	Therms/year (Gas)	Gallons/year (Propane)	Max Gallons Per Minute(77°F rise)	Recovery Efficiency (%)	Min Warranty-Heat Exchanger	Min Warranty-Parts (years)	Active	Active Date
Paloma	PTG-74DVNU H	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Paloma	PTG-74DVP	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Paloma	PTG-74DVPH	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Paloma	PTG-74DVPU H	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Paloma	PTG-74PVN	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/8/2009
Paloma	PTG-74PVNH	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/8/2009
Paloma	PTG-74PVNU H	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/8/2009
Paloma	PTG-74PVP	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/11/2009
Paloma	PTG-74PVPH	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/11/2009

Paloma	PTG-74PVPH	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/11/2009
Paloma	PTG-74XN	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Paloma	PTG-74XNH	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Paloma	PTG-74XNUH	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Paloma	PTG-74XP	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Paloma	PTG-74XPH	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Paloma	PTG-74XPUH	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Rheem	CECO-180XN	Gas	23.6	13.9	8.9	19	180	0.82	183	0	4	82%	12	5	Yes	1/9/2009
Rheem	CECO-180XP	Propane	23.6	13.9	8.9	19	180	0.82	0	200	4	82%	12	5	Yes	1/8/2009
Rheem	CECO200DVN	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Rheem	CECO200DVN H	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Rheem	CECO200DVP	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Rheem	CECO200DVP H	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Rheem	CECO200PVN	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/8/2009
Rheem	CECO200PVN H	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/8/2009
Rheem	CECO200PVP	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/8/2009
Rheem	CECO200PVP H	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/8/2009
Rheem	CECO200XN	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Rheem	CECO200XP	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Rheem	CPTG-53DVN HA	Gas	23	13.8	7.3	20	141	0.82	183	0	3	82%	12	5	Yes	1/8/2009
Rheem	CPTG-74XN	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Rheem	CRTG-53DVN	Gas	23	13.8	7.3	20	141	0.82	183	0	3	82%	12	5	Yes	1/8/2009
Rheem	CRTG-53DVN H	Gas	23	13.8	7.3	20	141	0.82	183	0	3	82%	12	5	Yes	1/8/2009
Rheem	CRTG-53DVP	Propane	23	13.8	7.3	20	135	0.82	0	200	3	82%	12	5	Yes	1/8/2009

Brand	Model	Fuel Type	Height (inches)	Width (inches)	Depth (inches)	Min Input (Thousand BTU per hour)	Max Input (Thousand BTU per hour)	Energy Factor	Therms/year (Gas)	Gallons/year (Propane)	Max Gallons Per Minute(77°F rise)	Recovery Efficiency (%)	Min Warranty-Heat Exchanger	Min Warranty-Parts (years)	Active	Active Date
Rheem	CRTG-53PVN	Gas	20.5	13.8	6.3	21	145	0.82	183	0	3.1	82%	12	5	Yes	1/8/2009
Rheem	CRTG-53PVN UE	Gas	20.5	13.8	6.3	21	145	0.82	183	0	3.1	82%	12	5	Yes	1/8/2009
Rheem	CRTG-53PVP	Propane	20.5	13.8	6.3	21	141	0.82	0	200	3.1	82%	12	5	Yes	1/8/2009
Rheem	CRTG-53XN	Gas	20.5	13.8	6.3	19	141	0.82	183	0	3	82%	12	5	Yes	1/8/2009
Rheem	CRTG-53XP	Propane	20.5	13.8	6.3	19	141	0.82	0	200	3	82%	12	5	Yes	1/9/2009
Rheem	CRTG-66DVN	Gas	25.6	13.9	9.9	11	180	0.82	183	0	4	82%	12	5	Yes	1/9/2009
Rheem	CRTG-66DVP	Propane	25.6	13.9	9.9	11	180	0.82	0	200	4	82%	12	5	Yes	1/9/2009
Rheem	CRTG-66XN	Gas	23.6	13.9	8.9	19	180	0.82	183	0	4	82%	12	5	Yes	1/9/2009
Rheem	CRTG-66XP	Propane	23.6	13.9	8.9	19	180	0.82	0	200	4	82%	12	5	Yes	1/8/2009
Rheem	CRTG-74DVN	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Rheem	CRTG-74DVP	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Rheem	CRTG-74PVN	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/8/2009
Rheem	CRTG-74PVN	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/8/2009
Rheem	CRTG-74PVP	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/11/2009
Rheem	CRTG-74XN	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Rheem	CRTG-74XP	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Rheem	CRTGL-74PV N	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/8/2009
Rheem	CRTGL74DVN	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Rheem	CRTGL74DVP	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Rheem	CRTGL74PVP	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/11/2009
Rheem	CRTGL74XN	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Rheem	CRTGL74XP	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Rheem	ECO-180DVN	Gas	25.6	13.9	9.9	11	180	0.82	183	0	4	82%	12	5	Yes	1/9/2009
Rheem	ECO-180DVP	Propane	25.6	13.9	9.9	11	180	0.82	0	200	4	82%	12	5	Yes	1/9/2009

Rheem	ECO-180XN	Gas	23.6	13.9	8.9	19	180	0.82	183	0	4	82%	12	5	Yes	1/9/2009
Rheem	ECO-180XP	Propane	23.6	13.9	8.9	19	180	0.82	0	200	4	82%	12	5	Yes	1/8/2009
Rheem	ECO200DVN	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Rheem	ECO200DVNH	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Rheem	ECO200DVNU H	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Rheem	ECO200DVP	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Rheem	ECO200DVPH	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Rheem	ECO200DVPU H	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Rheem	ECO200PVN	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/8/2009

Brand	Model	Fuel Type	Height (inches)	Width (inches)	Depth (inches)	Min Input (Thousand BTU per hour)	Max Input (Thousand BTU per hour)	Energy Factor	Therms/year (Gas)	Gallons/year (Propane)	Max Gallons Per Minute(77°F rise)	Recovery Efficiency (%)	Min Warranty-Heat Exchanger	Min Warranty-Parts (years)	Active	Active Date
Rheem	ECO200PVNH	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/8/2009
Rheem	ECO200PVNU H	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/8/2009
Rheem	ECO200PVP	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/11/2009
Rheem	ECO200PVPH	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/11/2009
Rheem	ECO200PVPU H	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/11/2009
Rheem	ECO200XN	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Rheem	ECO200XNH	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Rheem	ECO200XNUH	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Rheem	ECO200XP	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Rheem	ECO200XPH	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Rheem	ECO200XPUH	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Rheem	RTG-53DVN	Gas	23	13.8	7.3	20	141	0.82	183	0	3	82%	12	5	Yes	1/8/2009
Rheem	RTG-53DVP	Propane	23	13.8	7.3	20	135	0.82	0	200	3	82%	12	5	Yes	1/8/2009
Rheem	RTG-53PVN	Gas	20.5	13.8	6.3	21	145	0.82	183	0	3.1	82%	12	5	Yes	1/8/2009
Rheem	RTG-53PVP	Propane	20.5	13.8	6.3	21	141	0.82	0	200	3.1	82%	12	5	Yes	1/8/2009
Rheem	RTG-53XN	Gas	20.5	13.8	6.3	19	141	0.82	183	0	3	82%	12	5	Yes	1/8/2009
Rheem	RTG-53XP	Propane	20.5	13.8	6.3	19	141	0.82	0	200	3	82%	12	5	Yes	1/9/2009
Rheem	RTG-66DVN	Gas	25.6	13.9	9.9	11	180	0.82	183	0	4	82%	12	5	Yes	1/9/2009
Rheem	RTG-66DVP	Propane	25.6	13.9	9.9	11	180	0.82	0	200	4	82%	12	5	Yes	1/9/2009
Rheem	RTG-66XN	Gas	23.6	13.9	8.9	19	180	0.82	183	0	4	82%	12	5	Yes	1/9/2009
Rheem	RTG-66XP	Propane	23.6	13.9	8.9	19	180	0.82	0	200	4	82%	12	5	Yes	1/8/2009
Rheem	RTG-74DVN	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Rheem	RTG-74DVP	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Rheem	RTG-74PVN	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/8/2009
Rheem	RTG-74PVP	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/11/2009
Rheem	RTG-74XN	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Rheem	RTG-74XP	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Rheem	RTGL74DVN	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Rheem	RTGL74DVP	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Rheem	RTGL74PVN	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/8/2009
Rheem	RTGL74PVP	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/11/2009
Rheem	RTGL74XN	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Rheem	RTGL74XP	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009

Brand	Model	Fuel Type	Height (inches)	Width (inches)	Depth (inches)	Min Input (Thousand BTU per hour)	Max Input (Thousand BTU per hour)	Energy Factor	Therms/year (Gas)	Gallons/year (Propane)	Max Gallons Per Minute(77°F rise)	Recovery Efficiency (%)	Min Warranty-Heat Exchanger	Min Warranty-Parts (years)	Active	Active Date
Rheem EcoSense	CPTG-53DVN	Gas	23	13.8	7.3	20	141	0.82	183	0	3	82%	12	5	Yes	1/8/2009

Rheem EcoSense	CPTG-53DVP	Propane	23	13.8	7.3	20	141	0.82	0	200	3	82%	12	5	Yes	1/8/2009
Rheem EcoSense	CPTG-53DVP HA	Propane	23	13.8	7.3	20	135	0.82	0	200	3	82%	12	5	Yes	1/8/2009
Rheem EcoSense	CPTG-53PVN	Gas	20.5	13.8	6.3	21	135	0.82	183	0	3.1	82%	12	5	Yes	1/8/2009
Rheem EcoSense	CPTG-53PVN H	Gas	20.5	13.8	6.3	21	145	0.82	183	0	3.1	0%	12	5	Yes	1/8/2009
Rheem EcoSense	CPTG-53PVP	Propane	20.5	13.8	6.3	21	145	0.82	0	200	3.1	82%	12	5	Yes	1/8/2009
Rheem EcoSense	CPTG-53PVP H	Propane	20.5	13.8	6.3	21	141	0.82	0	200	3.1	82%	12	5	Yes	1/8/2009
Rheem EcoSense	CPTG-53XN	Gas	20.5	13.8	6.3	19	141	0.82	183	0	3	82%	12	5	Yes	1/8/2009
Rheem EcoSense	CPTG-53XP	Propane	20.5	13.8	6.3	19	141	0.82	0	200	3	82%	12	5	Yes	1/9/2009
Rheem EcoSense	CPTG-74DVN	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Rheem EcoSense	CPTG-74DVN H	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Rheem EcoSense	CPTG-74DVP	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Rheem EcoSense	CPTG-74DVP H	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Rheem EcoSense	CPTG-74PVN	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/8/2009
Rheem EcoSense	CPTG-74PVN HA	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/8/2009
Rheem EcoSense	CPTG-74PVP	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/8/2009
Rheem EcoSense	CPTG-74PVP HA	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/8/2009
Rheem EcoSense	CPTG-74XP	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Rheem EcoSense	PTG-53DVN	Gas	23	13.8	7.3	20	141	0.82	183	0	3	82%	12	5	Yes	1/8/2009
Rheem EcoSense	PTG-53DVP	Propane	23	13.8	7.3	20	135	0.82	0	200	3	82%	12	5	Yes	1/8/2009
Rheem EcoSense	PTG-53PVN	Gas	20.5	13.8	6.3	21	145	0.82	183	0	3.1	82%	12	5	Yes	1/8/2009
Rheem EcoSense	PTG-53PVP	Propane	20.5	13.8	6.3	21	141	0.82	0	200	3.1	82%	12	5	Yes	1/8/2009
Rheem EcoSense	PTG-53XN	Gas	20.5	13.8	6.3	19	141	0.82	183	0	3	82%	12	5	Yes	1/8/2009
Rheem EcoSense	PTG-53XP	Propane	20.5	13.8	6.3	19	141	0.82	0	200	3	82%	12	5	Yes	1/9/2009
Rheem EcoSense	PTG-74DVN	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Rheem EcoSense	PTG-74DVNH	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Rheem EcoSense	PTG-74DVNU H	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Rheem EcoSense	PTG-74DVP	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Rheem EcoSense	PTG-74DVPH	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Rheem EcoSense	PTG-74DVPH	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Rheem EcoSense	PTG-74DVPU H	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Rheem EcoSense	PTG-74PVN	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/8/2009

Rheem EcoSense	PTG-74PVNH	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/8/2009

Brand	Model	Fuel Type	Height (inches)	Width (inches)	Depth (inches)	Min Input (Thousand BTU per hour)	Max Input (Thousand BTU per hour)	Energy Factor	Therms/year (Gas)	Gallons/year (Propane)	Max Gallons Per Minute(77°F rise)	Recovery Efficiency (%)	Min Warranty-Heat Exchanger	Min Warranty-Parts (years)	Active	Active Date
Rheem EcoSense	PTG-74PVNU H	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/8/2009
Rheem EcoSense	PTG-74PVP	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/11/2009
Rheem EcoSense	PTG-74PVPH	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/11/2009
Rheem EcoSense	PTG-74PVPU H	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/11/2009
Rheem EcoSense	PTG-74XN	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Rheem EcoSense	PTG-74XNH	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Rheem EcoSense	PTG-74XNUH	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Rheem EcoSense	PTG-74XP	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Rheem EcoSense	PTG-74XPH	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Rheem EcoSense	PTG-74XPUH	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Richmond	CRMTG-53DV N	Gas	23	13.8	7.3	20	141	0.82	183	0	3	82%	12	5	Yes	1/8/2009
Richmond	CRMTG-53DV NHA	Gas	23	13.8	7.3	20	141	0.82	183	0	3	82%	12	5	Yes	1/8/2009
Richmond	CRMTG-53DV P	Propane	23	13.8	7.3	20	135	0.82	0	200	3	82%	12	5	Yes	1/8/2009
Richmond	CRMTG-53DV PHA	Propane	23	13.8	7.3	20	135	0.82	0	200	3	82%	12	5	Yes	1/8/2009
Richmond	CRMTG-53PV N	Gas	20.5	13.8	6.3	21	145	0.82	183	0	3.1	82%	12	5	Yes	1/8/2009
Richmond	CRMTG-53PV NH	Gas	20.5	13.8	6.3	21	145	0.82	183	0	3.1	82%	12	5	Yes	1/8/2009
Richmond	CRMTG-53PV P	Propane	20.5	13.8	6.3	21	141	0.82	0	200	3.1	82%	12	5	Yes	1/8/2009
Richmond	CRMTG-53PV PH	Propane	20.5	13.8	6.3	21	141	0.82	0	200	3.1	82%	12	5	Yes	1/8/2009
Richmond	CRMTG-53XN	Gas	20.5	13.8	6.3	19	141	0.82	183	0	3	82%	12	5	Yes	1/8/2009
Richmond	CRMTG-53XP	Propane	20.5	13.8	6.3	19	141	0.82	0	200	3	82%	12	5	Yes	1/9/2009
Richmond	CRMTG-74DV N	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Richmond	CRMTG-74DV NH	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Richmond	CRMTG-74DV P	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Richmond	CRMTG-74DV PH	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Richmond	CRMTG-74PV N	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/8/2009
Richmond	CRMTG-74PV NHA	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/8/2009
Richmond	CRMTG-74PV P	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/8/2009
Richmond	CRMTG-74PV PHA	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/8/2009
Richmond	CRMTG-74XN	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Richmond	CRMTG-74XP	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Richmond	RMTG-53DVN	Gas	23	13.8	7.3	20	141	0.82	183	0	3	82%	12	5	Yes	1/8/2009
Richmond	RMTG-53DVP	Propane	23	13.8	7.3	20	135	0.82	0	200	3	82%	12	5	Yes	1/8/2009
Richmond	RMTG-53PVN	Gas	20.5	13.8	6.3	21	145	0.82	183	0	3.1	82%	12	5	Yes	1/8/2009

Brand	Model	Fuel Type	Height (inches)	Width (inches)	Depth (inches)	Min Input (Thousand BTU per hour)	Max Input (Thousand BTU per hour)	Energy Factor	Therms/year (Gas)	Gallons/year (Propane)	Max Gallons Per Minute(77°F rise)	Recovery Efficiency (%)	Min Warranty-Heat Exchanger	Min Warranty-Parts (years)	Active	Active Date
Richmond	RMTG-53PVP	Propane	20.5	13.8	6.3	21	141	0.82	0	200	3.1	82%	12	5	Yes	1/8/2009
Richmond	RMTG-53XN	Gas	20.5	13.8	6.3	19	141	0.82	183	0	3	82%	12	5	Yes	1/8/2009
Richmond	RMTG-53XP	Propane	20.5	13.8	6.3	19	141	0.82	0	200	3	82%	12	5	Yes	1/9/2009
Richmond	RMTG-66DVN	Gas	25.6	13.9	9.9	11	180	0.82	183	0	4	82%	12	5	Yes	1/9/2009
Richmond	RMTG-66DVP	Propane	25.6	13.9	9.9	11	180	0.82	0	200	4	82%	12	5	Yes	1/9/2009
Richmond	RMTG-66XN	Gas	23.6	13.9	8.9	19	180	0.82	183	0	4	82%	12	5	Yes	1/9/2009
Richmond	RMTG-66XP	Propane	23.6	13.9	8.9	19	180	0.82	0	200	4	82%	12	5	Yes	1/8/2009
Richmond	RMTG-74DVN	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Richmond	RMTG-74DVN H	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Richmond	RMTG-74DVN UH	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Richmond	RMTG-74DVP	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Richmond	RMTG-74DVP H	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Richmond	RMTG-74DVP UH	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Richmond	RMTG-74PVN	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/8/2009
Richmond	RMTG-74PVN H	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/8/2009
Richmond	RMTG-74PVN UH	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/8/2009
Richmond	RMTG-74PVP	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/11/2009
Richmond	RMTG-74PVP H	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/11/2009
Richmond	RMTG-74PVP UH	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/11/2009
Richmond	RMTG-74XN	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Richmond	RMTG-74XNH	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Richmond	RMTG-74XNU H	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Richmond	RMTG-74XP	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Richmond	RMTG-74XPH	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Richmond	RMTG-74XPU H	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Richmond	RMTGL74PVN	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/8/2009
Richmond	RMTGL74PVN H	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/8/2009
Richmond	RMTGL74PVN UH	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/8/2009
Richmond	RMTGL74PVP	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/11/2009
Richmond	RMTGL74PVP H	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/11/2009
Richmond	RMTGL74PVP UH	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/11/2009
Richmond	RMTGL74XN	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Richmond	RMTGL74XNH	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Brand	Model	Fuel Type	Height (inches)	Width (inches)	Depth (inches)	Min Input (Thousand BTU per hour)	Max Input (Thousand BTU per hour)	Energy Factor	Therms/year (Gas)	Gallons/year (Propane)	Max Gallons Per Minute(77°F rise)	Recovery Efficiency (%)	Min Warranty-Heat Exchanger	Min Warranty-Parts (years)	Active	Active Date
Richmond	RMTGL74XNU H	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Richmond	RMTGL74XP	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Richmond	RMTGL74XPH	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Richmond	RMTGL74XPU H	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Rinnai	R50LSiN	Gas	25.5	14	9.6	15	150	0.82	183	0	3.3	83%	12	5	Yes	12/16/2008
Rinnai	R50LSiP	Propane	25.5	14	9.6	15	150	0.82	0	200	3.3	83%	12	5	Yes	12/16/2008
Rinnai	R75LSeN	Gas	25.5	14	9.6	15	180	0.82	183	0	3.9	81%	12	5	Yes	12/16/2008
Rinnai	R75LSeP	Propane	25.5	14	9.6	15	180	0.82	0	200	3.9	81%	12	5	Yes	12/16/2008

Rinnai	R75LSiN	Gas	25.5	14	9.6	15	180	0.82	183	0	3.9	82%	12	5	Yes	12/16/2008
Rinnai	R75LSiP	Propane	25.5	14	9.6	15	180	0.82	0	200	3.9	82%	12	5	Yes	12/16/2008
Rinnai	R94LSeN	Gas	25.5	14	9.6	15	199	0.82	183	0	4.3	82%	12	5	Yes	12/16/2008
Rinnai	R94LSeP	Propane	25.5	14	9.6	15	199	0.82	0	200	4.3	82%	12	5	Yes	12/16/2008
Rinnai	R94LSiN	Gas	25.5	14	9.6	15	199	0.82	183	0	4.3	83%	12	5	Yes	12/16/2008
Rinnai	R94LSlP	Propane	25.5	14	9.6	15	199	0.82	0	200	4.3	83%	12	5	Yes	12/16/2008
Rinnai	V53eN	Propane	20.9	13.8	6.7	19	120	0.82	183	0	2.6	83%	10	5	Yes	12/16/2008
Rinnai	V53eP	Propane	20.9	13.8	6.7	19	120	0.82	0	200	2.6	83%	10	5	Yes	12/16/2008
Ruud	RUTG-53DVN	Gas	23	13.8	7.3	20	141	0.82	183	0	3	82%	12	5	Yes	1/8/2009
Ruud	RUTG-53DVP	Propane	23	13.8	7.3	20	135	0.82	0	200	3	82%	12	5	Yes	1/8/2009
Ruud	RUTG-53PVN	Gas	20.5	13.8	6.3	21	145	0.82	183	0	3.1	82%	12	5	Yes	1/8/2009
Ruud	RUTG-53PVP	Propane	20.5	13.8	6.3	21	141	0.82	0	200	3.1	82%	12	5	Yes	1/8/2009
Ruud	RUTG-53XN	Gas	20.5	13.8	6.3	19	141	0.82	183	0	3	82%	12	5	Yes	1/8/2009
Ruud	RUTG-53XP	Propane	20.5	13.8	6.3	19	141	0.82	0	200	3	82%	12	5	Yes	1/9/2009
Ruud	RUTG-66DVN	Gas	25.6	13.9	9.9	11	180	0.82	183	0	4	82%	12	5	Yes	1/9/2009
Ruud	RUTG-66DVP	Propane	25.6	13.9	9.9	11	180	0.82	0	200	4	82%	12	5	Yes	1/9/2009
Ruud	RUTG-66XN	Gas	23.6	13.9	8.9	19	180	0.82	183	0	4	82%	12	5	Yes	1/9/2009
Ruud	RUTG-66XP	Propane	23.6	13.9	8.9	19	180	0.82	0	200	4	82%	12	5	Yes	1/8/2009
Ruud	RUTG-74DVN	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Ruud	RUTG-74DVP	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Ruud	RUTG-74PVN	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/8/2009
Ruud	RUTG-74PVP	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/11/2009
Ruud	RUTG-74XN	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Ruud	RUTG-74XP	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Ruud	RUTGL74DVN	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009

Brand	Model	Fuel Type	Height (inches)	Width (inches)	Depth (inches)	Min Input (Thousand BTU per hour)	Max Input (Thousand BTU per hour)	Energy Factor	Therms/year (Gas)	Gallons/year (Propane)	Max Gallons Per Minute(77°F rise)	Recovery Efficiency (%)	Min Warranty-Heat Exchanger	Min Warranty-Parts (years)	Active	Active Date
Ruud	RUTGL74DVP	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Ruud	RUTGL74PVN	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/8/2009
Ruud	RUTGL74PVP	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/11/2009
Ruud	RUTGL74XN	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Ruud	RUTGL74XP	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
State	GTS-505-NE	Gas	25.5	14	9.6	15	199	0.82	183	0	4.3	82%	12	5	Yes	1/15/2009
State	GTS-505-NI	Gas	25.5	14	9.6	15	199	0.82	183	0	4.3	83%	12	5	Yes	1/15/2009
State	GTS-505-PE	Propane	25.5	14	9.6	15	190	0.82	0	200	4.3	82%	12	5	Yes	1/15/2009
State	GTS-505-PI	Propane	25.5	14	9.6	15	190	0.82	0	200	4.3	83%	12	5	Yes	1/15/2009
Takagi	Flash T-H1	Propane	26.3	16.5	11.3	18	190	0.94	0	175	4.9	94%	10	5	Yes	12/17/2008
Takagi	Flash T-H1	Gas	26.3	16.5	11.3	15	199	0.92	164	0	4.6	92%	10	5	Yes	12/17/2008
Takagi	Flash T-K3	Gas	20.5	13.8	8.5	11	199	0.84	181	0	4.2	83%	10	5	Yes	12/17/2008
Takagi	Flash T-K3	Propane	20.5	13.8	8.5	11	199	0.86	0	194	4.4	85%	10	5	Yes	12/18/2008
Takagi	Flash T-K3 -OS	Propane	20.5	13.8	8.5	11	190	0.82	0	203	4.2	82%	10	5	Yes	12/18/2008
Takagi	Flash T-K3 -OS	Gas	20.5	13.8	8.5	11	190	0.82	184	0	4.1	82%	10	5	Yes	12/18/2008
Takagi	Flash T-K3 -Pro	Propane	20.5	13.8	8.5	11	199	0.83	0	199	4.3	83%	10	5	Yes	12/18/2008
Takagi	Flash T-K3 -Pro	Gas	20.5	13.8	8.5	11	199	0.83	183	0	4.1	82%	10	5	Yes	12/18/2008
Takagi	Flash T-K3 -SP	Propane	20.5	13.8	8.5	11	190	0.82	0	202	4.1	82%	10	5	Yes	12/18/2008
Takagi	Flash T-K3 -SP	Gas	20.5	13.8	8.5	11	190	0.82	184	0	4.1	82%	10	5	Yes	12/18/2008