

ENERGY STAR Commercial Refrigerator Qualified Product List
List Current as of January 15, 2010

*Additional model number variations represent aesthetic differences that do not affect the performance of the equipment.

													Mixed Door Cabinet											
Company Name	Brand Name	Model Name	Model Number	Product Type	Product Orientation (Vertical / Chest)	Cabinet Type	Defrost Type	# of Doors-Glass	# of Doors-Solid	Door Opening (Hinged/Sliding)	TOTAL AHAM Volume (cu ft.)	Glass Door Compartment Volume (cu. ft.)	Solid Door Compartment Volume (cu. ft.)	Height (in)	Height (cm)	Width (in)	Width (cm)	Depth (in)	Depth (cm)	Daily Energy Consumption (kW-hrs/day)	Refrigerant Type	Additional Model Numbers*		
Arctic Air	Arctic Air		R22CWF	Solid Door Refrigeration Cabinet	Vertical	Reach-In	Automatic	0	1	Hinged	18.09	NA	NA	70	177.8	32	81.28	28.6	72.644	1.15	R-134a			
Beverage-Air	Beverage-Air	Lumavue	LV27-1	Glass Door Refrigeration Cabinet	Vertical	Merchandiser	Automatic	1	0	Hinged	26.17	NA	NA	78	198.12	30	76.2	32	81.28	4.13	R-134a			
Beverage-Air	Beverage-Air	Lumavue	LV38-1	Glass Door Refrigeration Cabinet	Vertical	Merchandiser	Automatic	2	0	Sliding	35.37	NA	NA	78	198.12	43.5	110.49	32	81.28	5.17	R-134a			
Beverage-Air	Beverage-Air	Lumavue	LV45-1	Glass Door Refrigeration Cabinet	Vertical	Merchandiser	Automatic	2	0	Sliding	42.98	NA	NA	78	198.12	52	132.08	32	81.28	5.92	R-134a			
Beverage-Air	Beverage-Air	Lumavue	LV49-1	Glass Door Refrigeration Cabinet	Vertical	Merchandiser	Automatic	2	0	Hinged	45.42	NA	NA	78	198.12	52	132.08	32	81.28	5.82	R-134a			
Beverage-Air	Beverage-Air	Lumavue	LV66Y-1	Glass Door Refrigeration Cabinet	Vertical	Merchandiser	Automatic	3	0	Sliding	64.7	NA	NA	78	198.12	75	190.5	32	81.28	7.68	R-134a			
Beverage-Air	Beverage-Air	Lumavue	LV72Y-1	Glass Door Refrigeration Cabinet	Vertical	Merchandiser	Automatic	3	0	Hinged	70.16	NA	NA	78	198.12	75	190.5	32	81.28	7.68	R-134a			
Continental Refrigerator	Continental		1R	Solid Door Refrigeration Cabinet	Vertical	Reach-In	Automatic	0	1	Hinged	18.87	NA	NA	82.3	209.042	26	66.04	35.5	90.17	2.59	R-134a	1R-SA, 1R-SS		
Continental Refrigerator	Continental		1RE	Solid Door Refrigeration Cabinet	Vertical	Reach-In	Automatic	0	1	Hinged	20.68	NA	NA	82.3	209.042	28.5	72.39	35.5	90.17	2.89	R-134a	1RE-SA, 1RE-SS		
Continental Refrigerator	Continental		1RE-PT	Solid Door Refrigeration Cabinet	Vertical	Reach-In	Automatic	0	1	Hinged	23.14	NA	NA	82.3	209.042	28.5	72.39	35.5	90.17	3.05	R-134a	1RE-SA-PT, 1RE-SS-PT		
Continental Refrigerator	Continental		1R-PT	Solid Door Refrigeration Cabinet	Vertical	Reach-In	Automatic	0	2	Hinged	21.57	NA	NA	82.3	209.042	26	66.04	35.5	90.17	2.98	R-134a	1R-SA-PT, 1R-SS-PT		
Continental Refrigerator	Continental		1RS	Solid Door Refrigeration Cabinet	Vertical	Reach-In	Automatic	0	1	Hinged	16.21	NA	NA	82.3	209.042	26	66.04	30.5	77.47	2.69	R-134a	1RS-SA, 1RS-SS		
Continental Refrigerator	Continental		1RXS	Solid Door Refrigeration Cabinet	Vertical	Reach-In	Automatic	0	1	Hinged	22.6	NA	NA	82.3	209.042	36.3	92.202	30.5	77.47	3.01	R-134a	1RXS-SA, 1RXS-SS		
Continental Refrigerator	Continental		2R	Solid Door Refrigeration Cabinet	Vertical	Reach-In	Automatic	0	2	Hinged	46.61	NA	NA	82.3	209.042	52	132.08	35.5	90.17	4.16	R-134a	2R-SA, 2R-SS		
Continental Refrigerator	Continental		2RE	Solid Door Refrigeration Cabinet	Vertical	Reach-In	Automatic	0	2	Hinged	50	NA	NA	82.3	209.042	57	144.78	35.5	90.17	4.25	R-134a	2RE-SA, 2RE-SS		
Continental Refrigerator	Continental		2RE-PT	Solid Door Refrigeration Cabinet	Vertical	Reach-In	Automatic	0	4	Hinged	50	NA	NA	82.3	209.042	57	144.78	35.5	90.17	4.25	R-134a	2RE-SA-PT, 2RE-SS-PT		
Continental Refrigerator	Continental		2R-PT	Solid Door Refrigeration Cabinet	Vertical	Reach-In	Automatic	0	4	Hinged	46.61	NA	NA	82.3	209.042	52	132.08	35.5	90.17	4.16	R-134a	2R-SA-PT, 2R-SS-PT		

Mixed Door Cabinet

*Additional model number variations represent aesthetic differences that do not affect the performance of the equipment.

Company Name	Brand Name	Model Name	Model Number	Product Type	Product Orientation (Vertical / Chest)	Cabinet Type	Defrost Type	# of Doors-Glass	# of Doors-Solid	Door Opening (Hinged/Sliding)	TOTAL AHAM Volume (cu ft.)	Glass Door Compartment Volume (cu. ft.)	Solid Door Compartment Volume (cu. ft.)	Height (in)	Height (cm)	Width (in)	Width (cm)	Depth (in)	Depth (cm)	Daily Energy Consumption (kW-hrs/day)	Refrigerant Type	Additional Model Numbers*
Continental Refrigerator	Continental		3R	Solid Door Refrigeration Cabinet	Vertical	Reach-In	Automatic	0	3	Hinged	68.38	NA	NA	82.3	209.042	78	198.12	35.5	90.17	5.01	R-134a	3R-SA, 3R-SS
Continental Refrigerator	Continental		3RE	Solid Door Refrigeration Cabinet	Vertical	Reach-In	Automatic	0	3	Hinged	75.76	NA	NA	82.3	209.042	85.5	217.17	35.5	90.17	5.23	R-134a	3RE-SA, 3RE-SS
Continental Refrigerator	Continental		3RE-PT	Solid Door Refrigeration Cabinet	Vertical	Reach-In	Automatic	0	6	Hinged	80.2	NA	NA	82.3	209.042	85.5	217.17	35.5	90.17	6	R-134a	3RE-SA-PT, 3RE-SS-PT
Continental Refrigerator	Continental		3R-PT	Solid Door Refrigeration Cabinet	Vertical	Reach-In	Automatic	0	6	Hinged	73.16	NA	NA	82.3	209.042	78	198.12	35.5	90.17	5.75	R-134a	3R-SA-PT, 3R-SS-PT
Continental Refrigerator	Continental		DL1R	Solid Door Refrigeration Cabinet	Vertical	Reach-In	Automatic	0	1	Hinged	21.57	NA	NA	83.3	211.582	26	66.04	35.5	90.17	2.98	R-134a	DL1R-SA, DL1R-SS
Continental Refrigerator	Continental		DL1RE	Solid Door Refrigeration Cabinet	Vertical	Reach-In	Automatic	0	1	Hinged	23.14	NA	NA	83.3	211.582	28.5	72.39	35.5	90.17	3.05	R-134a	DL1RE-SA, DL1RE-SS
Continental Refrigerator	Continental		DL1RE-PT	Solid Door Refrigeration Cabinet	Vertical	Reach-In	Automatic	0	2	Hinged	23.14	NA	NA	83.3	211.582	28.5	72.39	35.5	90.17	3.05	R-134a	DL1RE-SA-PT, DL1RE-SS-PT
Continental Refrigerator	Continental		DL1RES	Solid Door Refrigeration Cabinet	Vertical	Reach-In	Automatic	0	1	Hinged	17.6	NA	NA	83.3	211.582	28.5	72.39	28.5	72.39	2.81	R-134a	DL1RES-SA, DL1RES-SS
Continental Refrigerator	Continental		DL1RES-PT	Solid Door Refrigeration Cabinet	Vertical	Reach-In	Automatic	0	2	Hinged	17.6	NA	NA	83.3	211.582	28.5	72.39	28.5	72.39	2.81	R-134a	DL1RES-SA-PT, DL1RES-SS-PT
Continental Refrigerator	Continental		DL1R-PT	Solid Door Refrigeration Cabinet	Vertical	Reach-In	Automatic	0	2	Hinged	21.57	NA	NA	82.3	209.042	26	66.04	35.5	90.17	2.98	R-134a	DL1R-SA-PT, DL1R-SS-PT
Continental Refrigerator	Continental		DL1RS	Solid Door Refrigeration Cabinet	Vertical	Reach-In	Automatic	0	1	Hinged	17.38	NA	NA	83.3	211.582	26	66.04	30.5	77.47	2.51	R-134a	DL1RS-SA, DL1RS-SS
Continental Refrigerator	Continental		DL1RS-PT	Solid Door Refrigeration Cabinet	Vertical	Reach-In	Automatic	0	2	Hinged	17.38	NA	NA	83.3	211.582	26	66.04	30.5	77.47	2.51	R-134a	DL1RS-SA-PT, DL1RS-SS-PT
Continental Refrigerator	Continental		DL1RXS	Solid Door Refrigeration Cabinet	Vertical	Reach-In	Automatic	0	1	Hinged	24.26	NA	NA	83.3	211.582	36.3	92.202	30.5	77.47	3.01	R-134a	DL1RXS-SA, DL1RXS-SS
Continental Refrigerator	Continental		DL1RXS-PT	Solid Door Refrigeration Cabinet	Vertical	Reach-In	Automatic	0	2	Hinged	24.26	NA	NA	83.3	211.582	36.3	92.202	30.5	77.47	3.01	R-134a	DL1RXS-SA-PT, DL1RXS-SS-PT
Continental Refrigerator	Continental		DL2R	Solid Door Refrigeration Cabinet	Vertical	Reach-In	Automatic	0	2	Hinged	49.54	NA	NA	83.3	211.582	52	132.08	35.5	90.17	4.36	R-134a	DL2R-SA, DL2R-SS
Continental Refrigerator	Continental		DL3R	Solid Door Refrigeration Cabinet	Vertical	Reach-In	Automatic	0	3	Hinged	73.16	NA	NA	83.3	211.582	78	198.12	35.5	90.17	5.75	R-134a	DL3R-SA, DL3R-SS
Continental Refrigerator	Continental		DL3RE	Solid Door Refrigeration Cabinet	Vertical	Reach-In	Automatic	0	3	Hinged	80.2	NA	NA	83.3	211.582	85.5	217.17	35.5	90.17	6	R-134a	DL3RE-SA, DL3RE-SS
Continental Refrigerator	Continental		DL3RE-PT	Solid Door Refrigeration Cabinet	Vertical	Reach-In	Automatic	0	6	Hinged	80.2	NA	NA	83.3	211.582	85.5	217.17	35.5	90.17	6	R-134a	DL3RE-SA-PT, DL3RE-SS-PT

Mixed Door Cabinet

*Additional model number variations represent aesthetic differences that do not affect the performance of the equipment.

Company Name	Brand Name	Model Name	Model Number	Product Type	Product Orientation (Vertical / Chest)	Cabinet Type	Defrost Type	# of Doors-Glass	# of Doors-Solid	Door Opening (Hinged/Sliding)	TOTAL AHAM Volume (cu ft.)	Glass Door Compartment Volume (cu. ft.)	Solid Door Compartment Volume (cu. ft.)	Height (in)	Height (cm)	Width (in)	Width (cm)	Depth (in)	Depth (cm)	Daily Energy Consumption (kW-hrs/day)	Refrigerant Type	Additional Model Numbers*
Continental Refrigerator	Continental		DL3R-PT	Solid Door Refrigeration Cabinet	Vertical	Reach-In	Automatic	0	6	Hinged	73.16	NA	NA	83.3	211.582	78	198.12	35.5	90.17	5.75	R-134a	DL3R-SA-PT, DL3R-SS-PT
Continental Refrigerator	Continental		MC3-DCW	Solid Door Refrigeration Cabinet	Vertical	Other	Automatic	0	2	Hinged	13.21	NA	NA	41.5	105.41	34	86.36	33	83.82	2.19	R-134a	MC3-SS-DCW
Continental Refrigerator	Continental		MC3-SCW	Solid Door Refrigeration Cabinet	Vertical	Other	Automatic	0	1	Hinged	13.21	NA	NA	41.5	105.41	34	86.36	33	83.82	2.48	R-134a	MC3-SS-SCW
Continental Refrigerator	Continental		MC4-DCW	Solid Door Refrigeration Cabinet	Vertical	Other	Automatic	0	2	Hinged	19.79	NA	NA	41.5	105.41	49	124.46	33	83.82	2.1	R-134a	MC4-SS-DCW
Continental Refrigerator	Continental		MC4-SCW	Solid Door Refrigeration Cabinet	Vertical	Other	Automatic	0	1	Hinged	19.79	NA	NA	41.5	105.41	49	124.46	33	83.82	2.84	R-134a	MC4-SS-SCW
Continental Refrigerator	Continental		MC5-DCW	Solid Door Refrigeration Cabinet	Vertical	Other	Automatic	0	2	Hinged	23.74	NA	NA	41.5	105.41	58	147.32	33	83.82	2.64	R-134a	MC5-SS-DCW
Continental Refrigerator	Continental		MC5-SCW	Solid Door Refrigeration Cabinet	Vertical	Other	Automatic	0	1	Hinged	23.74	NA	NA	41.5	105.41	58	147.32	33	83.82	2.97	R-134a	MC5-SS-SCW
Fogel de CentroAmerica S.A.	Fogel	CC-7-BEV	CC-7-BEV	Glass Door Refrigeration Cabinet	Vertical	Reach-in	Automatic	1	0	Hinged	5.9	NA	NA	37.8	96	21.2	53.8	25	63.5	2.08	R-134a	
Fogel de CentroAmerica S.A.	Fogel	DECK-10	DECK-10	Glass Door Refrigeration Cabinet	Vertical	Reach-in	Automatic	1	0	Hinged	8.1	NA	NA	54	137.16	25.6	65.08	22.8	57.78	1.82	R-134a	
Fogel de CentroAmerica S.A.	Fogel	DECK-12	DECK-12	Glass Door Refrigeration Cabinet	Vertical	Reach-in	Automatic	1	0	Hinged	10.0	NA	NA	62	157.48	25.6	65.08	22.8	57.78	1.85	R-134a	
Fogel de CentroAmerica S.A.	Fogel	HC-12-US	HC-12-US	Glass Door Refrigeration Cabinet	Vertical	Reach-in	Automatic	1	0	Hinged	10.4	NA	NA	62	157.48	25.6	65.024	22.8	57.912	2.09	R-290	HC-12-SA-US, HC-12-SSA-US, and HC-12-AA-US
Fogel de CentroAmerica S.A.	Fogel	VR-10-BEV	VR-10-BEV	Glass Door Refrigeration Cabinet	Vertical	Reach-in	Automatic	1	0	Hinged	8.5	NA	NA	54	137.16	25.6	65.08	22.8	57.78	2.19	R-134a	
Fogel de CentroAmerica S.A.	Fogel	VR-12-BEV	VR-12-BEV	Glass Door Refrigeration Cabinet	Vertical	Reach-in	Automatic	1	0	Hinged	10.4	NA	NA	62	157.48	25.6	65.08	22.8	57.78	2.10	R-134a	
Fogel de CentroAmerica S.A.	Fogel	VR-26-BEV	VR-26-BEV	Glass Door Refrigeration Cabinet	Vertical	Reach-in	Automatic	1	0	Hinged	22.1	NA	NA	78	198.1	30	76.2	29.5	74.9	3.32	R-134a	
Hoshizaki America	Hoshizaki America	RH1-SSE-HG	RH1-SSE-HG	Glass Door Refrigeration Cabinet	Vertical	Reach-in	Automatic	2	0	Hinged	20.9	NA	NA	84.5	215	27.5	70	33.6	85	3.00	R-134A	
Hoshizaki America	Hoshizaki America	RH2-SSE-HG	RH2-SSE-HG	Glass Door Refrigeration Cabinet	Vertical	Reach-in	Automatic	4	0	Hinged	45.9	NA	NA	84.5	215	55	140	33.6	85	3.88	R-134A	
Imbera, S.A. de C.V.	Imbera	G313	G313	Glass Door Refrigeration Cabinet	Vertical	Merchandiser	Automatic	1	0	Hinged	12.8	NA	NA	58.7	149	29.5	75	23.6	60	2.887	R-134A	

Mixed Door Cabinet

*Additional model number variations represent aesthetic differences that do not affect the performance of the equipment.

Company Name	Brand Name	Model Name	Model Number	Product Type	Product Orientation (Vertical / Chest)	Cabinet Type	Defrost Type	# of Doors-Glass	# of Doors-Solid	Door Opening (Hinged/Sliding)	TOTAL AHAM Volume (cu ft.)	Glass Door Compartment Volume (cu. ft.)	Solid Door Compartment Volume (cu. ft.)	Height (in)	Height (cm)	Width (in)	Width (cm)	Depth (in)	Depth (cm)	Daily Energy Consumption (kW-hrs/day)	Refrigerant Type	Additional Model Numbers*
Imbera, S.A. de C.V.	Imbera	G319	G319	Glass Door Refrigeration Cabinet	Vertical	Merchandiser	Automatic	1	0	Hinged	19.2	NA	NA	80	203.2	29.5	74.93	26	66.04	3.04	R-134A	
Imbera, S.A. de C.V.	Imbera	G342	G342	Glass Door Refrigeration Cabinet	Vertical	Merchandiser	Automatic	2	0	Hinged	41.0	NA	NA	81.5	207.01	59	149.86	26	66.04	6.21	R-134A	
Imbera, S.A. de C.V.	Imbera	VR06	VR06	Glass Door Refrigeration Cabinet	Vertical	Merchandiser	Automatic	1	0	Hinged	5.1	NA	NA	36	91.44	21	53.34	25.5	64.77	1.739	R-134A	
Imbera, S.A. de C.V.	Imbera	VR08	VR08	Glass Door Refrigeration Cabinet	Vertical	Merchandiser	Automatic	1	0	Hinged	7.8	NA	NA	69.29	176	18.9	48	18.11	46	2.119	R-134A	
Imbera, S.A. de C.V.	Imbera	VR10	VR10	Glass Door Refrigeration Cabinet	Vertical	Merchandiser	Automatic	1	0	Hinged	8.9	NA	NA	52.44	133.2	20.35	51.7	24.84	63.1	1.739	R-134A	
Imbera, S.A. de C.V.	Imbera	VR12	VR12	Glass Door Refrigeration Cabinet	Vertical	Merchandiser	Automatic	1	0	Hinged	11.6	NA	NA	63	160.02	24.87	63.1698	22.75	57.785	2.39	R-134A	
McCall Refrigeration	McCall Refrigeration	MCCR1-G	MCCR1-G	Glass Door Refrigeration Cabinet	Vertical	Reach-in	Automatic	1	0	Hinged	25.0	NA	NA	81		29		34		3.80	R404a	
McCall Refrigeration	McCall Refrigeration	MCCR1-GH	MCCR1-GH	Glass Door Refrigeration Cabinet	Vertical	Reach-in	Automatic	2	0	Hinged	25.0	NA	NA	81		29		34		3.80	R404a	
McCall Refrigeration	McCall Refrigeration	MCCR25-G	MCCR25-G	Glass Door Refrigeration Cabinet	Vertical	Reach-in	Automatic	1	0	Hinged	20.0	NA	NA	80.5		25.5		33.13		3.69	R404a	
McCall Refrigeration	McCall Refrigeration	MCCR25-GH	MCCR25-GH	Glass Door Refrigeration Cabinet	Vertical	Reach-in	Automatic	2	0	Hinged	20.0	NA	NA	80.5		25.5		33.13		3.69	R404a	
McCall Refrigeration	McCall Refrigeration	MCCR2-G	MCCR2-G	Glass Door Refrigeration Cabinet	Vertical	Reach-in	Automatic	2	0	Hinged	51.9	NA	NA	81		56		34		6.68	R404a	
McCall Refrigeration	McCall Refrigeration	MCCR2-GH	MCCR2-GH	Glass Door Refrigeration Cabinet	Vertical	Reach-in	Automatic	4	0	Hinged	51.9	NA	NA	81		56		34		6.68	R404a	
McCall Refrigeration	McCall Refrigeration	MCCR3-G	MCCR3-G	Glass Door Refrigeration Cabinet	Vertical	Reach-in	Automatic	3	0	Hinged	78.9	NA	NA	81		83		34		8.90	R404a	
McCall Refrigeration	McCall Refrigeration	MCCR3-GH	MCCR3-GH	Glass Door Refrigeration Cabinet	Vertical	Reach-in	Automatic	6	0	Hinged	78.9	NA	NA	81		83		34		8.90	R404a	
McCall Refrigeration	McCall Refrigeration	MCCR51-G	MCCR51-G	Glass Door Refrigeration Cabinet	Vertical	Reach-in	Automatic	2	0	Hinged	43.5	NA	NA	79.5		51		32.6		5.59	R404a	
McCall Refrigeration	McCall Refrigeration	MCCR51-GH	MCCR51-GH	Glass Door Refrigeration Cabinet	Vertical	Reach-in	Automatic	4	0	Hinged	43.5	NA	NA	79.5		51		32.6		5.59	R404a	
McCall Refrigeration	McCall Refrigeration	MER26-G	MER26-G	Glass Door Refrigeration Cabinet	Vertical	Reach-in	Automatic	1	0	Hinged	22.1	NA	NA	78	198.1	30	76.2	29.5	74.9	3.32	R-134a	

Mixed Door Cabinet

*Additional model number variations represent aesthetic differences that do not affect the performance of the equipment.

Company Name	Brand Name	Model Name	Model Number	Product Type	Product Orientation (Vertical / Chest)	Cabinet Type	Defrost Type	# of Doors-Glass	# of Doors-Solid	Door Opening (Hinged/Sliding)	TOTAL AHAM Volume (cu ft.)	Glass Door Compartment Volume (cu. ft.)	Solid Door Compartment Volume (cu. ft.)	Height (in)	Height (cm)	Width (in)	Width (cm)	Depth (in)	Depth (cm)	Daily Energy Consumption (kW-hrs/day)	Refrigerant Type	Additional Model Numbers*
McCall Refrigeration	McCall Refrigeration	MCCRPT1-G	MCCRPT1-G	Mixed Solid/Glass Door Refrigeration Cabinet	Vertical	Pass-Through	Automatic	1	1	Hinged	26.64	13.32	13.32	81		29		36.25		4.58	R404a	
McCall Refrigeration	McCall Refrigeration	MCCRPT1-GH	MCCRPT1-GH	Mixed Solid/Glass Door Refrigeration Cabinet	Vertical	Pass-Through	Automatic	2	2	Hinged	26.64	13.32	13.32	81		29		36.25		4.58	R404a	
McCall Refrigeration	McCall Refrigeration	MCCRPT2-G	MCCRPT2-G	Mixed Solid/Glass Door Refrigeration Cabinet	Vertical	Pass-Through	Automatic	2	2	Hinged	55.42	27.71	27.71	81		56		36.25		8.16	R404a	
McCall Refrigeration	McCall Refrigeration	MCCRPT2-GH	MCCRPT2-GH	Mixed Solid/Glass Door Refrigeration Cabinet	Vertical	Pass-Through	Automatic	4	4	Hinged	55.42	27.71	27.71	81		56		36.25		8.16	R404a	
Nor-Lake, Inc.	Nor-Lake		AR162SSS/0	Solid Door Refrigeration Cabinet	Chest	Milk Cooler	Manual	0	2	Hinged	23.4	NA	NA	44	111.76	63	160.02	34	86.36	2.24	R-134a	AR162SVS/0, AR162WSS/0, AR162WVS/0
Perlick Corporation	Perlick	HC24RS	HC24RS	Glass Door Refrigeration Cabinet	Vertical	Reach-In	Automatic	1		Hinged	5.3	NA	NA	34	86.36	23.875	60.6425	24	60.96	1.93	R-134a	
Perlick Corporation	Perlick	BS32	BS32	Solid Door Refrigeration Cabinet	Vertical	Back Bar Cooler	Automatic	0	1	Hinged	7	NA	NA	34.5	87.63	32	81.28	24.75	62.865	1.72	R-134a	CS32SS, CS32SB
Perlick Corporation	Perlick	HC24RS	HC24RS	Solid Door Refrigeration Cabinet	Vertical	Reach-In	Automatic	0	0	Hinged	5.3	NA	NA	34	86.36	23.875	60.6425	24	60.96	1.69	R-134a	
QBD Cooling Systems	QBD	CD10H	CD10H	Glass Door Refrigeration Cabinet	Vertical	Reach-in	Automatic	1	1	Hinged	9.2	NA	NA	54	137.16	25.25	64.13	24.5	62.23	2.19	R-134a	CD10H-OUT
QBD Cooling Systems	QBD	CD12H	CD12H	Glass Door Refrigeration Cabinet	Vertical	Reach-in	Automatic	1	0	Hinged	11.3	NA	NA	62	157.48	25.25	64.13	24.5	62.23	2.19	R-134a	CD12H-OUT
QBD Cooling Systems	QBD	CD14H	CD14H	Glass Door Refrigeration Cabinet	Vertical	Reach-in	Automatic	2	0	Hinged	14.3	NA	NA	56	142.24	36	91.44	24.5	62.23	2.82	R-134a	
QBD Cooling Systems	QBD	CD26L1T5	CD26L1T5	Glass Door Refrigeration Cabinet	Vertical	Reach-in	Automatic	1	0	Hinged	23.1	NA	NA	78.125	198.43	30.625	77.78	29.75	75.56	3.79	R-134a	
QBD Cooling Systems	QBD	CD4148S	CD4148S	Glass Door Refrigeration Cabinet	Vertical	Reach-in	Automatic	2	0	Hinged	14.6	NA	NA	47.625	120.96	48	121.92	24.5	62.23	2.48	R-134a	
QBD Cooling Systems	QBD	CD4154SL	CD4154SL	Glass Door Refrigeration Cabinet	Vertical	Reach-in	Automatic	2	0	Hinged	14.3	NA	NA	53.875	136.84	47	119.38	21	53.34	2.90	R-134a	
QBD Cooling Systems	QBD	CD4156SL	CD4156SL	Glass Door Refrigeration Cabinet	Vertical	Reach-in	Automatic	2	0	Hinged	15.1	NA	NA	55.875	141.91	47	119.38	21	53.34	3.05	R-134a	

Mixed Door Cabinet

*Additional model number variations represent aesthetic differences that do not affect the performance of the equipment.

Company Name	Brand Name	Model Name	Model Number	Product Type	Product Orientation (Vertical / Chest)	Cabinet Type	Defrost Type	# of Doors-Glass	# of Doors-Solid	Door Opening (Hinged/Sliding)	TOTAL AHAM Volume (cu ft.)	Glass Door Compartment Volume (cu. ft.)	Solid Door Compartment Volume (cu. ft.)	Height (in)	Height (cm)	Width (in)	Width (cm)	Depth (in)	Depth (cm)	Daily Energy Consumption (kW-hrs/day)	Refrigerant Type	Additional Model Numbers*
QBD Cooling Systems	QBD	CD4160SL	CD4160SL	Glass Door Refrigeration Cabinet	Vertical	Reach-in	Automatic	2	0	Hinged	16.5	NA	NA	59.625	151.44	47	119.38	21	53.34	3.05	R-134a	
QBD Cooling Systems	QBD	CD45S	CD45S	Glass Door Refrigeration Cabinet	Vertical	Reach-in	Automatic	2	0	Hinged	37.1	NA	NA	78.125	198.43	52	132.08	29.5	74.93	5.78	R-134a	
QBD Cooling Systems	QBD	CD47HB	CD47HB	Glass Door Refrigeration Cabinet	Vertical	Reach-in	Automatic	2	0	Hinged	40.0	NA	NA	78.125	198.43	52	132.08	29.75	75.56	5.74	R-134a	
QBD Cooling Systems	QBD	SL10H	SL10H	Glass Door Refrigeration Cabinet	Vertical	Reach-in	Automatic	1	0	Hinged	6.6	NA	NA	54	137.16	25.25	64.13	18	45.72	1.77	R-134a	
Traulsen	Traulsen	G11000	G11000	Glass Door Refrigeration Cabinet	Vertical	Reach-in	Automatic	2	0	Hinged	24.2	NA	NA	83.25	211.455	29.875	75.8825	35	88.9	4.43	R-134a	G11000, G11001
Traulsen	Traulsen	G21010	G21010	Glass Door Refrigeration Cabinet	Vertical	Reach-in	Automatic	2	0	Hinged	46.0	NA	NA	83.25	211.455	52.125	132.398	35	88.9	6	R-134a	G21010, G21011, G21012, G21013
Traulsen	Traulsen	G20014P	G20014P	Solid Door Refrigeration Cabinet	Vertical	Pass-Through	Automatic	0	4	Hinged	48.8	NA	NA	83.25	211.455	52.125	132.398	37.9375	96.3613	4.3	R-134a	G20014P, G20015P, G20016P, G20017P
True Manufacturing (True Food Service Equipment)	TRUE	GDM-10	GDM-10	Glass Door Refrigeration Cabinet	Vertical	Merchandiser	Manual	1	0	Hinged	8.4	NA	NA	54	137	25	64	23	58	2.08	R-134a	GDM-10RF
True Manufacturing (True Food Service Equipment)	TRUE	GDM-10-58	GDM-10-58	Glass Door Refrigeration Cabinet	Vertical	Merchandiser	Manual	1	0	Hinged	9.8	NA	NA	58	147	25	64	23	58	2.47	R-134a	
True Manufacturing (True Food Service Equipment)	TRUE	GDM-11SD	GDM-11SD	Glass Door Refrigeration Cabinet	Vertical	Merchandiser	Manual	2	0	Sliding	9.3	NA	NA	54	137	27	68	24	61	2.36	R-134a	
True Manufacturing (True Food Service Equipment)	TRUE	GDM-12	GDM-12	Glass Door Refrigeration Cabinet	Vertical	Merchandiser	Manual	1	0	Hinged	10.1	NA	NA	62	157	25	64	23	58	2.49	R-134a	GDM-12RF, GDM-12FC
True Manufacturing (True Food Service Equipment)	TRUE	GDM-26	GDM-26	Glass Door Refrigeration Cabinet	Vertical	Merchandiser	Manual	1	0	Hinged	23.0	NA	NA	78	198	30	76	30	76	3.61	R-134a	GDM-26RF
True Manufacturing (True Food Service Equipment)	TRUE	GDM-33	GDM-33	Glass Door Refrigeration Cabinet	Vertical	Merchandiser	Manual	2	0	Sliding	28.9	NA	NA	79	200.66	40	101.6	30	76.2	4.78	R-134a	

Mixed Door Cabinet

*Additional model number variations represent aesthetic differences that do not affect the performance of the equipment.

Company Name	Brand Name	Model Name	Model Number	Product Type	Product Orientation (Vertical / Chest)	Cabinet Type	Defrost Type	# of Doors-Glass	# of Doors-Solid	Door Opening (Hinged/Sliding)	TOTAL AHAM Volume (cu. ft.)	Glass Door Compartment Volume (cu. ft.)	Solid Door Compartment Volume (cu. ft.)	Height (in)	Height (cm)	Width (in)	Width (cm)	Depth (in)	Depth (cm)	Daily Energy Consumption (kW-hrs/day)	Refrigerant Type	Additional Model Numbers*
True Manufacturing (True Food Service Equipment)	TRUE	GDM-33	GDM-33	Glass Door Refrigeration Cabinet	Vertical	Merchandiser	Manual	2	0	Sliding	28.9	NA	NA	79	200.66	40	101.6	30	76.2	4.78	R-134a	
True Manufacturing (True Food Service Equipment)	TRUE	GDM-35	GDM-35	Glass Door Refrigeration Cabinet	Vertical	Merchandiser	Manual	2	0	Hinged	30.9	NA	NA	79	200.66	40	101.6	30	76.2	5.21	R-134a	
True Manufacturing (True Food Service Equipment)	TRUE	GDM-35	GDM-35	Glass Door Refrigeration Cabinet	Vertical	Merchandiser	Manual	2	0	Hinged	30.9	NA	NA	79	200.66	40	101.6	30	76.2	5.21	R-134a	
True Manufacturing (True Food Service Equipment)	TRUE	GDM-37	GDM-37	Glass Door Refrigeration Cabinet	Vertical	Merchandiser	Manual	2	0	Sliding	32.7	NA	NA	79	200.66	44	111.76	30	76.2	4.77	R-134a	
True Manufacturing (True Food Service Equipment)	TRUE	GDM-37	GDM-37	Glass Door Refrigeration Cabinet	Vertical	Merchandiser	Manual	2	0	Sliding	32.7	NA	NA	79	200.66	44	111.76	30	76.2	4.77	R-134a	
True Manufacturing (True Food Service Equipment)	TRUE	GDM-41	GDM-41	Glass Door Refrigeration Cabinet	Vertical	Merchandiser	Manual	2	0	Sliding	36.5	NA	NA	79	200.66	47	119.38	30	76.2	4.83	R-134a	
True Manufacturing (True Food Service Equipment)	TRUE	GDM-43	GDM-43	Glass Door Refrigeration Cabinet	Vertical	Merchandiser	Automatic	2	0	Hinged	37.3	NA	NA	79	201	47	119	30	76	5.30	R-134a	
True Manufacturing (True Food Service Equipment)	TRUE	GDM-47	GDM-47	Glass Door Refrigeration Cabinet	Vertical	Merchandiser	Automatic	2	0	Sliding	44.2	NA	NA	78	198	54	137	30	76	6.15	R-134a	GDM-47FC
True Manufacturing (True Food Service Equipment)	TRUE	GDM-49	GDM-49	Glass Door Refrigeration Cabinet	Vertical	Merchandiser	Manual	2	0	Hinged	45.2	NA	NA	79	201	54	137	30	76	5.96	R-134a	GDM-49RF, GDM-49FC, GDM-49W-RF
True Manufacturing (True Food Service Equipment)	TRUE	T-49G	T-49G	Glass Door Refrigeration Cabinet	Vertical	Reach-In	Manual	2	0	Hinged	44.1	NA	NA	78	198.12	54	137.16	30	76.2	6.28	R-134a	

Mixed Door Cabinet

*Additional model number variations represent aesthetic differences that do not affect the performance of the equipment.

Company Name	Brand Name	Model Name	Model Number	Product Type	Product Orientation (Vertical / Chest)	Cabinet Type	Defrost Type	# of Doors-Glass	# of Doors-Solid	Door Opening (Hinged/Sliding)	TOTAL AHAM Volume (cu ft.)	Glass Door Compartment Volume (cu. ft.)	Solid Door Compartment Volume (cu. ft.)	Height (in)	Height (cm)	Width (in)	Width (cm)	Depth (in)	Depth (cm)	Daily Energy Consumption (kW-hrs/day)	Refrigerant Type	Additional Model Numbers*
True Manufacturing (True Food Service Equipment)	TRUE	T-49G	T-49G	Glass Door Refrigeration Cabinet	Vertical	Reach-In	Manual	2	0	Hinged	44.1	NA	NA	78	198.12	54	137.16	30	76.2	6.28	R-134a	TS-49G
True Manufacturing (True Food Service Equipment)	TRUE	T-23	T-23	Solid Door Refrigeration Cabinet	Vertical	Reach-In	Manual	0	1	Hinged	20.5	NA	NA	78	198.12	27	68.58	30	76.2	2.43	R-134a	TS-23
True Manufacturing (True Food Service Equipment)	TRUE	T-35	T-35	Solid Door Refrigeration Cabinet	Vertical	Reach-In	Manual	0	2	Hinged	31.2	NA	NA	78	198.12	40	101.6	30	76.2	2.89	R-134a	TS-35
True Manufacturing (True Food Service Equipment)	TRUE	T-49	T-49	Solid Door Refrigeration Cabinet	Vertical	Reach-In	Manual	0	2	Hinged	43.5	NA	NA	78	198.12	54	137.16	30	76.2	3.50	R-134a	TS-49
True Manufacturing (True Food Service Equipment)	TRUE	T-72	T-72	Solid Door Refrigeration Cabinet	Vertical	Reach-In	Manual	0	3	Hinged	65.8	NA	NA	79	200.66	78	198.12	30	76.2	4.98	R-134a	TS-72
True Manufacturing (True Food Service Equipment)	TRUE	TDD-1	TDD-1	Solid Door Refrigeration Cabinet	Vertical	Direct Draw Unit	Manual	0	1	Hinged	7.71	NA	NA	40	101.6	24	60.96	31	78.74	1.87	R-134a	TDD-1-S
True Manufacturing (True Food Service Equipment)	TRUE	TUC-24	TUC-24	Solid Door Refrigeration Cabinet	Vertical	Undercounter Unit	Manual	0	1	Hinged	5	NA	NA	33	83.82	24	60.96	25	63.5	0.91	R-134a	
True Manufacturing (True Food Service Equipment)	TRUE	TUC-27	TUC-27	Solid Door Refrigeration Cabinet	Vertical	Undercounter Unit	Manual	0	1	Hinged	6.64	NA	NA	30	76.2	28	71.12	30	76.2	1.89	R-134a	TUC-27-LP, TUC-27-ADA, TWT-27, TST-ADA
True Manufacturing (True Food Service Equipment)	TRUE	TUC-36	TUC-36	Solid Door Refrigeration Cabinet	Vertical	Undercounter Unit	Manual	0	2	Hinged	8.94	NA	NA	30	76.2	36	91.44	30	76.2	2.08	R-134a	TUC-36-LP, TUC-36-ADA, TWT-36, TWT-36-ADA
True Manufacturing (True Food Service Equipment)	TRUE	TUC-72	TUC-72	Solid Door Refrigeration Cabinet	Vertical	Undercounter Unit	Manual	0	3	Hinged	18.72	NA	NA	30	76.2	72	182.88	30	76.2	2.73	R-134a	TUC-72-ADA, TWT-72, TUC-72-ADA

Mixed Door Cabinet

*Additional model number variations represent aesthetic differences that do not affect the performance of the equipment.

Company Name	Brand Name	Model Name	Model Number	Product Type	Product Orientation (Vertical / Chest)	Cabinet Type	Defrost Type	# of Doors-Glass	# of Doors-Solid	Door Opening (Hinged/Sliding)	TOTAL AHAM Volume (cu ft.)	Glass Door Compartment Volume (cu. ft.)	Solid Door Compartment Volume (cu. ft.)	Height (in)	Height (cm)	Width (in)	Width (cm)	Depth (in)	Depth (cm)	Daily Energy Consumption (kW-hrs/day)	Refrigerant Type	Additional Model Numbers*
True Manufacturing (True Food Service Equipment)	TRUE	TWT-48	TWT-48	Solid Door Refrigeration Cabinet	Vertical	Other	Manual	0	1	Hinged	12.31	NA	NA	33	83.82	48	121.92	30	76.2	2.16	R-134a	TWT-48-ADA, TUC-48, TUC-48-ADA, TUC-48-LP
True Manufacturing (True Food Service Equipment)	TRUE	TWT-60	TWT-60	Solid Door Refrigeration Cabinet	Vertical	Worktop Variation of Undercounter Unit	Manual	0	2	Hinged	15.57	NA	NA	33	83.82	60	152.4	30	76.2	2.37	R-134a	TWT-60-ADA, TUC-60, TUC-60-ADA, TUC-60-LP
True Manufacturing (True Food Service Equipment)	TRUE	TWT-67	TWT-67	Solid Door Refrigeration Cabinet	Vertical	Worktop Variation of Undercounter Unit	Manual	0	2	Hinged	23.13	NA	NA	33	83.82	67	170.18	32	81.28	2.70	R-134a	TUC-67
Universal Nolin Company, LLC	Universal Nolin	MC1300H	MC1300H	Glass Door Refrigeration Cabinet	Vertical	Merchandiser	Automatic	2	0	Hinged	47.7	NA	NA	78	198.1	52	132.1	32	81.3	6.78	R-134a	MC1300S-1-ABB64, MC1300S-1-AGT, MC1300S-1-AIT, MC1300S-1-B, MC1300S-1-CEMS, MC1300S-1-D, MC1300S-1-D-64, MC1300S-1-NB-64, MC1300S-1-RC, MC1300S-1-RC-64, MC1300S-1-SK, MC1300S-1-SN, MC1300S-1-SN-64, MC1300S-1-SU, MC1300S-1-SU-64, MC1300S-1-VEN, MC1300S-1-VW, MC1300S-1-W, MC1300S-1-WIRED
Universal Nolin Company, LLC	Universal Nolin	MC1300S	MC1300S	Glass Door Refrigeration Cabinet	Vertical	Merchandiser	Automatic	2	0	Sliding	47.0	NA	NA	78	198.1	52	132.1	32	81.3	6.46	R-134a	MC1300H-1-AGT, MC1300H-1-B, MC1300H-1-B-64, MC1300H-1-CEMS, MC1300H-1-D, MC1300H-1-D-64, MC1300H-1-MM, MC1300H-1-SK, MC1300H-1-SN, MC1300H-1-SN-64, MC1300H-1-SU, MC1300H-1-SU-64, MC1300H-1-VEN, MC1300H-1-W

Mixed Door Cabinet

*Additional model number variations represent aesthetic differences that do not affect the performance of the equipment.

Company Name	Brand Name	Model Name	Model Number	Product Type	Product Orientation (Vertical / Chest)	Cabinet Type	Defrost Type	# of Doors-Glass	# of Doors-Solid	Door Opening (Hinged/Sliding)	TOTAL AHAM Volume (cu ft.)	Glass Door Compartment Volume (cu. ft.)	Solid Door Compartment Volume (cu. ft.)	Height (in)	Height (cm)	Width (in)	Width (cm)	Depth (in)	Depth (cm)	Daily Energy Consumption (kW-hrs/day)	Refrigerant Type	Additional Model Numbers*
Universal Nolin Company, LLC	Universal Nolin	MC2000S	MC2000S	Glass Door Refrigeration Cabinet	Vertical	Merchandise	Automatic	3	0	Sliding	65.0	NA	NA	78	198.1	78	198.1	32	81.3	8.63	R-134a	MC2000S-1-B, MC2000S-1-CEMS, MC2000S-1-D, MC2000S-1-D-64, MC2000S-1-SK, MC2000S-1-VEN

ENERGY STAR Commercial Freezer Qualified Product List

List Current as of January 15, 2010

*Additional model number variations represent aesthetic differences that do not affect the performance of the equipment.

											Mixed Door Cabinet											
Company Name	Brand Name	Model Name	Model Number	Product Type	Product Orientation (Vertical / Chest)	Cabinet Type	Defrost Type	# of Doors-Glass	# of Doors-Solid	Door Opening (Hinged/Sliding)	TOTAL AHAM Volume (cu. ft.)	Glass Door Compartment Volume (cu. ft.)	Solid Door Compartment Volume (cu. ft.)	Height (in)	Height (cm)	Width (in)	Width (cm)	Depth (in)	Depth (cm)	Daily Energy Consumption (kW-hrs/day)	Refrigerant Type	Additional Model Numbers*
Arctic Air	Arctic Air		R22CWF	Solid Door Freezer Cabinet	Vertical	Reach-In	Automatic	0	1	Hinged	18.09	NA	NA	70	177.8	32	81.28	28.6	72.644	2.79	R-134a	
Continental Refrigerator	Continental		1FX	Solid Door Freezer Cabinet	Vertical	Reach-In	Automatic	0	1	Hinged	30.32	NA	NA	82.3	209.04	36.3	92.2	35.5	90.17	11.02	R404a	1FX-SA, 1FX-SS
Continental Refrigerator	Continental		2F	Solid Door Freezer Cabinet	Vertical	Reach-In	Automatic	0	2	Hinged	45.61	NA	NA	82.3	209.042	52	132.08	35.5	90.17	12.9	R404a	2F-SA, 2F-SS
Continental Refrigerator	Continental		2FE	Solid Door Freezer Cabinet	Vertical	Reach-In	Automatic	0	2	Hinged	50	NA	NA	82.3	209.042	57	144.78	35.5	90.17	13.11	R404a	2FE-SA, 2FE-SS
Continental Refrigerator	Continental		2FE-PT	Solid Door Freezer Cabinet	Vertical	Reach-In	Automatic	0	4	Hinged	52.01	NA	NA	82.3	209.042	57	144.78	35.5	90.17	14.1	R404a	2FE-SA-PT, 2FE-SS-PT
Continental Refrigerator	Continental		2F-PT	Solid Door Freezer Cabinet	Vertical	Reach-In	Automatic	0	4	Hinged	49.54	NA	NA	82.3	209.042	52	132.08	35.5	90.17	13.75	R404a	2F-SA-PT, 2F-SS-PT
Continental Refrigerator	Continental		2FS	Solid Door Freezer Cabinet	Vertical	Reach-In	Automatic	0	2	Hinged	39.19	NA	NA	82.3	209.042	52	132.08	30.5	77.47	11.88	R404a	2FS-SA, 2FS-SS
Continental Refrigerator	Continental		2FSE	Solid Door Freezer Cabinet	Vertical	Reach-In	Automatic	0	2	Hinged	31.8	NA	NA	82.3	209.042	36.3	92.202	35.5	90.17	11.02	R404a	2FSE-SA, 2FSE-SS
Continental Refrigerator	Continental		DL2F	Solid Door Freezer Cabinet	Vertical	Reach-In	Automatic	0	2	Hinged	49.54	NA	NA	83.3	211.582	52	132.08	35.5	90.17	13.75	R404a	DL2F-SA, DL2F-SS
Continental Refrigerator	Continental		DL2FE	Solid Door Freezer Cabinet	Vertical	Reach-In	Automatic	0	2	Hinged	52.01	NA	NA	83.3	211.582	57	144.78	35.5	90.17	14.1	R404a	DL2FE-SA, DL2FE-SS
Continental Refrigerator	Continental		DL2FE-PT	Solid Door Freezer Cabinet	Vertical	Reach-In	Automatic	0	4	Hinged	52.01	NA	NA	83.3	211.582	57	144.78	35.5	90.17	14.1	R404a	DL2FE-SA-PT, DL2FE-SS-PT
Continental Refrigerator	Continental		DL2F-PT	Solid Door Freezer Cabinet	Vertical	Reach-In	Automatic	0	4	Hinged	49.54	NA	NA	83.3	211.582	52	132.08	35.5	90.17	13.75	R404a	DL2F-SA-PT, DL2F-SS-PT
Electrolux Home Products	Frigidaire (Commercial)	FCFS20	FCFS20	Solid Door Freezer Cabinet	Vertical	Reach-In	Automatic	0	1	Hinged	19.4	NA	NA	70	177.8	32	81.28	28.6	72.64	2.79	R-134a	
Electrolux Home Products	Kelvinator (Commercial)	KFS22	KFS22	Solid Door Freezer Cabinet	Vertical	Reach-In	Automatic	0	1	Hinged	19.4	NA	NA	70	177.8	32	81.28	28.6	72.64	2.79	R-134a	
McCall Refrigeration	McCall Refrigeration	MCCF1-G	MCCF1-G	Glass Door Freezer Cabinet	Vertical	Reach-in	Automatic	1	0	Hinged	25.0	NA	NA	81		29			34	11.29	R404a	
McCall Refrigeration	McCall Refrigeration	MCCF1-GH	MCCF1-GH	Glass Door Freezer Cabinet	Vertical	Reach-in	Automatic	2	0	Hinged	25.0	NA	NA	81		29			34	11.29	R404a	

McCall Refrigeration	McCall Refrigeration	MCCF2-G	MCCF2-G	Glass Door Freezer Cabinet	Vertical	Reach-in	Automatic	2	0	Hinged	55.4	NA	NA	81	56	34	19.95	R404a				
McCall Refrigeration	McCall Refrigeration	MCCF2-GH	MCCF2-GH	Glass Door Freezer Cabinet	Vertical	Reach-in	Automatic	4	0	Hinged	55.4	NA	NA	81	56	34	19.95	R404a				
McCall Refrigeration	McCall Refrigeration	MCCF3-G	MCCF3-G	Glass Door Freezer Cabinet	Vertical	Reach-in	Automatic	3	0	Hinged	78.9	NA	NA	85	83	34	29.07	R404a				
McCall Refrigeration	McCall Refrigeration	MCCF3-GH	MCCF3-GH	Glass Door Freezer Cabinet	Vertical	Reach-in	Automatic	6	0	Hinged	78.9	NA	NA	85	83	34	29.07	R404a				
True Manufacturing (True Food Service Equipment)	TRUE	T-23F	T-23F	Solid Door Freezer Cabinet	Vertical	Reach-In	Automatic	0	1	Hinged	19.5	NA	NA	78	198.12	27	68.58	30	76.2	6.38	R-404A	TS-23F
True Manufacturing (True Food Service Equipment)	TRUE	T-49F	T-49F	Solid Door Freezer Cabinet	Vertical	Reach-In	Automatic	0	2	Hinged	42.1	NA	NA	78	198.12	54	137.16	30	76.2	12.71	R-404A	TS-49F
True Manufacturing (True Food Service Equipment)	TRUE	T-72F	T-72F	Solid Door Freezer Cabinet	Vertical	Reach-In	Manual	0	3	Hinged	63.2	NA	NA	79	200.66	78	198.12	30	76.2	15.55	R-404A	TS-72F