

ENERGY STAR® Program Requirements for Televisions

Partner Commitments

Following are the terms of the ENERGY STAR Partnership Agreement as it pertains to the manufacture and labeling of ENERGY STAR qualified products. The ENERGY STAR Partner must adhere to the following partner commitments:

Qualifying Products

- 1. Comply with current ENERGY STAR Eligibility Criteria, which define performance requirements and test procedures for Televisions. A list of eligible products and their corresponding Eligibility Criteria can be found at www.energystar.gov/specifications.
- 2. Prior to associating the ENERGY STAR name or mark with any product, obtain written certification of ENERGY STAR qualification from a Certification Body recognized by EPA for Televisions. As part of this certification process, products must be tested in a laboratory recognized by EPA to perform Televisions testing. A list of EPA-recognized laboratories and certification bodies can be found at www.energystar.gov/testingandverification.
- 3. **Ensure that any model associated with the ENERGY STAR name or mark** meets the following standards:
 - 3.1. Product material requirements as defined in restriction of hazardous substances (RoHS) regulations, as generally accepted. This includes exemptions in force at the date of product manufacture, where the maximum concentration values tolerated by weight in homogeneous materials are: lead (0.1%), mercury (0.1%), cadmium (0.01%), hexavalent chromium (0.1%), polybrominated biphenyls (PBB) (0.1%), or polybrominated diphenyl ethers (PBDE) (0.1%). Batteries are exempt.
 - 3.2. The generally accepted attributes of a recyclable product at the date of product manufacture: where products shall be designed for ease of disassembly and recyclability where external enclosures, sub-enclosures, chassis and electronic subassemblies are easily removable with commonly available tools, by hand, or by a recycler's automated processes.

Notes:

- The explicit intention is to harmonize with EU RoHS.
- For purposes of ENERGY STAR third-party certification, these requirements shall not be reviewed when products are
 initially qualified nor during subsequent verification testing. Rather, EPA reserves the right to request supporting
 documentation at any time.

Using the ENERGY STAR Name and Marks

- 4. Comply with current ENERGY STAR Identity Guidelines, which define how the ENERGY STAR name and marks may be used. Partner is responsible for adhering to these guidelines and ensuring that its authorized representatives, such as advertising agencies, dealers, and distributors, are also in compliance. The ENERGY STAR Identity Guidelines are available at www.energystar.gov/logouse.
- 5. Use the ENERGY STAR name and marks only in association with qualified products. Partner may not refer to itself as an ENERGY STAR Partner unless at least one product is qualified and offered for sale in the U.S. and/or ENERGY STAR partner countries.
- 6. Provide clear and consistent labeling of ENERGY STAR qualified Televisions.
 - 6.1. The ENERGY STAR mark must be clearly displayed on product packaging, in product literature (i.e., user manuals, spec sheets, etc.), and on the manufacturer's Internet site where information about ENERGY STAR qualified models is displayed.

- 6.2. ENERGY STAR qualified TVs must also be labeled according to one of the following three options:
 - 6.2.1.Permanent label on the top/front of the TV;
 - 6.2.2. Temporary label on the top/front of the TV; or
 - 6.2.3.Use of an electronic label so that the ENERGY STAR certification mark appears on the TV's menu-screen for pre-set picture settings.

Verifying Ongoing Product Qualification

7. Participate in third-party verification testing through a Certification Body recognized by EPA for Televisions, providing full cooperation and timely responses, EPA/DOE may also, at its discretion, conduct tests on products that are referred to as ENERGY STAR qualified. These products may be obtained on the open market, or voluntarily supplied by Partner at the government's request.

Providing Information to EPA

- 8. Provide unit shipment data or other market indicators to EPA annually to assist with creation of ENERGY STAR market penetration estimates, as follows:
 - 8.1. Partner must submit the total number of ENERGY STAR qualified Televisions shipped in the calendar year or an equivalent measurement as agreed to in advance by EPA and Partner. Partner shall exclude shipments to organizations that rebrand and resell the shipments (unaffiliated private labelers).
 - 8.2. Partner must provide unit shipment data segmented by meaningful product characteristics (e.g., type, capacity, presence of additional functions) as prescribed by EPA.
 - 8.3. Partner must submit unit shipment data for each calendar year to EPA or an EPA-authorized third party, preferably in electronic format, no later than March 1 of the following year.

Submitted unit shipment data will be used by EPA only for program evaluation purposes and will be closely controlled. If requested under the Freedom of Information Act (FOIA), EPA will argue that the data is exempt. Any information used will be masked by EPA so as to protect the confidentiality of the Partner.

- 9. Report to EPA any attempts by recognized laboratories or Certification Bodies (CBs) to influence testing or certification results or to engage in discriminatory practices.
- 10. Notify EPA of a change in the designated responsible party or contacts within 30 days using the My ENERGY STAR Account tool (MESA) available at www.energystar.gov/mesa.

Performance for Special Distinction

In order to receive additional recognition and/or support from EPA for its efforts within the Partnership, the ENERGY STAR Partner may consider the following voluntary measures, and should keep EPA informed on the progress of these efforts:

- Provide quarterly, written updates to EPA as to the efforts undertaken by Partner to increase availability of ENERGY STAR qualified products, and to promote awareness of ENERGY STAR and its message.
- Consider energy efficiency improvements in company facilities and pursue benchmarking buildings through the ENERGY STAR Buildings program.
- Purchase ENERGY STAR qualified products. Revise the company purchasing or procurement specifications to include ENERGY STAR. Provide procurement officials' contact information to EPA for periodic updates and coordination. Circulate general ENERGY STAR qualified product information to employees for use when purchasing products for their homes.

- Feature the ENERGY STAR mark(s) on Partner website and other promotional materials. If information concerning ENERGY STAR is provided on the Partner website as specified by the ENERGY STAR Web Linking Policy (available in the Partner Resources section of the ENERGY STAR website), EPA may provide links where appropriate to the Partner website.
- Ensure the power management feature is enabled on all ENERGY STAR qualified Televisions and computers in use in company facilities, particularly upon installation and after service is performed.
- Provide general information about the ENERGY STAR program to employees whose jobs are relevant to the development, marketing, sales, and service of current ENERGY STAR qualified products.
- Provide a simple plan to EPA outlining specific measures Partner plans to undertake beyond the program requirements listed above. By doing so, EPA may be able to coordinate, and communicate Partner's activities, provide an EPA representative, or include news about the event in the ENERGY STAR newsletter, on the ENERGY STAR website, etc. The plan may be as simple as providing a list of planned activities or milestones of which Partner would like EPA to be aware. For example, activities may include: (1) increasing the availability of ENERGY STAR qualified products by converting the entire product line within two years to meet ENERGY STAR guidelines; (2) demonstrating the economic and environmental benefits of energy efficiency through special in-store displays twice a year; (3) providing information to users (via the website and user's manual) about energy-saving features and operating characteristics of ENERGY STAR qualified products; and (4) building awareness of the ENERGY STAR Partnership and brand identity by collaborating with EPA on one print advertorial and one live press event.
- Join EPA's SmartWay Transport Partnership to improve the environmental performance of the company's shipping operations. The SmartWay Transport Partnership works with freight carriers, shippers, and other stakeholders in the goods movement industry to reduce fuel consumption, greenhouse gases, and air pollution. For more information on SmartWay, visit www.epa.gov/smartway.
- Join EPA's Green Power Partnership. EPA's Green Power Partnership encourages organizations to buy green power as a way to reduce the environmental impacts associated with traditional fossil fuelbased electricity use. The partnership includes a diverse set of organizations including Fortune 500 companies, small and medium businesses, government institutions as well as a growing number of colleges and universities. For more information on Green Power, visit www.epa.gov/greenpower.



ENERGY STAR® Program Requirements Product Specification for Televisions

Eligibility Criteria Version 7.0

Following is the Version 7.0 ENERGY STAR Product Specification for Televisions. A product shall meet all of the identified criteria if it is to earn the ENERGY STAR.

1 DEFINITIONS

A) Product Types:

- 1) <u>Television (TV)</u>¹: A product designed to produce dynamic video, contains an internal TV tuner encased within the product housing, and that is capable of receiving dynamic visual content from wired or wireless sources including but not limited to:
 - a) Broadcast and similar services for terrestrial, cable, satellite, and/or broadband transmission of analog and/or digital signals; and/or
 - b) Display-specific data connections, such as HDMI, Component video, S-video, Composite video; and/or
 - c) Media storage devices such as a USB flash drive, a memory card, or a DVD; and/or
 - d) Network connections, usually using Internet Protocol, typically carried over Ethernet or Wi-Fi.
- 2) Hospitality Television: A TV product which includes the following features:
 - a) A control port for bi-directional communication (DB-9, RJ11, RJ12, RJ45, coaxial cable, or HDMI-CEC); and
 - b) Activated hospitality protocol software (e.g., SmartPort, Meeting Professionals International (MPI), Multiple Television Interface (MTI), Serial Protocol) to provide direct access to Video-On-Demand (VOD) systems, non-video hotel services or a digital media player designed for hospitality-specific applications.

B) Operational Modes:

- 1) On Mode²: The mode of operation in which the TV is connected to mains power, and is capable of producing dynamic video.
- 2) <u>Standby-Passive Mode</u>³: The mode of operation in which the TV is connected to mains power, produces neither sound nor picture, and can be switched into another mode with only the remote control unit or an internal signal.
- 3) Standby-Active, Low Mode⁴: The mode of operation in which the TV is connected to mains power, produces neither sound nor picture, can be switched into another mode with the remote control unit or an internal signal, and can additionally be switched into another mode with an external signal.

^{1 10} CFR 430.2

^{2 10} CFR 430, Subpart B, Appendix H, Section 2.14

^{3 10} CFR 430, Subpart B, Appendix H, Section 2.18

^{4 10} CFR 430, Subpart B, Appendix H, Section 2.20

- 4) <u>Standby-Active, High Mode</u>⁵: The mode of operation in which the TV is connected to mains power, produces neither sound nor picture, is exchanging/receiving data with/from an external source, and can be switched into another mode with the remote control unit, an internal signal, or an external signal.
 - a) <u>Download Acquisition Mode</u>: The power mode in which the product is connected to a mains power source, produces neither sound nor picture, and is actively downloading data. Data downloads may include channel listing information for use by an Electronic Program Guide, TV setup data, channel map updates, firmware updates, monitoring for emergency messaging/communications or other network communications.
- 5) Off Mode⁶: The mode of operation in which the TV is connected to mains power, produces neither sound nor picture, and cannot be switched into any other mode of operation with the remote control unit, an internal signal, or external signal.
- C) Additional Functions⁷: Functions that are not required for the basic operation of the device.

Note: Additional functions include, but are not limited to, a VCR unit, a DVD unit, an HDD unit, a FM-radio unit, a memory card-reader unit, or an ambient lighting unit.

- 1) Thin Client Capability: The ability of the TV to receive, decrypt, and display encrypted content provided by a Multichannel Video Programming Distributor (MVPD) over the Local Area Network via a server device co-located on the customer premises without the need for a client device at the TV.
- 2) Full Network Connectivity: The ability of the TV to maintain network presence while in Standby-Active, Low mode. Presence of the TV, its network services, and its applications, is maintained even if some components of the Television are powered down. The TV can elect to change power states based on receipt of network data from remote network devices, but should otherwise stay in Standby-Active, Low mode absent a demand for services from a remote network device. Full network connectivity is not limited to a specific set of protocols. Also referred to as "network proxy" functionality and described in the Ecma-393 standard.
- D) <u>Special Functions</u>⁸: Functions that are related to, but not required for, the basic operation of the device.

Note: Special functions include, but are not limited to, special sound processing, power saving functions (e.g., Automatic Brightness Control).

- 1) <u>Automatic Brightness Control (ABC)</u>: The self-acting mechanism that controls the brightness of a display as a function of ambient light.
- 2) <u>Gesture Recognition</u>: Ability to recognize non-verbal communication through a movement of the body, head, or limbs to express or emphasize an idea, sentiment, or command.
- 3) <u>Voice Recognition</u>: Ability to recognize spoken words or phrases and to convert said communication into text or commands to which meaning has been assigned.

E) Television Settings and Menus:

^{5 10} CFR 430, Subpart B, Appendix H, Section 2.19,

^{6 10} CFR 430, Subpart B, Appendix H, Section 2.13

^{7 10} CFR 430, Subpart B, Appendix H, Section 2.1, which references International Electrotechnical Commission (IEC) Standard 62087 Ed. 3.

^{8 10} CFR 430, Subpart B, Appendix H, Section 2.17, which references IEC 62087 Ed. 3.

- 1) <u>Preset Picture Setting</u>⁹: A preprogrammed factory setting obtained from the TV menu with predetermined picture parameters such as brightness, contrast, color, sharpness, etc. Preset Picture Settings can be selected within the Home or Retail Configurations.
- 2) <u>Default Picture Setting</u>¹⁰: The Preset Picture Setting that the TV enters into immediately after making a selection from the Forced Menu. If the TV does not have a Forced Menu, this is the asshipped Preset Picture Setting.
- 3) <u>Brightest Selectable Preset Picture Setting</u>¹¹: The Preset Picture Setting in which the TV produces the highest screen luminance within either the Home or Retail Configuration.
- 4) <u>Home Configuration</u> ¹²: The TV configuration selected from the Forced Menu which is designed for typical consumer viewing and is recommended by the manufacturer for home environments.
- 5) Retail Configuration ¹³: The TV configuration selected from the Forced Menu which is designed to highlight the TV's features in a retail environment. This configuration may display demos, disable configurable settings, or increase screen brightness in a manner which is not desirable for typical consumer viewing.
- 6) Forced Menu¹⁴: A series of menus which require the selection of initial settings before allowing the user to utilize primary functions. Within these menus contains an option to choose the viewing environment between Retail and Home Configurations.
- 7) <u>Electronic Program Guide (EPG)</u>: An interactive on-screen menu of TV program information downloaded from an external source or embedded interstitially in broadcast video streams (e.g., program time, date, and descriptions).

^{9 10} CFR 430, Subpart B, Appendix H, Section 2.15, with the exception of "Home or Retail Configurations"; Section 2.15 uses "home or retail mode" instead.

^{10 10} CFR 430, Subpart B, Appendix H, Section 2.4

^{11 10} CFR 430, Subpart B, Appendix H, Section 2.3

^{12 10} CFR 430, Subpart B. Appendix H. Section 2.6

^{13 10} CFR 430, Subpart B, Appendix H, Section 2.16

^{14 10} CFR 430, Subpart B, Appendix H, Section 2.5

Home
Configuration

Preset Picture
Setting

Default Picture
Setting


Brightest Selectable

Figure 1: Illustration of Picture Settings for TVs with a Forced Menu 15

Figure 2: Illustration of Picture Settings for TVs without a Forced Menu¹⁶

Preset Picture

Setting



F) Power Devices:

- 1) External Power Supply (EPS) ¹⁷: Also referred to as External Power Adapter. An external power supply circuit that is used to convert household electric current into dc current or lower-voltage ac current to operate a consumer product.
- 2) <u>Main Battery</u> ¹⁸: A battery capable of powering the TV to produce dynamic video without the support of mains power.

G) Product Characteristics:

Setting

¹⁵ U.S. Department of Energy, Energy Conservation Program: Test Procedures for Television Sets; Final rule, *Federal Register*, October 25, 2013, 78 FR 63828.

¹⁶ U.S. Department of Energy, Energy Conservation Program: Test Procedures for Television Sets; Final rule, *Federal Register*, October 25, 2013, 78 FR 63829.

^{17 10} CFR 430.2

^{18 10} CFR 430, Subpart B, Appendix H, Section 2.12

- 1) <u>Luminance</u>¹⁹: The photometric measure of the luminous intensity per unit area of light traveling in a given direction, expressed in units of candelas per square meter (cd/m²).
- 2) Screen Area: The viewable screen area of the product, calculated by multiplying the viewable image width by the viewable image height. For curved screens, the measurements shall be made along the curvature on the face of the screen rather than along a straight line/chord.
- 3) Native Vertical Resolution: The number of visible physical lines along the vertical axis of the TV (e.g., a TV with a screen resolution of 1920 x 1080 (horizontal x vertical) would have a Native Vertical Resolution of 1080).
- H) <u>Basic Model</u>²⁰: All units of a given type of product (or class thereof) manufactured by one manufacturer, having the same primary energy source, and which have essentially identical electrical, physical, and functional characteristics that affect energy consumption and energy efficiency.
- I) <u>Multichannel Video Programming Distributor (MVPD)</u>²¹: A person such as, but not limited to, a cable operator, a multichannel multipoint distribution service, a direct broadcast satellite service, or a television receive-only satellite program distributor, who makes available for purchase, by subscribers or customers, multiple channels of video programming.
- J) <u>Unit Under Test (UUT)</u>: The unit currently undergoing testing.

2 SCOPE

2.1 Included Products

- 2.1.1 Products that are: (1) marketed to the consumer as a TV (i.e., TV is the primary function); (2) capable of being powered from a wall outlet or with an external power supply; and (3) meet one of the following product type definitions, are eligible for ENERGY STAR certification, with the exception of products listed in Section 2.2:
 - i. TVs
 - ii. Hospitality TVs

2.2 Excluded Products

- 2.2.1 Products that are covered under other ENERGY STAR product specifications are not eligible for certification under this specification. The list of specifications currently in effect can be found at www.energystar.gov/specifications.
- 2.2.2 Products that satisfy one or more of the following conditions are not eligible for ENERGY STAR certification under this specification:
 - i. Televisions with a Main Battery that enables operation without connected mains power.
 - ii. Products with a computer input port (e.g., VGA), that are marketed and sold primarily as computer monitors or other displays, and that do not contain an integrated TV tuner encased within the product housing.

^{19 10} CFR 430, Subpart B, Appendix H, Section 2.11

^{20 10} CFR 430.2, with references to water consumption and other specific covered products removed. 21 As defined in 47 USC § 522(13)

3 CERTIFICATION CRITERIA

3.1 Significant Digits and Rounding

- 3.1.1 All calculations shall be carried out with directly measured (unrounded) values. Only the final result of a calculation shall be rounded.
- 3.1.2 Unless otherwise specified, compliance with specification limits shall be evaluated using exact values without any benefit from rounding.
- 3.1.3 Annual Energy Consumption (AEC) values less than 100 kWh shall be rounded to the nearest tenth of a kWh; otherwise, they shall be rounded to the nearest kWh, as specified in Section 8.2 of Appendix H to 10 CFR Part 430, for reporting on the ENERGY STAR website.
- 3.1.4 Directly measured or calculated values that are submitted for reporting on the ENERGY STAR website shall be rounded to the nearest significant digit as expressed in the corresponding specification limit.

3.2 General Requirements

- 3.2.1 External Power Supplies (EPSs): Single- and Multiple-voltage EPSs shall meet the Level VI or higher performance requirements under the International Efficiency Marking Protocol when tested according to the Uniform Test Method for Measuring the Energy Consumption of External Power Supplies, Appendix Z to Subpart B of 10 CFR Part 430.
 - i. Single- and Multiple-voltage EPSs shall include the Level VI or higher marking.
 - ii. Additional information on the Marking Protocol is available at http://www.regulations.gov/#!documentDetail;D=EERE-2008-BT-STD-0005-0218.
- 3.2.2 <u>General User Information</u>: The product shall ship with consumer informational materials located in either (1) the hard copy or electronic user manual, or (2) a package or box insert. These materials shall include:
 - i. Information about the ENERGY STAR program,
 - ii. Information on the energy consumption implications of changes to default as-shipped Television configuration and settings, and
 - iii. Notification that enabling certain optional features and functionalities (e.g., instant-on), may increase energy consumption beyond the limits required for ENERGY STAR certification, as applicable.
- 3.2.3 Forced Menu: Any product that includes a Forced Menu upon initial start-up shall:
 - i. Provide users with a choice of Home Configuration or Retail Configuration. Partners may use alternative terminology if approved by the U.S. Environmental Protection Agency (EPA).
 - ii. Upon selection of Retail Configuration at initial start-up, either (1) display a second prompt requiring the user to confirm the choice of Retail Configuration, or (2) display information on the start-up menu that the Home Configuration is the setting in which the product qualifies for ENERGY STAR. If option (2) is selected, additional detail about ENERGY STAR certification and energy consumption expectations shall be included in printed product literature and on the product information page on the Partner's website.
 - 3.2.4 <u>Preset Picture Setting Menu</u>: For any product where consumers have the option of selecting different picture settings from a preset menu at any time:

- i. The product shall display on-screen information that the Default Picture Setting reflects the setting under which the product qualifies for the ENERGY STAR. For example, such information may be indicated by including an electronic ENERGY STAR mark alongside the name or description of that picture setting or in the form of a message displayed each time any setting other than the Default Picture Setting is selected.
- ii. Products with a physical ENERGY STAR mark affixed to the front or top of the TV may alternatively display on-screen information that enabling picture settings other than the Default Picture Setting may change the energy consumption of the product.
- iii. Optional: The product may display on-screen information indicating that factory-configured picture settings other than the Default Picture Setting meet ENERGY STAR if a TV in those settings can also meet the Section 3.3 On Mode Requirements. For purposes of ENERGY STAR certification, Partners shall report the presence of these settings which also meet the requirements in the specification to the EPA-recognized certification body and maintain internal documentation. EPA reserves the right to request this documentation at any time. The settings shall not be third-party tested or reviewed during certification and verification processes.
- 3.2.5 <u>Standby-Passive Mode and Standby-Active, Low Mode Settings</u>: If users can select and enable Standby-Passive Mode or Standby-Active, Low Mode functions from a display prompt in On Mode or a settings menu other than a Forced Menu, and if these functions may alter power consumption from the default, as-tested Home Configuration:
 - i. The product shall display on-screen information that the default as-shipped settings reflect the settings under which the product qualifies for the ENERGY STAR. For example, such information may be indicated by including an electronic ENERGY STAR mark alongside the name or description of the default as-shipped settings or in the form of a message displayed each time any setting other than the default as-shipped setting is selected.
 - ii. Products with a physical ENERGY STAR mark affixed to the front or top of the TV may alternatively display on-screen information that enabling settings other than the default asshipped settings may change the energy consumption of the product.
- 3.2.6 <u>Thin Client Capability and MVPD-ready Information</u>: Products that have Thin Client Capability as-shipped or are otherwise MVPD-ready shall:
 - Report the presence of Thin Client Capability and supporting information including, but not limited to, interoperability protocols, decryption, and decoding functions for display on the ENERGY STAR certified products list; and
 - ii. Inform the consumer in the user manual and/or on-screen prompt that the TV may be capable of operating without a set-top box from an MVPD.
- 3.2.7 <u>Standby-Active, High Mode Capability</u>: TVs with Standby-Active, High Mode shall automatically return to the default as-tested Standby-Active, Low Mode or Standby-Passive Mode following a manufacturer firmware update or other maintenance operation in Standby Active, High Mode within a period less than or equal to 15 minutes from the completion of said update/maintenance operation.

3.3 On Mode Requirements

3.3.1 For all TVs, On Mode power, as determined per Section 7.1.2 On Mode Test for TVs without ABC Enabled by Default or Section 7.1.3.2 On Mode Power Calculation (for TVs with ABC Enabled by Default) in Appendix H shall be less than or equal to the Maximum On Mode Power Requirement (P_{ON MAX}) and high resolution allowance, as shown in Equation 1.

Equation 1: On Mode Power Requirement for All TVs

$$P_{ON} \leq P_{ON\ MAX} + P_{HR}$$

Where:

- P_{ON} is On Mode Power in watts:
- Pon Max is the Maximum On Mode Power requirement in watts, calculated in Equation 2; and
- P_{HR} is a high resolution allowance in watts, as applicable, calculated in Equation 3.
- 3.3.2 The Maximum On Mode Power Requirement (P_{ON_MAX}) in watts shall be calculated per Equation 2.

Equation 2: Maximum On Mode Power Requirement for All TVs

$$P_{ON\ MAX} = 78.5 \times \tanh[0.0005 \times (A - 140) + 0.038] + 14$$

Where:

- P_{ON MAX} is the maximum allowable On Mode Power consumption in watts;
- A is the viewable Screen Area of the product in square inches; and
- tanh is the hyperbolic tangent function.
- 3.3.3 TVs with Native Vertical Resolution greater than or equal to 2160 lines are eligible for a high resolution On Mode Power Allowance (P_{HR}) as calculated per Equation 3.

Equation 3: Calculation of On Mode Power Allowance for TVs with Native Vertical Resolution Greater than or Equal to 2160 lines

$$P_{HR} = 0.5 \times P_{ON\ MAX}$$

Where:

- PHR is the high resolution On Mode Power Allowance in watts: and
- P_{ON MAX} is the maximum allowable On Mode Power consumption in watts, calculated in Equation 2.

3.4 Standby-Passive Mode Requirements

3.4.1 Standby-Passive Mode power (P_{STANDBY-PASSIVE}), as measured per Section 7.3.2 Standby-Passive Mode of Appendix H, shall be less than or equal to 0.5 W.

3.5 Standby-Active, Low Mode Requirements

3.5.1 Standby-Active, Low Mode power (P_{STANDBY-ACTIVE-LOW}), as measured per Section 7.3.3 Standby-Active, Low Mode of Appendix H, shall be less than or equal to 3.0 W.

3.6 Luminance Requirements

3.6.1 For products with a luminance in the Brightest Selectable Preset Picture Setting (the greater value of L DEFAULT_RETAIL or L BRIGHTEST_HOME) less than 350 cd/m², luminance in the Default Picture Setting (L DEFAULT_HOME) shall be greater than or equal to 65% of the luminance in the Brightest Selectable Preset Picture Setting.

3.6.2 For products with a luminance in the Brightest Selectable Preset Picture Setting greater than or equal to 350 cd/m², luminance in the Default Picture Setting shall be greater than or equal to 228 cd/m².

3.7 Download Acquisition Mode (DAM) Requirements for Hospitality TVs

- 3.7.1 A product may automatically exit Standby-Passive Mode or Standby-Active, Low Mode and enter Download Acquisition Mode according to a predefined schedule, in order to:
 - i. Download channel listing information for use by an electronic programming guide,
 - ii. Monitor for emergency messaging/communications, or
 - iii. Communicate via a network protocol.
- 3.7.2 DAM energy consumption for all DAM states (E_{DAM}), as measured per the CEA Procedure for DAM Testing, shall be less than or equal to 40 watt-hours per day (0.04 kWh/day).

Note: Products intended for sale in the US market are subject to minimum toxicity and recyclability requirements. Please see ENERGY STAR Program Requirements for Televisions: Partner Commitments for details.

4 TESTING

4.1 Test Methods

4.1.1 Test methods identified in Table 1 shall be used for certification.

Table 1: Test Methods for ENERGY STAR Certification

Product Type	Test Method
All Ac Mains-powered TVs	Uniform Test Method for Measuring the Energy Consumption of Television Sets incorporated in Appendix H to Subpart B of 10 CFR Part 430.

4.2 Additional Required Test for TVs with Standby-Active, Low Mode

4.2.1 The following method in Table 2 shall be used for TVs with a Standby-Active, Low mode:

Table 2: Methods for TVs with Standby-Active, Low

Product Type	Method
TVs with Standby-Active, Low Mode	CEA-2037-A, Determination of Television Set Power Consumption

- 4.2.2 If the TV is network-enabled and tested in Standby-Active, Low per Appendix H, the following additional test is required for ENERGY STAR certification:
 - i. Perform all procedures specified in Section 6.7.5 *Standby-active, Low* of CEA-2037-A with the additional preconditions:
 - Place the UUT in On Mode as tested per Section 7.1.1 On Mode Test of Appendix H and momentarily press the power button on the remote control; and

- 2) Wait 5 minutes after pressing the power button before beginning the Section 6.7.5 procedures in CEA-2037-A.
- ii. TVs for which availability can be confirmed with one of the methods in Section 6.7.5.2 *Availability* of CEA-2037-A shall be reported as having Full Network Connectivity.

4.3 Additional Required Test for Hospitality TVs

4.3.1 DAM energy consumption of Hospitality TVs shall be measured using the following method in Table 3:

Table 3: Method for Hospitality TVs

Product Type	Method
Hospitality TVs	CEA Procedure for DAM Testing: For TVs, Rev. 0.3, Sept. 2010

4.4 Number of Units Required for Testing

- 4.4.1 One of the following sampling plans shall be used to test for ENERGY STAR certification:
 - i. A single representative unit shall be selected for testing the Basic Model;
 - ii. Units shall be selected for testing per the sampling requirements defined in 10 CFR 429.25, which references 10 CFR 429.11.

4.5 International Market Certification

4.5.1 Products shall be tested for certification at the relevant input voltage/frequency combination for each market in which they will be sold and promoted as ENERGY STAR.

5 USER INTERFACE

5.1.1 Partners are encouraged to design products in accordance with the user interface standard IEEE 1621: Standard for User Interface Elements in Power Control of Electronic Devices Employed in Office/Consumer Environments. For details, see http://eetd.LBL.gov/Controls.

6 EFFECTIVE DATE

- 6.1.1 Effective Date: The Version 7.0 ENERGY STAR Televisions specification shall take effect on October 30, 2015. To qualify for ENERGY STAR, a product model shall meet the ENERGY STAR specification in effect on its date of manufacture. The date of manufacture is specific to each unit and is the date on which a unit is considered to be completely assembled.
- 6.1.2 <u>Future Specification Revisions</u>: EPA reserves the right to change this specification should technological and/or market changes affect its usefulness to consumers, industry, or the environment. In keeping with current policy, revisions to the specification are arrived at through stakeholder discussions. In the event of a specification revision, please note that the ENERGY STAR certification is not automatically granted for the life of a product model.

7 CONSIDERATIONS FOR FUTURE REVISIONS

- 7.1.1 <u>Standby-Active, High Mode</u>: EPA and DOE are interested in learning more about Standby-Active, High Mode. EPA anticipates exploring this issue and potential power limits and duty cycle requirements in the next specification revision.
- 7.1.2 Trends and Improvements in Energy Efficiency: EPA anticipates continued gains in energy efficiency to be achieved in the next few years with advances in technology such as LED efficacy, the addition of reflective polarizing film, power supply improvements, lower screen reflectance, improved backplanes (Low Temperature Polysilicon and Indium Gallium Zinc Oxide), quantum dot technology, and next generation Organic Light Emitting Diodes (OLED). As such, EPA anticipates an opportunity for proposing further limits on power consumption in future revisions.