



United States
ENVIRONMENTAL PROTECTION AGENCY
Washington, DC 20460
Office of Atmospheric Programs

**Application for Recognition of Accredited Laboratories
by EPA under the ENERGY STAR® Program**

This form is an application for recognition of laboratories by the U.S. EPA ENERGY STAR program. To serve as an EPA-recognized, accredited laboratory for the ENERGY STAR program, please fill out and submit this form to EPA by following the instructions below. Upon confirmation of EPA recognition, you may begin to operate as an EPA-recognized, accredited laboratory for the ENERGY STAR program.

First party laboratories that are granted EPA recognition are not required to participate in a supervised manufacturer test lab (SMTL) program as defined in Appendix A of the "Conditions and Criteria for Recognition of Certification Bodies." Certification bodies are encouraged to take EPA recognition into account when assessing a laboratory's competence.

Instructions:

1. Read and understand the "Conditions and Criteria for Recognition of Laboratories for the ENERGY STAR Program," the full text of which is included under Section VI.
2. Complete the form. All fields are required unless stated otherwise.
3. Sign the form by either:
 - a. Inserting your digital signature; or
 - b. Printing out the form, signing it by hand, and scanning it into PDF format.
4. Email the completed form with the required attachments to: Certification@energystar.gov.

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2060-0528). Responses to this collection of information are voluntary (Section 103(g) of the Clean Air Act). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information is estimated to be 7.3 hours per response. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

- I. Laboratory Information
Laboratory Name:
Laboratory URL:
Address 1 (e.g., street address):
Address 2 (e.g., suite #):
City:
State:
Zip/Postal Code:
Country:

Primary contact first name:
Primary contact last name:
Job title of primary contact:
Email:
Phone:
If mailing address of primary contact is different from the organization address, please provide it here:
Address 1 (e.g., street address):
Address 2 (e.g., suite #):
City:
State:
Zip/Postal Code:
Country:

The following secondary contact information section is optional.

Secondary contact first name:
Secondary contact last (family) name:
Job title of secondary contact:
Email:
Phone:
If mailing address of secondary contact is different from the organization address, please provide it here:
Address 1 (e.g., street address):
Address 2 (e.g., suite #):
City:
State:
Zip/Postal Code:
Country:

- II. Is the Laboratory 1st party (i.e., manufacturer-owned)? Yes / No

If yes, please provide the following information:

ENERGY STAR Product Brand Owner Partner name:

Manufacturer name (if different from ENERGY STAR partner):

Does Lab Also Sell Testing Services to Outside Companies? Yes / No

III. General Requirements: Consistent with “Conditions and Criteria for Recognition of Laboratories for the ENERGY STAR Program,” an EPA-recognized, accredited laboratory must maintain accreditation to ISO/IEC 17025, “General requirements for the competence of testing and calibration laboratories,” by an EPA-recognized Accreditation Body.

- a. Name of EPA-recognized Accreditation Body: [redacted]
- b. Laboratory accreditation effective date: [redacted]
- c. Laboratory accreditation expiration date (if applicable): [redacted]
- d. A digital copy of the Laboratory’s accreditation certificate and scope of accreditation is included with this application (check box to confirm).

Comment (optional):

- IV. Scope of Accreditation: Below, please select each ENERGY STAR product category for which your lab is accredited to test products pursuant to ENERGY STAR qualification. Since EPA-recognition is per product category, EPA will recognize your Laboratory only for products the test methods of which are listed on your Scope of Accreditation.

If you are expanding your recognition please resubmit this form with *all* ENERGY STAR product categories for which you wish to maintain EPA-recognition or apply for EPA-recognition. (Note: EPA will recognize laboratories for testing Windows, Doors, and Skylights through the National Fenestration Rating Council (www.nfrc.org). For Storm Windows, please use this form.)

ENERGY STAR Product Categories

Appliances

- | | |
|--|---------------------------------------|
| <input type="checkbox"/> Clothes Dryers | <input type="checkbox"/> Dishwashers |
| <input type="checkbox"/> Clothes Washers | Consumer Refrigeration |
| | Residential Electric Cooking Products |

Heating and Cooling

- | | |
|--|--|
| <input type="checkbox"/> Boilers | <input type="checkbox"/> Light Commercial HVAC |
| <input type="checkbox"/> Air-Source Heat Pumps | <input type="checkbox"/> Room Air Cleaners and Purifiers |
| <input type="checkbox"/> Commercial Packaged Boilers | <input type="checkbox"/> Room Air Conditioners |
| <input type="checkbox"/> Commercial Water Heaters | <input type="checkbox"/> Residential Water Heaters – Solar |
| <input type="checkbox"/> Connected Thermostats | <input type="checkbox"/> Residential Water Heaters – Non-Solar |
| <input type="checkbox"/> Dehumidifiers | <input type="checkbox"/> Geothermal Heat Pumps |
| <input type="checkbox"/> Furnaces | |

Electronics and Office Equipment

- | | |
|--|---|
| <input type="checkbox"/> Audio/Video | <input type="checkbox"/> Displays |
| <input type="checkbox"/> Computers | <input type="checkbox"/> Computer Servers |
| <input type="checkbox"/> Data Center Storage | <input type="checkbox"/> Imaging Equipment |
| <input type="checkbox"/> Large Network Equipment | <input type="checkbox"/> Telephony |
| | <input type="checkbox"/> Televisions |
| | <input type="checkbox"/> Uninterruptible Power Supplies |

Lighting and Fans

- | | |
|---|---|
| <input type="checkbox"/> Downlights | <input type="checkbox"/> Decorative Light Strings |
| <input type="checkbox"/> Residential Ceiling Fans | <input type="checkbox"/> Residential Ventilating Fans |

Commercial Food Service

- | | |
|--|---|
| <input type="checkbox"/> Commercial Coffee Brewers | <input type="checkbox"/> Commercial Hot Food Holding Cabinets |
| <input type="checkbox"/> Commercial Dishwashers | <input type="checkbox"/> Commercial Ice Machines |
| <input type="checkbox"/> Commercial Fryers | <input type="checkbox"/> Commercial Combination Ovens |
| <input type="checkbox"/> Commercial Griddles | <input type="checkbox"/> Commercial Convection Ovens |
| <input type="checkbox"/> Commercial Rack Ovens | <input type="checkbox"/> Commercial Steam Cookers |
| <input type="checkbox"/> Commercial Refrigerators and Freezers | <input type="checkbox"/> Commercial Electric Cooktops |

Home Building Materials

- Storm Windows

Other

- | | |
|---|--|
| <input type="checkbox"/> Pool Pumps | <input type="checkbox"/> Vending Machines |
| <input type="checkbox"/> Lab-grade Refrigerators/Freezers | <input type="checkbox"/> Water Coolers |
| <input type="checkbox"/> Smart Home Energy Management Systems (SHEMS) | <input type="checkbox"/> Electrical Vehicle Supply Equipment |

V. Declaration:

By checking this box, I declare that I have read and agree to the terms of “Conditions and Criteria for Recognition of Laboratories for the ENERGY STAR Program,” and the information submitted via this form is, to the best of my knowledge, accurate and associated with the laboratory named herein. I understand that the ENERGY STAR program will associate all information in this form with this laboratory. I understand that if any of the submitted information is found to be inaccurate, the laboratory will be removed from the list of EPA-recognized Laboratories. I understand that intentionally submitting false information to the U.S. government is a criminal violation of the False Statements Act, Title 18 U.S.C. section 1001.

I further declare that the Laboratory named herein will not use any ENERGY STAR mark for any purpose at any time.

You are required to provide your signature by either:

- a. Inserting your digital signature in the box below, or,
- b. Printing out the form, signing the signature box below by hand, and scanning the form into PDF format.

Chief Executive/Signatory:

Printed Name:

Job Title:

Date:

VI. Conditions and Criteria for Recognition of Laboratories for the ENERGY STAR Program

In order to serve as an EPA-recognized accredited¹ laboratory for the ENERGY STAR program, a laboratory shall agree in writing to comply at all times with the following requirements:

General Requirements:

- 1) Maintain accreditation to ISO/IEC 17025, “General requirements for the competence of testing and calibration laboratories,” by an EPA-recognized Accreditation Body (AB). Noteworthy elements of ISO/IEC 17025 include requirements that laboratories shall:
 - a) Have a policy that sets out quality objectives, commitments and operational procedures;
 - b) Employ experienced personnel who have the education and training needed to conduct the tests;
 - c) Have the physical plant facilities and test equipment needed for proper testing;
 - d) Ensure that measuring equipment is accurate and calibrated and that calibration records are maintained;
 - e) Maintain a record of all original observations, test data and calculations; and,
 - f) Maintain arrangements to ensure the freedom of laboratory management and personnel from any undue internal or external commercial, financial or other pressures and influences that may adversely affect the quality of their work.

NOTE: It is EPA’s expectation that laboratories will consistently maintain the impartiality of product testing. Demonstration of impartiality, consistent with the requirements of ISO/IEC 17025, shall include but may not be limited to the following:

¹As an alternative to maintaining accreditation to ISO/IEC 17025, the laboratory may participate in an EPA-recognized Certification Body’s supervised or witnessed manufacturers’ testing laboratory program (SMTL/WMTL). Please refer to Appendix A of “Conditions and Criteria for Recognition of Certification Bodies for the ENERGY STAR Program” for details regarding this option.

- i) organization chart showing that the responsibilities, authorities, and inter-relationships of all personnel who manage, perform or verify laboratory results are free from influence that may adversely affect the quality of their work;
 - ii) dates of internal audits, audit findings, and any corrective actions taken;
 - iii) any customer complaints and corrective action taken;
 - iv) original testing records containing sufficient information for repeatability, including the names of staff who participated;
 - v) evidence that laboratory employees participate in and regularly pass ethics and compliance audits; and,
 - vi) evidence that mechanisms for reporting and responding to attempts to exert undue influence on test results are in place.
- 2) Develop and maintain separate laboratory test procedures for each accredited ENERGY STAR test method that detail how testing will be conducted utilizing the laboratory's test facilities, fixtures, equipment and personnel.
 - 3) Notify EPA/DOE immediately of any attempt to hide or exert undue influence over test results.
 - 4) Have recorded in its Scope of Accreditation its specific competence to carry out the test methods as outlined in the ENERGY STAR program for which the laboratory intends to test products.²

NOTE: To decrease the burden to laboratories and accreditation bodies, EPA will not require laboratories to update their Scopes of Accreditation when an ENERGY STAR specification is revised. However, EPA will require that the laboratory ensures its methods remain consistent with the test methods described in the program requirements of the currently effective version of the specification. Further, major changes in test method, for example, when a specification revision calls for a different test method altogether from the preceding specification version, will necessitate a Scope of Accreditation update to reflect the newly required test method.

- 5) Allow EPA or an EPA-appointed representative, at its discretion, to witness any testing performed for qualification or verification of qualification to the requirements of the ENERGY STAR program. EPA or its appointed representative agrees to operate solely as an observer and not participate in any way with the testing activities of the laboratory.

Inter-laboratory Comparison Testing:

- 1) Agree to participate in relevant and available inter-laboratory comparison testing (ILC) when EPA/DOE deems it necessary.
- 2) Carry out ILC in accordance with normal testing/calibration and reporting procedures, unless otherwise specified in the instructions from the proficiency test provider.
- 3) Submit to EPA/DOE upon request:
 - a) The results of ILC;
 - b) The analysis of those results; and,
 - c) Detailed corrective action responses for any outlying or unacceptable results.

Reporting:

- 1) Submit to EPA a digital copy of the accreditation certificate and scope of accreditation. This shall include at a minimum:
 - a) Accreditation effective date;
 - b) Accreditation expiration date (if applicable); and,
 - c) ENERGY STAR-relevant accredited test methods.
- 2) Authorize the laboratory's AB to share with EPA copies of assessment documentation related to ENERGY STAR testing, including corrective action plans and deficiency resolutions.
- 3) Report to both EPA and the laboratory's AB within 30 days of any major changes that affect the laboratory's:
 - a) Legal, commercial, organizational, or ownership status;
 - b) Organization and management, e.g., key managerial staff;
 - c) Policies or procedures, where appropriate;
 - d) Location;
 - e) Personnel, facilities, working environment or other resources, where significant; and,
 - f) Other such matters that may affect the laboratory's capability, scope of recognized activities, or compliance with the ENERGY STAR requirements and relevant technical documents.

- 4) Forward any questions related to ENERGY STAR test methods to EPA for resolution, and abide by the decisions of EPA relative to the resolution of those questions.

End of text of "Conditions and Criteria for Recognition of Laboratories for the ENERGY STAR Program"