



LEARN MORE AT
energystar.gov

ENERGY STAR® Statement of Energy Performance

86

ENERGY STAR®
Score¹

Sample Property

Primary Property Function: Office

Gross Floor Area (ft²): 200,000

Built: 1980

For Year Ending: April 30, 2013

Date Generated: June 28, 2013

1. The ENERGY STAR score is a 1-100 assessment of a building's energy efficiency as compared with similar buildings nationwide, adjusting for climate and business activity.

Property & Contact Information

Property Address

Sample Property
123 Main Street
Arlington, Virginia 22030

Property Owner

Wellington Commercial Property Managers
1 Washington Blvd
Arlington, VA 22030
() -

Primary Contact

Jane Smith
1 Washington Blvd
Arlington, VA 22030
() -
jsmith@wcbp.com

Property ID: 5000023

Energy Consumption and Energy Use Intensity (EUI)

Site EUI	Annual Energy by Fuel		National Median Comparison	
75 kBtu/ft ²	Electric - Grid	13,202,160 (88%)	National Median Site EUI (kBtu/ft ²)	122
	Natural Gas	1,853,000 (12%)	National Median Source EUI (kBtu/ft ²)	352
			% Diff from National Median Source EUI	-38%
Source EUI			Annual Emissions	
217 kBtu/ft ²			Greenhouse Gas Emissions (MtCO ₂ e/year)	1,927

Signature & Stamp of Verifying Professional

I _____ (Name) verify that the above information is true and correct to the best of my knowledge.

Signature: _____ Date: _____

Licensed Professional

Donald Brown
1 Washington Blvd
Arlington, VA 22030
202-333-4444
donaldbrown@wcpb.com



Professional Engineer Stamp
(if applicable)